

# Radio Fun

481

\$2.00

"The beginner's guide to the exciting world of amateur radio."

## in this issue

### features

- 4 A Few Memories of Radio, Part I W3RZD
- 8 Electrical Safety Revisited VE3TUM
- 12 Operation Holidays and Amateur Radio N4ZCF/AAA9PR

- 27 Simple N Connector WB6NOA

### review

- 13 The ASA 9244 Dual-Band Antenna WA1RZW

### kit review

- 10 Oak Hills Sprint AC4HF

### user's report

- 11 The Sony PRO-80 KAØYAE

### departments

- 28 Activities Calendar Staff
- 16 Ad Index Staff
- 24 Antennas, Etc. K4IPV
- 28 Flea Market Staff
- 5 Letters Staff
- 30 New Products Staff
- 3 QLF W2NSD/1
- 15 Radio Magic WB8VGE
- 13 The Tech Side KB1UM
- 29 Uncle Wayne's Bookshelf Staff
- 26 Upgrade . . .
- Don't Stop Now WB6NOA
- 27 What's Next? WB2MGP

## Government Launches PCS Era

The Federal Communications Commission has allocated 160 MHz for the new PCS (Personal Communications Service) in the 2 GHz band. The decision is expected to spark intense competition to deliver wireless services.

The FCC plans to use auctions to award PCS licenses. Local telephone companies are seen as the big losers in the decision. The new PCS service will compete with the cellular telephone industry and will carry data, video, and voice transmissions.

What this will mean to the future of ham radio is anyone's guess. Some are already speculating that PCS will be to the 1990s what the cell-phone was to the 1980s. One lightweight portable communicator could soon serve you at home, at work, and in your car. Your phone number would follow you wherever you go. The system can deliver reliable communications to portable phones, FAX machines, and pocket computers.

The Clinton Administration hopes to generate as much as \$10 billion for the treasury from frequency auctions. By the year 2010, 60 million subscribers could generate up to \$40 billion in revenue. *TNX Electronic Engineering Times*, Issue 765, Sept. 27, 1993, and *W5YI Report*, Issue 19, October 1, 1993.

## Ham Nobel Prize Winner

The winner of the 1993 Nobel Prize for physics, Princeton University's Dr. Joseph H. Taylor K1JT, attributes his success in science to his early involvement in amateur radio. Taylor shared this year's prestigious award with his former student and now Princeton colleague, Dr. Russell A. Hulse.

Upon learning of his winning the prize, Dr. Taylor told reporters

that he developed his scientific skills as a ham during his years at Moorestown Friends Academy in New Jersey. He later earned a Bachelor's degree from Haverford College and a Doctorate in Astronomy from Harvard University. The Nobel Committee honored Taylor and Hulse for their study of the gigantic gravitational forces exerted by pulsars. *TNX ARRL*.

## Mega-Micro QSO

Paul Lieb KH6HME, and Chip Angle N6CA recently set a new 902 MHz terrestrial distance record of 2,469 miles (3,973 km). The CW contact, with signals just out of the noise, came at 0136 UTC on August 23.

For the next four hours, the

pair tried unsuccessfully to make contact on 2304 MHz. A frequency near 144 MHz was used for liaison. The equipment used for this historic achievement was designed by N6CA. *TNX Westlink Report*, No. 658, September 30, 1993.

## Radio Roots: Hear What It Was Like



Back in the 1930s, Americans gathered in their living rooms and parlors to listen to the world through radio. Pictured above is a replica of a vintage 1932 General Electric Model J100 Cathedral Radio. This reproduction may look authentic, but it gives itself away by the letters "FM" over the right-hand knob. (FM broadcasting appeared on the scene a little later.)

Learn more about your radio roots. Turn to our exclusive two-part series: "A Few Memories of Radio" on page 4. (Photo by WA1RZW.)





# Why Wait For The Weather?

Hate to wait for the weather? AEA FAX II is the answer.

This IBM-compatible software receives HF SSB transmissions and displays satellite maps and WEFAX images in 16 levels of gray, giving you highly detailed pictures like the one you see here.


In addition to gray-scale images, you'll be able to receive and decode Morse Code, RTTY, and NAVTEX transmissions. And tuning the signal is easy—AEA FAX II has an on-screen tuning indicator to help you keep the signals coming in clearly.

Features, like the ability to export your fax pictures to PCX and GIF files and a logging function to keep track of your favorite stations,

make AEA FAX II easy to use right out of the box! Simply plug in the demodulator (shown here), install the software, and you're ready to receive highly detailed images.


Don't wait another minute. Call AEA's Literature Request line at (800) 432-8873 for more information, or contact your favorite ham radio equipment dealer. If even another minute

is too long to wait, call us direct at (206) 774-5554.



Requires PC-compatible XT, AT, or better and a general coverage HF SSB receiver. VGA monitor required for gray-scale fax display.





## QLF

by Wayne Green W2NSD/1

### My UHF Adventure.

A few years ago Chuck WA1KPS, a skiing and scuba diving buddy of mine, got interested in the 10 GHz band. Interested enough to put together a pair of small transceivers. Then what he needed was someone to talk to on this new band. This ham band, which runs from 10.0 to 10.5 GHz, is right next to the police radar 10.525 channel and provides us with 500 MHz of completely unused frequencies.

Let's see, if we were to set up one UHF channel via satellite on each 10 kHz, we'd have room for 50,000 of us to talk at once without any interference. Make that 100,000 if we're talking to someone other than ourselves. We're talking about a very big band. And being up in choice satellite frequencies, these are exceedingly ideal frequencies for commercial use.

Chuck wanted to see how the transceivers would do over the 50-mile path between his place in Massachusetts and mine in New Hampshire. So one night he drove up a hill near his house and I drove to the top of 2,500-foot Pack Monadnock mountain, about three miles away. I climbed the stairs of the fire lookout tower, just for a little extra height. We coordinated on 2m, aiming the little waveguide horn antennas at each other using maps and compasses. Then we started calling and tuning. It took about 15 minutes before we connected. We found it tricky getting both our antennas aimed exactly right, and at the same time getting on the same frequency. Once we hit it the signals were solid and the sound quality superb.

Naturally we picked a cold night, so my fingers were freezing as I aimed the box with one hand and tuned with the other, while holding a flashlight under my arm so I could see what I was doing. I didn't know at the time

that this was just the first of a long series of bitter nights I would be spending atop the mountain, fighting the wind and cold.

The signals were so strong over the 50-mile path than Chuck was anxious to see if we could make contact between my mountain and Mount Agamencus, in southern Maine. So a few days later Chuck drove to Maine and I climbed back up my fire tower. Again we had to hunt for the right antenna bearings and tune to exactly the right frequency. But we made it! Hmm, now how about Vermont? Sure, let's give it a try.

*So how about it, are there any areas of amateur radio that you'd like to pioneer? I guarantee that it's something you'll never forget.*

A couple weeks later Chuck drove to the top of Vermont's Mt. Ascutney. Again I fought off frostbite, blowing on my fingers and tuning. And again we were able to make a good solid contact. That was three contacts, and all over 50 miles. Considering we were using a 10th watt, this seemed remarkable. So let's try for more distance.

The map said Mt. Washington was 106 miles away; let's try that. Chuck dutifully drove to northern New Hampshire and up the auto road to the 6,200' top. We connected on 2m all OK, but would we be able to make it on 10 GHz? I didn't have a good shot, so we weren't sure. I had to aim my signal between two mountains to make it, according to our maps. It was really cold the day we tried this one. To hell with the fire tower. It's too cold. And the wind was blowing, just to help. So I put the little transceiver on my car dash-

board, aimed it between the mountains, and started tuning. Suddenly, there was Chuck, loud and clear. Hey, I've made 10 GHz contacts with four states! Chuck had worked one state so far. Repeatedly.

OK, all we need to do now is make contact with Connecticut and Rhode Island and we'll have all six New England states. A few days later Connecticut was done. Rhode Island wasn't going to be easy. It's flat, and not all that close. Chuck found the highest hill on the map. There was no road to the top, so he had to climb it on foot, bringing his transceiver and a two-foot dish, just to give him a little extra pep. At the top of the hill he was surrounded by trees. The signal wouldn't be able to make it from down there. So he picked the highest tree and climbed, pulling up the equipment after he got into the topmost branches. It wasn't easy sitting up there, aiming the dish, and calling so I could tune from my end.

I also opted for height. In my case I drove about 10 miles to Mt. Monadnock, a 3,500-foot mountain, and climbed that, toting the transceiver. The road only goes halfway up the mountain, so I had some real climbing to do. How many mountains have you climbed?

Sherry was with me, but she couldn't quite make it to the top.

We had quite a time making the connection because Chuck couldn't keep the dish steady up there in the top of the tree. And it didn't help when a farmer came along with a shotgun and demanded he get off his property. It was a short QSO, but we made it. Wow, all six New England states, with all contacts over 50 miles and the New Hampshire contact over 100 miles. It was hard work, but it was fun too. I'd do it again in a minute.

So what next? Well, how about trying for a New York contact? The topographical maps were not encouraging. But we might be able to lob a signal over the Western Massachusetts mountains and make it. Chuck loaded his rig and dish into his car and headed west. I headed up Mt. Monadnock again, with another dish in tow.

I made it to the top, wheezing away and pooped. This is hard work for an old man like me. I walk a couple miles a day for exercise, but that isn't anything like climbing a mountain. On top I found myself completely enveloped in fog. The mountain was in a cloud and I couldn't see 10 feet. I set up a tripod and the dish, aimed it with my compass, and started listening for Chuck. It took us about 20 minutes of tuning and aiming, but suddenly everything clicked and there he was, S9+. Seven states!

These little 10 GHz rigs are simple and relatively inexpensive to make, so you could make a pair and have a ball. Chuck and I didn't do anything that thousands of other hams couldn't have done. It's just that we did it and they didn't.

With no further states within reach, we rested on our laurels.

Chuck had so much fun working New Hampshire from seven states that he decided to try and do it all over again on 24 GHz. But he reckoned without an ARRL stalwart who worked for MA/COM, the manufacturer of the diodes we needed for the rigs. He blocked our getting them because he wanted the ARRL to get the credit for making 24 GHz contacts instead of 73. The end result was that no one ever did anything. I hate it when petty politics louses things up like that. If Freddie is still around, I hope he is pleased with himself for being so small-minded.

My experience on 10 GHz taught me that this band offers an inexpensive and practical alternative to 450 MHz links. The Southern California area 450 MHz band is packed solid with such links. I believe that virtually all of 'em could be moved to 10 GHz and all set up on one channel. The narrowness of the beams would keep them from interfering with each other. We found that a couple degrees swing of the antenna was all it took to go from S9+ to S-nothing. And on these frequencies you can have as wide a bandwidth as you want without bothering anyone. NBFM, wide-band FM, TV, or anything else.

They could move most of the 450 remote bases and link stations to 10 GHz, opening up 450 for more repeaters and even ATV in most large cities.

So how about it, are there any areas of amateur radio that you'd like to pioneer? I guarantee that it's something you'll never forget. I helped pioneer NBFM in 1946, 6m in 1948, RTTY in 1949, SSB in 1955, SSTV in 1967, repeaters in 1969, and computers in 1975. Now I'm retired and the ball is in your court. **RF**

**Don't miss out on a single issue of Radio Fun!**  
**Call (800) 257-2346 to order your subscription today.**

### GET ON PACKET RADIO...

**FAST and EASY...**

### With the "PC Packet Station"

By PKT Electronics, Inc.  
More than just a TNC, the "PC Packet Station" is a complete packet radio station for the IBM PC including:

- > **VHF Radio Transceiver** by Motorola < -

- > **1200 baud modem** < - - > **TNC Software** < -

You just plug the PC Packet Station into a half slot in your PC, plug in your VHF antenna into the card, load the software and you're on packet, it's just that easy!

PC PACKET STATION FEATURES: \* Fast, easy installation \* Selectable, Com 1 through Com 4 with selectable interrupts \* **Built in the USA** \* The Radio is totally shielded from the computer \* Have a custom application or a commercial use? Call us about Motorola radio modules, Motorola Telemetry Radios and Motorola Telemetry Modems. Dealer inquiries welcome.

PKT Electronics, Inc. 2668 Haverstraw Ave. Dayton, Ohio 45414 Voice and Fax 1-513-454-0242

CIRCLE 394 ON READER SERVICE CARD

## KITS! KITS! KITS!

*No. 1 in High Quality Educational Kits*

- FM Transmitter, 3v supply, range 400 yards.....\$19.95
- 2 Stage FM Transmitter, our most powerful to date.....\$24.95
- Sound activated switch for tape recorder.....\$19.95
- FM Telephone Transmitter, range 200 yards.....\$19.95
- LM386 Audio Amplifier, variable gain.....\$14.95
- DTMF Decoder/Panel Meter, 16 digit LCD display.....\$54.95
- 68 HC705K1 Micro-controller Kit.....\$49.95

### DIGITEQ

10 Howard Street  
Buffalo, NY 14206  
(716)852-0449  
FAX (716)852-5042

All designs fully tested and guaranteed to work.

Excellent documentation with schematic to explain how it works. PC Boards have silk screen overlay on the top for component placement.

### ORDER YOUR KIT TODAY!

Please send \$1.00 for complete listing of over 30 Kits or \$5.00 for (100+ items) Surveillance/Counter Surveillance Catalog.



# A Few Memories of Radio, Part 1

*Relive the golden age.*

by Robert C. Green W3RZD

This is not an article on how to build a kilowatt amplifier in a thimble, or how to construct an 80 meter beam antenna on a doghouse. It is just a few recollections of many years of radio, of what it was like and what I've seen and done. I am not a youngster, not by any stretch of the imagination. I have been playing around with radio as an enthusiast, amateur, and broadcast engineer for 60 years, and all those years can be summed up in one word—FUN. If I wander a bit chronologically please bear with me.

Do you remember the first radio you had, and when?

The first radio our family had was in 1925, and it was a crystal set my dad built. It had a big tuning condenser, an even bigger coil of cotton-covered wire wound on an oatmeal box, and a galena crystal with its cat's-whisker. Metal clips were screwed on the board to attach the earphones, antenna, and ground. It was typical of the thousands of crystal sets in homes all over the country.

Newsstands sold pamphlets on the construction of sets, and on where to get mail-order parts. Locally, five and dime stores like Woolworth's, and some hardware stores, were a good source of parts.

Two-tube receivers with WD-11, WD-12 or OIA tubes were just coming on the scene and they were expensive; sets were made by Crosley, Atwater Kent and RCA. One tube was used as a regenerative detector and the other as an audio amplifier. Batteries were not included in the price; they were sold separately.

By the late 1920s, receivers were still not very sensitive or selective, and they used a TRF circuit (TRF meaning Tuned Radio Frequency). Receivers used as many as four stages tuned to the incoming frequency to get the gain needed. Each stage was either tuned by its own variable condenser and knob, or by condensers ganged by thin brass belts. If ganged by belts, a belt from a pulley wheel on the shaft of one condenser was looped around a pulley wheel on the shaft of the next condenser, until all the condensers were ganged. It wasn't long before a new type of circuit was developed: the superheterodyne. The superheterodyne had more gain and selectivity and required fewer tuning condensers.

Tube-type radio cabinets were basically of two styles. One was a long box that resembled a small casket, made of either metal or wood, and commonly referred to as the "bathtub" type. It may have had as many as four tuning dials spread across the front panel, if the condensers were not ganged. The tuning dials, and perhaps the panel, were made of bakelite, and the four-inch dials had white gradations ranging from 0 to 100. Smaller knobs controlled the volume and tube filament voltage. Perhaps two pairs of earphones rested on the cabinet top. Wealthy set owners may have had a "Morning Glory" loudspeaker, which was a large earphone with an attached horn that resembled a big hearing aid trumpet. Those who couldn't afford a manufactured speaker placed a pair of earphones in a large soup bowl, which helped amplify the sound.

The other type of cabinet was a huge wooden box on spindly legs, and usually occupied a prominent place in the living room. When the set was turned on, the filaments of the tubes cast a soft light on the wall behind the cabinet; the brighter the light, the more tubes and the better the set. A large grille cloth on the front hid a tinny-sounding magnetic speaker.

Most broadcast stations were located in the center of town, and were housed on the top floor of buildings that may have had stores on the street level. The city-block-long building

was usually bought, or leased, by the owner of the station, and reinforced to hold two heavy 50-foot, four-legged towers on the roof. The towers, 100 or more feet apart, supported an antenna of four or five wires strung between them. Since there were so few stations, each usually had call letters made up from the owner's initials. Few stations could boast of having more than 500 watts of power.

Later, when networks came into existence, there were Mutual, Columbia, and the National Broadcasting Company. NBC actually had two networks, the Red and the Blue, with each network feeding its own transmitter. Eventually the Blue network was sold and became the American Broadcasting Company.

Even as late as 1931, in some homes batteries were still being used to power receivers. Large #6 dry cells, known as "A" batteries, supplied the filament voltage. Two or three 45 volt "B" batteries were connected in series for the plate voltage, and perhaps a multi-tapped "C" battery of 1.5 to 7.5 volts was used for bias voltage. AC-operated sets had appeared on the market about 1930, but not everyone could afford their cost.

## Antennas

From the very beginning of radio, one thing was for sure: A good antenna was needed. Peo-

ple who lived in the country were lucky because they could string up an antenna to a barn, a windmill, or a tree. Those unfortunates who lived in the city had to work hard to come up with an antenna, placing them in attics or under rugs, or on back-yard fences. One early antenna that had an impressive appearance was in the form of a fancy wooden cross, about 24 inches square and four inches wide. The center vertical post pivoted on a wooden base which rested on the top of the radio. Six or seven turns of wire formed a loop around the cross, and at the bottom of the loop two lengths of wire led down to the back of the radio. The loop antenna was also the input coil for the first RF stage. Today's receivers have loop antennas, only they are a small coil wrapped around a ferrite rod and mounted inside a shiny plastic cabinet. However, both the large loop on top of the receiver and the small built-in loop of today's portables serve the same purpose.

Rooming house tenants who were able to afford a receiver used the bedsprings or the galvanized wire window screens for an antenna, or dropped a wire out the window and hoped it would do. A lot of antennas were run along the baseboard, up and around door frames to the other side of the room. These worked pretty well until the room was repainted with lead-based paint which sometimes acted to shield the signal. I remember hearing of a lawsuit in which the home owner sued a painter for ruining the radio reception.

A good friend of my family was very proud of the antenna he had mounted on the back of a very large picture in his living room. The picture was about six feet long and three feet high, and was mounted on the wall directly above the receiver. He had fastened several turns of wire on the back of the frame, and was very proud that his antenna couldn't be seen. This was not a loop antenna, just a piece of wire. Later he discarded it and tacked a wire on the trim molding of the stairs leading to the second floor. He wouldn't admit he was having a hard time picking up his favorite programs.

Continued on page 6




Photo A. Early crystal set with lead galena crystal in soft metal holder and the "cat's whisker." Photo courtesy of W1HR.



Photo B: Replica of a typical 1925 amateur store in the Antique Wireless Association Museum.




Photo C. Amateur radio 3AEP circa 1916. Photo courtesy of the Smithsonian Institution.



# Radio Fun

DECEMBER 1993

issue #29

## editor/publisher

Wayne Green W2NSD/1

## associate publisher

David Cassidy N1GPH

## managing editor

Hope Currier

## senior/technical editor

Charles Warrington WA1RZW

## editorial associates

Sue Jewell

Joyce Sawtelle

## contributing editors

Bill Brown WB8ELK

Mike Bryce WB8VGE

Joseph E. Carr K4IPV

Michael Geier KB1UM

Carole Perry WB2MGP

Jeffrey Sloman N1EWO

Gordon West WB6NOA

## advertising sales

## representative

Doug Johnson

## advertising coordinator

Judy Walker

603-924-0058

800-274-7373

FAX 603-924-9327

## graphic design

Suzanne Self

## desktop page make-up

Linda Drew, Suzanne Self

## circulation manager

Harvey Chandler

## subscription services

800-257-2346

## Wayne Green, Inc.

## editorial offices

Radio Fun

70 Route 202-North

Peterborough, NH 03458

603-924-0058

FAX: 603-924-9327

RADIO FUN (ISSN 1055-887X) is published monthly by Radio Fun, a division of Wayne Green, Inc., 70 Route 202-N, Peterborough NH 03458. Subscriptions: \$14.00 per year. Canada add \$8.00. Foreign add \$12.00 surface/\$32.00 airmail. Second class postage pending at Peterborough NH and additional mailing offices.

Printed in the U.S.A. by

Turley Publications, Palmer MA 01069

POSTMASTER: Send address corrections to RADIO FUN, P.O. Box 4926, Manchester NH 03108.

Entire contents ©1993 by Radio Fun. No part of this publication may be reproduced without written permission of the publisher.

Reprints: \$2.00 per article.

Back issues: \$3.00 each/.

# letters



Write to: Radio Fun, 70 Route 202-N,  
Peterborough, NH 03458

Greg Smith N8PPZ, West Carrollton OH Wayne, thank you for getting me up off my duff and upgrading. Thanks to you I finally passed the 5 wpm code test after taking it several times and failing because I procrastinated and did not really spend enough time studying. It's your fault that I am now a General, that I just couldn't stop, and I blame you, sir, for the fact that I am now trying to pound the Advanced theory into my head. Before I insult you too much, I just want you to know that I now see a reason to go on and get my Extra Class: because I WANT TO! Maybe I am foolish to think that the conversations on the lower bands are more interesting than they are on 10 meters and VHF. I am tired of an endless string of signal reports and 2 meter drivel. I guess it is too much to hope for (call me a dreamer), but I'll probably call you every name in the book if I find out that all other hams want are signal reports and QTH.

Ed Campbell KD4SMQ, Macon GA As a new no-code ham, I subscribe to several magazines. Like many new hams, my first radio choice was an HT. Nothing gets you "on the air" as quickly or as cheaply. I purchased a Standard 168 and really love it. It is very well-built; I have even dropped it onto a concrete floor with no damage. At home I connect it to an attic antenna and power supply. I also use it with a mobile mag mount, but often I just carry it in the car with the rubber duck and hit the local repeater just fine.

I am working on the 5 wpm code to obtain my Tech-Plus license, but I must admit that is not much fun and I often wonder, "What's the point?" Unless you can copy 13 wpm, there is little HF voice available to the new ham.

Question: With all the new no-code hams out there, why don't the manufacturers produce 6 meter rigs? A 2m/6m dual-band mobile would interest me.

Thank you for your magazine. How about some articles on 6m fun? **RF**

## Making Copies

The FCC has published a "Policy on the Private Printing of FCC Forms." Under the Commission's rules, blank forms may be reproduced by private companies at their own expense, provided:

- The form must be comparable in quality to the original document without change to page size, image size, configuration of pages, folds or perforations, and matching as closely as possible the paper weight, paper color, and ink color.

- Reference to the U.S. Government Printing Office must be deleted. Except as above, do not delete from or add to any part of the form, or attach anything to it.

- Do not add any special personalized symbols, word, phrase, or advertising.

- Be sure the current version of the form is being duplicated.

TNX W5YI Report, Issue 19, October 1, 1993.

## Hams Fight Arson

Ham operators in Oakland, California, are patrolling the East Bay hills in an effort to stop a recent rash of arson fires. Four volunteer hams are on the lookout team working in cooperation with local fire authorities.

Officials hope the additional presence will help to curb the purposely-set fires. The latest list of arson cases has reminded residents of the fire storm that killed 25 people in the Bay area back in 1991. *TNX Oakland Repeater Association, Oakland Tribune, and Westlink Report, No. 658, September 30, 1993.*

## Rules Change: No Big Deal

So far the consensus is that there has been no significant change in amateur radio activity in the wake of the FCC's recent "Relaxing Restrictions on the Scope of Permissible Communications in the Amateur Service." The new Part 97 rules went into effect on September 13, permitting limited business communications on the ham bands.


Under the relaxed rules, hams can now make appointments, give weather report information to the National Weather Service, and order food. Fears that the VHF bands would become a pizza ordering service so far appear half-baked. *TNX W5YI Report, Issue 19, October 1, 1993.*

# KENWOOD

HOT HOLIDAY SPECIALS

TS-950SDX

\$3699



TS-850SAT

\$1659

orders &  
price  
quotes

1-800-433-3203



Electronics

Proudly serving the Amateur Community for over 25 years.

5635 E. Rosedale St. Fort Worth, Texas 76112

FAX(817)457-2429

Questions (817)429-9761

VISA•MASTERCARD•DISCOVER•AMERICAN EXPRESS

Prices and availability are subject to change without notice.

CIRCLE 331 ON READER SERVICE CARD

Subscribe to

# Radio Fun

by calling

1-800-257-2346

Don't Miss a Single Issue!

## LUKE POWER SUPPLIES

CONTINUOUS DUTY  
AMPERE RATINGS

SALE - \$25 OFF of \$40, \$55,  
\$65, \$35H \$50 OFF  
of \$80, \$100, \$55H  
Exp. 12-1-93



|                           |           |
|---------------------------|-----------|
| S40-40AMP-13.8V .....     | \$275     |
| S55-55AMP-13.8V .....     | \$310     |
| S65-65AMP-13.8V .....     | \$425     |
| S80-80AMP-13.8V .....     | \$540     |
| S100-100AMP-13.8V .....   | \$585     |
| S35H-35AMP-28V .....      | \$445     |
| S55H-55AMP-28V .....      | \$540     |
| S25VH-25AMP-50V .....     | per quote |
| S55VH-55AMP-50V .....     | per quote |
| OPTIONAL RACK MOUNT ..... | \$65      |
| OPTIONAL LCD METER .....  | \$75      |

- Electronic Regulated
- Fold Back Current Limit
- Crowbar Protection
- Over Temp Protection
- Over Temp Indicator
- Input Surge Protection
- Digital LCD Volt/Amp Meter w/display hold (optional)

- Soft start on most models
- Made in U.S.A.
- One Year Warranty
- Rack Mount Option
- Crowbar Indicator
- 120/240v all models
- Ripple Low as 2mv
- Industrial transformer manufactured in U.S.A.



**LUKE CO.**

7113 North 9 Mile, Lake City, MI 49651  
(616) 229-4593



CIRCLE 243 ON READER SERVICE CARD



## A Few Memories of Radio

Continued from page 4

### Gimmicks

All kinds of radio gimmicks appeared on the market, most of them worthless. Many of the gimmicks were sold by door-to-door salesmen who disappeared long before the set owner realized he had been taken. One little item that really played on the ignorance of the radio public was the "Grid-Leak Drip Pan." Receivers that used a triode tube for a detector required a resistor in series with the control grid to get a bias voltage. The resistor was called the grid leak. The grid-leak drip pan was a metal cup about one inch long and half an inch wide, and perhaps half an inch high. It was to be placed under the grid-leak resistor to catch dripping electrons, before they could start a fire.

Another gem was the "Lightning Charged Antenna." It was simply a stick of charred wood with a few turns of wire wound on it. What made it so special, according to the salesman, was that it had been charged by lightning, which would make it attract more radio waves.

"Rejuvenated Tubes," whatever that meant, were another hot item. Along with this were tubes that had their type number changed to a type that didn't exist, and sold as a superior type for a high price. Not everybody was taken in by these or similar scams, but a good number were.

Magazines, such as *Radio News*, carried articles describing well-known broadcast and shortwave stations, complete with pictures. *QST* had articles on building amateur receivers and transmitters. All the articles had very detailed instructions on winding the coils, and proper placement of parts. Most of the transmitters described used a TGTP (tuned-grid-tuned-plate) oscillator. Hams called this a TNT circuit because they couldn't be sure when it would blow its frequency. Tube types such as 45s or 2A3s were used for the oscillator and final. If the set was AC operated, a type 80 tube was used for the rectifier. Photographs of stations showed two parallel wires, mounted on ceramic insulators, leading out a window to the antenna. A standard item for all stations was a large knife switch used to ground the antenna during a storm.

By now I was in love with anything that resembled radio. I saved part of my allowance so I could get the new issues of the magazines when they appeared; they cost 25 cents. Many a time I rode the streetcar to a parts supplier to buy a type 19 or 30 tube for 55 cents.

Portable equipment for amateurs included

receivers using types 19, 30, 31, 32, 33, and 49 tubes. One of my favorite circuits was a type 49 screen grid tube in a regenerative circuit, and used just two flashlight cells for power. In this circuit the screen grid was used as the control grid, and the positive side of the 3 volts was fed to the regular control grid to boost the flow of electrons from the filament. The 3 volt source was also used for the plate and filament. With only a seven- or eight-foot antenna, it was remarkable the number of stations that could be heard. But as with all regenerative receivers, trouble was never far away; the receiver would oscillate too strongly and transmit the signal, sometimes for miles. This didn't endear me to the neighbors, although some trusted me to make repairs to their sets. It was a good way to make extra spending money, and guess what I spent the money on!

A good number of hams started using transmitters with a Colpitts or a Hartley oscillator circuit, which was more stable than the TGTP. If I'm not mistaken, it wasn't until 1934 that broadcast stations were required to use a crystal-controlled transmitter.

In a Washington, D.C., newspaper an article appeared about a man named Jenkins, who lived just outside the city, who was developing a method of sending pictures by radio. The articles also commented that RCA was also working on such a device, and they wondered who would be the first to succeed.

During the middle '30s, broadcast receivers were getting bigger, with more and more tubes and fancier dials. One manufacturer, Midwest, advertised sets with 23 tubes. A new manufacturer named Grunow started making home

receivers. Some years later Grunow got out of the home receiver line and started making mobile equipment under the name Motorola.

About this time someone came up with the idea of connecting tube filaments in series instead of in parallel, and thus was born the famous AC-DC receiver. These sets usually had just five tubes, and no power transformer. They were called AC-DC because they could be used on either 110 volts AC or DC. There were still quite a few cities with areas that operated on DC, downtown areas especially. The sets hit the market with a very loud bang; they were the poor man's answer to a second receiver. Prices ranged from \$6.95 to a high of \$12.95. As the years went by, tube types changed and the quality improved until some were selling for \$24.95. The five-tube AC-DC receivers were very popular and stayed on the market for over 30 years, until replaced by transistorized sets.

### Car Radios

When tubes with a six-volt filament were introduced, this led to the development of the car radio. The tubes were ideal for this as cars had six-volt batteries. In 1935, new cars featured a behind-the-dash radio. Some of the new cars that had an all-steel roof, or "Turret Top," used an antenna that was two or three rubber-covered metal ribbons under each running board. (Don't ask what a running board was, they are also a thing of the past.) Car heaters were still not too common, so in older cars there was plenty of room on the firewall for the box that was the radio. Two flexible shafts from the box led to a control head mounted on

the steering wheel column; one shaft was station tuning and the other shaft was volume.

Cars that still had a cloth roof used chicken coop wire for added strength between the layers of cloth, and the chicken coop wire was used for the antenna. I wonder how many farmers used chicken coop wire for an antenna before the automotive boys thought of it! Even though the filaments were fed off the battery it was still necessary to have high voltage for the tube plates. This was done with an electro-mechanical "vibrator," which chopped the battery voltage into a pulsating form so it could be stepped up in a transformer and then rectified. The radios drew up to 20 amperes, which would drain a car battery in a very short time unless the motor was kept running. Fathers would warn a teen-age son who borrowed the car for a date, "No parking and sparking with the engine off." It was cheaper to buy gasoline at 16 or 17 cents a gallon than to tow a car that had a dead battery.

Police cars were now using two-way radios, operating on frequencies around 2,000 and 2,600 kilocycles. The police cars had two batteries, and a new device called a Leece-Neville alternator in place of the generator, to keep the batteries charged. Police cars, marked or unmarked, could always be spotted by the distinctive whip antenna on the rear fender. The transmitter and receiver were trunk-mounted, due to their size and the necessity of being near the antenna's base, and were wired to a control box mounted under the car's dash. This was all new circuitry that hams later used. New broadcast radios for the home were being sold that would pick up police calls. These sets were advertised as, "You can now listen to the exciting moments of our police."

By 1939 some model cars had a vertical antenna mounted above the windshield, while other car models sported a chrome-plated whip supported by two black insulators on the front fender.

In 1938 portable radios became the rage, and another new set of tubes were developed. The tubes had 1.4 volt filaments and operated with 90 volts or less on the plate. A new set of batteries appeared just for the portables; the "A" and "B" batteries being in one package. A new type of speaker was used, the permanent magnet dynamic. All the portables had built-in loop antennas, and were housed in nice wooden cabinets. Newspapers and radio were carrying stories about Adolf Hitler in Germany, and how he could possibly start a war.

Well, I've gotten a little dry, guess I had better get a cup of coffee. How about coming back next month and we can talk some more? **RF**




Photo D. Early CW transmitter circa 1924 using a single UV202 in a Hartley oscillator circuit. Note the Christmas tree lights used for the filament center-tap! Used by 8BJI/W2BJI. Photo courtesy of AWA.

## BROWNVILLE SALES CO., INC.

Route 2, Box 104, Stanley, WI 54768  
715-644-2112 (Voice) • 715-644-2621 (Fax)



### SAVE ON ALL ALINCO RADIOS...

DR130 High Power 2M Mobile ONLY..... \$329.00  
DJ-580T Dual Band HT ONLY..... \$399.95

AND SAVE EVEN MORE ON THESE ALINCO CLOSEOUTS

DJ-560T/A 2M/70cm Twin Band HT

Closeout Priced at \$299

DR-592T 2M/70cm Twin Band Mobile (590 Upgrade)

Closeout Priced at \$499

DJ-162TD 2M FM HT (Dry cell)

Closeout Priced at \$199

Ni-Cad Battery & Charger

Closeout Priced at \$35.00 with radio purchase

ARRL, NARA, Arsci, etc. books, video/audio/computer tapes at a discount.

1993 ARRL "Now You're Talking" for no-code license \$15.00

High gain 2M base antenna \$32.00

Saving you money at BROWNVILLE SALES CO., INC.

Your Discount Ham Source

Route 2, Box 104, Stanley, WI 54768

715-644-2112 (Voice) 715-644-2621 (Fax)

Flyers-stamp

N9MEH Rich

N9MEI Jo

CIRCLE 266 ON READER SERVICE CARD

### X-BAND TRANSMITTER



Miniature (2 1/4 x 3 3/4 x 1 1/2") GaAs microstrip transmitter provides 10 dBm centered at 10.525 GHz. Integrated microstrip patch antenna eliminates the need for an external antenna. Advanced matching techniques secured good temperature stability with low frequency pulling. Great for long-range testing of radar detectors, calibration of radar receiving equipment, and point-to-point communication links.

Complete Assembled System ..... \$39.00  
Parts & Instruction Kit ..... \$29.00

Plus \$2.00 Shipping and Handling

INNOTEK Inc.


P.O. Box 80096, Fort Wayne, IN 46898

(219) 489-1711

Visa • MasterCard • Check • Money Order • COD  
Money-Back Guarantee

CIRCLE 283 ON READER SERVICE CARD

### Is Your Shack Grounded?



Solid Copper Buss Stainless Steel Hardware  
Grounding Stud Every 6 Inches  
Top or Back Installation

Ground all of your equipment chassis's to a single earth ground in one easy installation.  
Money back guarantee, if not satisfied!

Add \$3 UPS shipping  
Mail check/money order to:  
**J.M.S.**  
35 Hilltop Ave., Dept. 7  
Stamford, CT 06907

2 ft.....\$11.95  
3 ft.....\$16.95  
4 ft.....\$21.95

Custom Lengths Available

**J. Martin Systems**

CIRCLE 26 ON READER SERVICE CARD

## THE FAMED 2 METER

Also the ultimate for scanners bcb to 1300 MHz.

### A. S. A. 9209

+9 db Co-Linear "MultiWave" Base Station Double 5/8 over 1/4 wave delivers up to +9 db gain. All fiberglass & solid aluminum construction. Fits masts up to 1-1/2". 2 Meter Base Station 10' length.



**\$36.73**

+ \$5.00 S&H

(SC RES. 5% SALES TAX)

CHECK IN ADVANCE OR C.O.D.  
ALSO AVAILABLE IN 220 & 440

ASA

"Service is the Reason For Our Success"

Tel: (803)293-7888 P.O. Box 3461

Watts: 1-800-722-2681 Myrtle Beach, SC 29578

Model 9209  
+9db

CIRCLE 18 ON READER SERVICE CARD



## ICOM Is Dealing

ICOM America is for the first time offering discount coupons for a variety of products that complement ICOM radios. Anyone purchasing a new ICOM radio between now and December 31, 1993, will receive a book of 32 coupons from 21 leading manufacturers who sell products and accessories.

ICOM's Chris Lougee says, "Virtually every time someone buys a new radio, they need additional components to go with that radio. ICOM is taking a leadership position in identifying complementary products and making arrangements to sell those products to consumers at a significant discount. We believe it will broaden the appeal of amateur radio."

## High-Tech Highway

The Clinton Administration's Information Superhighway Plan is starting to take shape. The NTIA (National Telecommunications and Information Administration) will be given the lead role in its formation. The government's strategy calls for competing multiple cable, telephone, and computer networks.

Commerce Secretary Ron Brown will steer an industrial advisory council. You can expect major modifications to existing cable legislation and telephone restrictions. *TNX W5YI Report, Issue 19, October 1, 1993.*

## Confirmation Likely

Communications attorney Reed Hundt is expected to be confirmed as the new FCC Chairman. Hundt was well received in his initial confirmation hearing before the Senate Commerce, Science and Transportation Committee.

The 45-year-old Hundt is a partner in the Washington law firm of Latham & Watkins, and he enjoys the friendship of Vice President Al Gore. Hundt has supported increased competition in the telecom industry and universal access to new information technologies overseen by the FCC. *TNX Electronic Engineering Times, September 27, 1993.*

## Canada Loves its Hams

A seven-page full-color spread entitled "Loud and Clear" graced the pages of *Canadian Geographic* magazine's September/October issue. The feature article paints a sparkling picture of amateur radio operation in the Dominion.

The story was written by Janice Hamilton VE2JHJ and photographed by husband Harold Rosenberg VE2HRP. Rosenberg says, "I feel that spreading the good word about ham radio is very important, especially in the mainstream press." *TNX ES FB VE2HRP, VE2JHJ, and The Royal Canadian Geographical Society.*

## Technical Opportunities Knock

There will soon be far fewer opportunities for blue-collar workers, and a lot more for those who possess technical expertise, according to

an expert quoted in *Electronic Engineering Times*. Dennis A. Swyt, a Technical Manager at the Institute of Standards Technology painted a picture of an America where engineers and skilled technicians will gain influence and power.

Swyt delivered his remarks to the Engi-

neering Workforce Commission. He added, "The most important occupation group in the U.S. today, and continuing in your lifetime and your children's lifetime, is that of the technical professionals." *TNX Electronic Engineering Times, Issue 767, October 11, 1993.*



9 Autry  
Irvine, CA 92718  
(714) 458-7277 • FAX (714) 458-0826



MODEL VS-50M


### SL SERIES



### RS-L SERIES




### RM SERIES



MODEL RM-35M

### RS-A SERIES




MODEL RS-7A

### RS-M SERIES



MODEL RS-35M

### VS-M AND VRM-M SERIES



MODEL VS-35M

### RS-S SERIES



MODEL RS-12S

## ASTRON POWER SUPPLIES

• HEAVY DUTY • HIGH QUALITY • RUGGED • RELIABLE •

### SPECIAL FEATURES

- SOLID STATE ELECTRONICALLY REGULATED
- FOLD-BACK CURRENT LIMITING Protects Power Supply from excessive current & continuous shorted output
- CROWBAR OVER VOLTAGE PROTECTION on all Models except RS-3A, RS-4A, RS-5A, RS-4L, RS-5L
- MAINTAIN REGULATION & LOW RIPPLE at low line input Voltage
- HEAVY DUTY HEAT SINK • CHASSIS MOUNT FUSE
- THREE CONDUCTOR POWER CORD except for RS-3A
- ONE YEAR WARRANTY • MADE IN U.S.A.

### PERFORMANCE SPECIFICATIONS

- INPUT VOLTAGE: 105-125 VAC
- OUTPUT VOLTAGE: 13.8 VDC  $\pm$  0.05 volts (Internally Adjustable: 11-15 VDC)
- RIPPLE Less than 5mv peak to peak (full load & low line)
- All units available in 220 VAC input voltage (except for SL-11A)

### • LOW PROFILE POWER SUPPLY

| MODEL     | Colors<br>Gray Black | Continuous<br>Duty (Amps) | ICS*<br>(Amps) | Size (IN)<br>H x W x D | Shipping<br>Wt. (lbs.) |
|-----------|----------------------|---------------------------|----------------|------------------------|------------------------|
| SL-11A    | • •                  | 7                         | 11             | 2 1/2 x 7 x 9 1/4      | 12                     |
| SL-11R    | • •                  | 7                         | 11             | 2 1/2 x 7 x 9 1/4      | 12                     |
| SL-11S    | • •                  | 7                         | 11             | 2 1/2 x 7 x 9 1/4      | 12                     |
| SL-11R-RA | • •                  | 7                         | 11             | 4 1/4 x 7 x 9 1/4      | 13                     |

### • POWER SUPPLIES WITH BUILT IN CIGARETTE LIGHTER RECEPTACLE

| MODEL | Continuous<br>Duty (Amps) | ICS*<br>(Amps) | Size (IN)<br>H x W x D | Shipping<br>Wt. (lbs.) |
|-------|---------------------------|----------------|------------------------|------------------------|
| RS-4L | 3                         | 4              | 3 1/2 x 6 1/8 x 7 1/4  | 6                      |
| RS-5L | 4                         | 5              | 3 1/2 x 6 1/8 x 7 1/4  | 7                      |

### • 19" RACK MOUNT POWER SUPPLIES

| MODEL                          | Continuous<br>Duty (Amps) | ICS*<br>(Amps) | Size (IN)<br>H x W x D | Shipping<br>Wt. (lbs.) |
|--------------------------------|---------------------------|----------------|------------------------|------------------------|
| RM-12A                         | 9                         | 12             | 5 1/4 x 19 x 8 1/4     | 16                     |
| RM-35A                         | 25                        | 35             | 5 1/4 x 19 x 12 1/2    | 38                     |
| RM-50A                         | 37                        | 50             | 5 1/4 x 19 x 12 1/2    | 50                     |
| RM-60A                         | 50                        | 55             | 7 x 19 x 12 1/2        | 60                     |
| • Separate Volt and Amp Meters |                           |                |                        |                        |
| RM-12M                         | 9                         | 12             | 5 1/4 x 19 x 8 1/4     | 16                     |
| RM-35M                         | 25                        | 35             | 5 1/4 x 19 x 12 1/2    | 38                     |
| RM-50M                         | 37                        | 50             | 5 1/4 x 19 x 12 1/2    | 50                     |
| RM-60M                         | 50                        | 55             | 7 x 19 x 12 1/2        | 60                     |

| MODEL  | Colors<br>Gray Black | Continuous<br>Duty (Amps) | ICS*<br>(Amps) | Size (IN)<br>H x W x D | Shipping<br>Wt. (lbs.) |
|--------|----------------------|---------------------------|----------------|------------------------|------------------------|
| RS-3A  | • •                  | 2.5                       | 3              | 3 x 4 1/4 x 5 3/4      | 4                      |
| RS-4A  | • •                  | 3                         | 4              | 3 3/4 x 6 1/2 x 9      | 5                      |
| RS-5A  | • •                  | 4                         | 5              | 3 1/2 x 6 1/2 x 7 1/4  | 7                      |
| RS-7A  | • •                  | 5                         | 7              | 3 3/4 x 6 1/2 x 9      | 9                      |
| RS-7B  | • •                  | 5                         | 7              | 4 x 7 1/2 x 10 1/4     | 10                     |
| RS-10A | • •                  | 7.5                       | 10             | 4 x 7 1/2 x 10 1/4     | 11                     |
| RS-12A | • •                  | 9                         | 12             | 4 1/2 x 8 x 9          | 13                     |
| RS-12B | • •                  | 9                         | 12             | 4 x 7 1/2 x 10 1/4     | 13                     |
| RS-20A | • •                  | 16                        | 20             | 5 x 9 x 10 1/2         | 18                     |
| RS-35A | • •                  | 25                        | 35             | 5 x 11 x 11            | 27                     |
| RS-50A | • •                  | 37                        | 50             | 6 x 13 3/4 x 11        | 46                     |
| RS-70A | • •                  | 57                        | 70             | 6 x 13 3/4 x 12 1/2    | 48                     |

| MODEL                           | Continuous<br>Duty (Amps) | ICS*<br>(Amps) | Size (IN)<br>H x W x D | Shipping<br>Wt. (lbs.) |
|---------------------------------|---------------------------|----------------|------------------------|------------------------|
| • Switchable volt and Amp meter |                           |                |                        |                        |
| RS-12M                          | 9                         | 12             | 4 1/2 x 8 x 9          | 13                     |
| • Separate volt and Amp meters  |                           |                |                        |                        |
| RS-20M                          | 16                        | 20             | 5 x 9 x 10 1/2         | 18                     |
| RS-35M                          | 25                        | 35             | 5 x 11 x 11            | 27                     |
| RS-50M                          | 37                        | 50             | 6 x 13 3/4 x 11        | 46                     |
| RS-70M                          | 57                        | 70             | 6 x 13 3/4 x 12 1/2    | 48                     |

### • Separate Volt and Amp Meters • Output Voltage adjustable from 2-15 volts • Current limit adjustable from 1.5 amps to Full Load

| MODEL                 | Continuous<br>Duty (Amps) | ICS*<br>(Amps) | Size (IN)<br>H x W x D | Shipping<br>Wt. (lbs.) |
|-----------------------|---------------------------|----------------|------------------------|------------------------|
| @13.8VDC @10VDC @5VDC |                           |                |                        |                        |
| VS-12M                | 9                         | 12             | 4 1/2 x 8 x 9          | 13                     |
| VS-20M                | 16                        | 20             | 5 x 9 x 10 1/2         | 20                     |
| VS-35M                | 25                        | 35             | 5 x 11 x 11            | 29                     |
| VS-50M                | 37                        | 50             | 6 x 13 3/4 x 11        | 46                     |

### • Variable rack mount power supplies

| MODEL   | Continuous<br>Duty (Amps) | ICS*<br>(Amps) | Size (IN)<br>H x W x D | Shipping<br>Wt. (lbs.) |
|---------|---------------------------|----------------|------------------------|------------------------|
| VRM-35M | 25                        | 35             | 5 1/4 x 19 x 12 1/2    | 38                     |
| VRM-50M | 37                        | 50             | 5 1/4 x 19 x 12 1/2    | 50                     |

### • Built in speaker

| MODEL  | Colors<br>Gray Black | Continuous<br>Duty (Amps) | ICS*<br>(Amps) | Size (IN)<br>H x W x D | Shipping<br>Wt. (lbs.) |
|--------|----------------------|---------------------------|----------------|------------------------|------------------------|
| RS-7S  | • •                  | 5                         | 7              | 4 x 7 1/2 x 10 1/4     | 10                     |
| RS-10S | • •                  | 7.5                       | 10             | 4 x 7 1/2 x 10 1/4     | 12                     |
| RS-12S | • •                  | 9                         | 12             | 4 1/2 x 8 x 9          | 13                     |
| RS-20S | • •                  | 16                        | 20             | 5 x 9 x 10 1/2         | 18                     |
| SL-11S | • •                  | 7                         | 11             | 2 1/4 x 7 x 9 1/4      | 12                     |

\*ICS—Intermittent Communication Service (50% Duty Cycle 5min. on 5 min. off)

CIRCLE 16 ON READER SERVICE CARD



## ★ MADISON SHOPPER ★

ORDERS: 1 (800) 231-3057  
1 (713) 729-7300 or 729-8800  
FAX 1 (713) 729-4766

New and Used Meters,  
Tubes, Transformers,  
Filter Capacitors  
And More



FREE List Call



Madison Electronics

12310 Zavalla Street  
Houston, TX 77085

CIRCLE 25 ON READER SERVICE CARD

### TigerTail

from Antennas West  
Box 50062-F Provo UT 84605  
801-373-8425

Range Extender for 2 Meter Handhelds

- Boosts Signal from Flex & 1/4 wave Antennas
- Lowers Radiation Angle
- Improves both Receive and Transmit
- Raises Low Power Performance
- Saves you Battery Pack

- Easy to Use
- Unobtrusive
- Easily Concealed
- Snaps on Handheld
- Weighs only 1/3 oz.
- Adds No Bulk or Height

Order HotLine  
801-373-8425

7.95  
ppd

See and Hear the Difference

CIRCLE 107 ON READER SERVICE CARD

## Say You Saw It In Radio Fun

## ROOF-TOP TOWER

The IDEAL starter tower for EVERY new amateur radio operator. For HF arrays The RT 936 can handle 85 mph winds with a 28 square foot wing load. The lighter RT-832 handles up to 8 sq. ft. of wind load at 85 mph. With light weight and easy UPS shipping, you can have this tower up and operating on your QTH next week!

You've wanted to put up a tower:  
Now you CAN!

Glen Martin Engineering:  
Manufacturer of the HAZER tram system

| Model                        | RT-832    | RT-936     |
|------------------------------|-----------|------------|
| Height                       | 8 Ft.     | 9 Ft.      |
| Maximum Wind Load (Sq. Feet) | 8 Sq. Ft. | 28 Sq. Ft. |
| Shipping Weight              | 37 Lbs.   | 78 Lbs.    |
| Price                        | \$189.95  | \$328.75   |

We accept Mastercard, VISA or COD  
Order yours TODAY!



Route 3, Box 322 Boonville, MO 65233  
Phone 816-882-2734 Fax 816-882-7200

CIRCLE 72 ON READER SERVICE CARD

# Electrical Safety Revisited

by Richard McGillivray VE3TUM

I recently read (in a ham club newsletter) about a circuit which, according to the author, could be used to detect wet basement floors and would automatically activate a pump. This circuit had no fuse, no power switch, and no ground connection. Furthermore, there were no cautions in the article regarding the potential hazards of mixing electricity, water and the human body.

Most of us who work or play with electricity have, at one time or another, received a shock. The majority of us live to tell the tale, and are more cautious the next time we have our hands on something electrical; however, that is not always the case. Under the right conditions—or perhaps that should be the wrong conditions—*electricity kills!* It's not always a high voltage/high current combination that creates a Silent Key. An insidiously small current and comparatively low voltage joined with a good conductive path through the human body can be fatal.

What happens when we get an electric shock? A shock is experienced when our bodies become part of an electric circuit and current flows through us. How the shock effects us depends on the voltage, the voltage source (AC, DC, RF), the amount of current, the current path, the area of contact, and the equivalent circuit presented by the body. All these factors will determine the outcome of an electric shock.

### The Body

Simply, we can think of our bodies as biological feedback systems. Nerve impulses are

continuously carrying information to and from our brains to maintain normal body functions. These electrical nerve impulses provide both internal and external sensory information and muscle control. When we get shocked we inadvertently introduce an additional electrical signal. The consequences may be very serious.

There are three general effects produced by electric current flowing through the body: 1) heating, 2) stimulation of nerve and muscle tissue, and 3) electrochemical changes<sup>1</sup>. Of greatest concern is number 2), for among the body's muscles can be included the heart.

Let's take a brief look at how the body appears from an electrical point of view. The skin is the first line of protection between the outside world and the internal organs. The outermost part of the skin is a dry horny layer (epidermis) which is, when dry and intact, a poor conductor of electricity. Directly below the epidermis are the dermis and the subcutaneous layers<sup>2</sup>. These inner layers contain blood vessels, nerves, sweat glands, hair follicles, fat and conductive fluids. Current entering these conductive areas of the skin can find a path to the internal organs. It is the electrical resistance of the skin which limits the current when you come in contact with a voltage source. This resistance depends on the amount of water and oil in the skin and the area of contact. The skin resistance is inversely related to the area of contact. For normal intact skin and a contact area of one square centimeter, the resistance may range from 15,000 ohms to 1,000,000 ohms. A typical value would be 100,000 ohms. However, if the skin is broken

or wet, the resistance can drop to one percent of the dry value. The internal resistance of the body between any two limbs is approximately 500 ohms<sup>3</sup>.

As previously mentioned, the effect of an electric shock on the heart is of the greatest concern. A cross section of the heart and its normal electrical signal are illustrated in Figure 1A. The heart is a hollow muscular organ situated in the chest between the lungs and above the diaphragm. As we all know, the function of the heart is to pump blood around the body. Blood from the body which is depleted of oxygen enters the right side of the heart where it is pumped to the lungs for oxygenation. This oxygen-rich blood then enters the left side of the heart and is pumped back to the body. The major pumping action is done by the ventricle chambers of the heart. The heart has a very regular electrical rhythm that can be displayed on an electrocardiograph, as seen in Figure 1B. The heart, however, is very susceptible to electric current. If sufficient current passes through the heart to disrupt its normal electrical activity, the heart will go into ventricular fibrillation. The disorganized electrical activity of the heart during ventricular fibrillation is illustrated in Figure 1C.

Fibrillation is a condition that occurs when the muscle tissue of the heart does not move in a synchronized manner<sup>4</sup> and is characterized by rapid uncoordinated activity. During ventricular fibrillation blood is not pumped to the lungs or body. To make matters even worse, ventricular fibrillation will not stop when the current is removed. Medical attention is required immediately. Ventricular fibrillation is




Figure 1. A) The human heart with its normal electrical signal. B) The heart's normal signal pattern has a smooth rhythm. C) Ventricular fibrillation is a disorganized signal which often results in death.



the primary cause of death by electric shock.

## Types of Electrical Shocks

There are two general classes of shock: macroshocks and microshocks. A macroshock is a whole body shock of high current levels (tens of milliamps to amps) passing from limb to limb through the body. A microshock is a shock of low current value (microamps) entering the blood and being conducted to the heart along veins and arteries. Microshocks are not usually a concern in the work place, in the home or in the ham shack. Only under very special circumstances would most of us be at risk due to a microshock. An example of such a case would be if both hands were wet, you had a bleeding cut on either hand and you received a hand-to-hand shock. Under these conditions, there would be a good conductive path to the conductive tissues, body fluids and possibly to the heart. In this case, currents from 40 to 100 microamps could cause ventricular fibrillation and death.

It is macroshock which most of us experience primarily from touching an AC 120 volt 60 Hz voltage source. What is the effect of an arm-to-arm across-the-chest shock? The answer to that question depends on the current that flows, which in turn depends on skin resistance factors and how the current distributes itself through the chest. Considering dry intact skin, one milliamp is the threshold of perception and 5 milliamps is the maximum current which can be regarded as harmless. The range of currents from 10 to 20 mA is referred to as the "let-go" current. In this range sustained muscle contraction does not occur and you can still release yourself from the offending part. Between 20 and 50 mA involuntary muscle contraction, pain, fatigue, and possibly respiratory arrest may be experienced. From 50 to 1000 mA ventricular fibrillation can occur. In the range of 1 to 6 amps an interesting process takes place. At these currents there is a sustained contraction of the heart muscle, no ventricular fibrillation takes place, and when the current is removed the heart will return to normal activity. High current densities can re-

sult in serious burns and tissue damage. The effects of the current values and boundaries<sup>5</sup> stated above will vary from individual to individual.

Let's look at a couple of examples of hand-to-hand across-the-chest shocks from an AC 120 volt 60 Hz source:

(1) The skin is dry and intact—skin resistance of 100,000 ohms:

|      |       |        |
|------|-------|--------|
| skin | body  | skin   |
| 100K | + 500 | + 100K |

Total resistance equals 200,500 ohms.

The current is approximately 600 microamps. Below the threshold of perception.

(2) Moist intact skin—skin resistance of 20,000 ohms:

|      |       |       |
|------|-------|-------|
| skin | body  | skin  |
| 20K  | + 500 | + 20K |

Total resistance equals 40,500 ohms.

The current is approximately 3 milliamps. Perceptible, but not life-threatening.

(3) Wet intact skin—skin resistance of 1000 ohms:

|      |       |      |
|------|-------|------|
| skin | body  | skin |
| 1K   | + 500 | + 1K |

Total resistance of 2500 ohms.

The current is 48 milliamps.

A life-threatening situation—on the threshold of ventricular fibrillation.

(4) Wet skin and an open wound on one hand—skin resistance 1000 ohms:

|      |       |        |
|------|-------|--------|
| skin | body  | skin   |
| 0    | + 500 | + 1000 |

(the combination of an open wound and wet skin effectively removes all skin resistance on one hand.)

Total resistance 1500 ohms.

The current is 80 milliamps.

Ventricular fibrillation!

In this last case, since a good conductive path is provided into the conductive fluids of the body via the wound, a microshock hazard may exist.

Most of us live to tell the tale because our skin is reasonably dry, and intact, and the current is above the perception level and within the "let-go" boundaries.

Two additional areas we should look at are DC shocks and RF burns. There is a relation-

ship between the frequency of the current and the shock phenomenon. As the frequency moves above 1000 Hertz, both the perception of the current flow and the probability of a life-threatening ventricular fibrillation disappear. However, radio frequency (RF) energy will cut and burn tissue. An application of this process is used in hospitals during surgery.

Electrosurgical generators, or electrosurgical units (ESU), are employed during surgical procedures to make incisions. An ESU operates in the frequency range from 300 to 3000 kHz, with an adjustable power output from 10 to 300 watts<sup>6</sup>. Figure 2A illustrates the basic setup. The tissue beneath the active electrode is heated to destruction! Your HF rig functions very nicely as your personal ESU (see Figure 2B) and the antenna is the active electrode. When working on the antenna, the rig should be turned off and/or disconnected from the antenna. When working on the rig itself there is the potential for AC, DC, and RF shocks.

## DC Shocks

The primary concerns surrounding DC shock hazards are burns, tissue and nerve damage, and injuries resulting from a violent reflex action. The probability of ventricular fibrillation or other life-threatening cardiac arrhythmias is low, although not zero. A high-energy DC shock occurring during the T-wave portion of the cardiac cycle (see Figure 1A) could result in an R-on-T event<sup>7</sup>, followed by ventricular fibrillation. The same precautions you use when dealing with AC and RF currents should be diligently applied to the DC environment.

## Protection

How can we protect ourselves from getting a shock? Three ways come to mind.

**AWARENESS:** Be aware of the currents and voltages you are handling. Be aware of the frequency of the current. Be aware of the environment in which you are working. Be aware of the risks and manage them safely.

**CAUTION:** If in doubt, check it out personally. Is the power turned off? Am I a high resistance and dry? Is the antenna disconnected from the rig? Where are the overhead power lines? Ask yourself all the lifesaving questions.

**THINKING:** "I think, therefore I am."; Rene Descarte, 1596-1650. Concentrate on the task at hand. Think about what you are going to do before you do it. Think about the safety measures you need before you need them. Think about the safety of others involved in the work.

How we ACT can save our lives. Save a life—tell a friend about electrical safety. **RF**

## REFERENCES

1. Webster, J.G., *Medical Instrumentation—Applications and Design*, Houghton Mifflin Co., Mass., 1978, p. 668.
2. Geddes, L.A., Baker, L.E., *Principles of Applied Biomedical Instrumentation*, John Wiley & Sons, NY, 1989, p. 743.
3. Webster, J.G., *Medical Instrumentation—Applications and Design*, Houghton Mifflin Co., Mass., 1978, p. 679.
4. Chung, E.K., *Principles of Cardiac Arrhythmias*, Williams and Wilkins, MD, 1983, p. 367-372.
5. Carr, J.J., Brown, J.M., *Introduction to Biomedical Equipment Technology*, Prentice Hall, NJ, 1981, p. 319.
6. Geddes, L.A., Baker, L.E., *Principles of Applied Biomedical Instrumentation*, John Wiley and Sons, NY, 1989, pp. 849-872.
7. Huszar, R.J., *Basic Dysrhythmias—Interpretation and Management*, C.V. Mosby Company, MO, 1988, p. 144.




Figure 2. A) Electrosurgical units (ESU) are employed in hospitals to make incisions. The tissue beneath the active electrode is heated to destruction! B) Your HF rig functions very nicely as your personal ESU and the antenna is the active electrode. When working on an antenna, the rig should always be turned off or disconnected.

## PORTABLE QRP CW TRANSCEIVER



Features: SINGLE-SIGNAL receiver, VFO tuning, AGC for listening comfort, 5 Watts output, Semi-QSK TR switching and CW sidetone. Add a battery, key and antenna and you're on the air. FULL 100% KIT including a custom pre-painted, punched and lettered metal enclosure. 20, 30, 40 Meter available.

Complete Kit Only ..... \$159.95

CA Residents add 7.75% sales tax. S&H: \$5.00 (insured). Foreign orders add 20%. For more info or price list, send legal size SASE (52¢) to:

**A&A Engineering**  
2521 W. LaPalma #K • Anaheim, CA 92801 • 714-952-2114

CIRCLE 109 ON READER SERVICE CARD

## Power Filter for Mobile Radios

✂ NOISE !!

- Suitable for virtually any make/model of amateur mobile radio!
- Provides exceptional ignition, alternator, fan motor noise filtering!
- Installs easily between the battery and radio's DC power input
- Handles up to 15A @ 14VDC (w/fuse)
- Solid-state clamping for voltage spikes
- Equipped with Velcro for easy mounting to almost any surface
- 16 gauge leads, 10 inches long
- Connectors allow for radio portability
- 4 in. x 3 in. x 1.5 in., rugged construction

ORDER TODAY !

\$29.95 plus \$5.00 S/H (OH add 6.25%)  
Check or Money Order to:

**Xionix**  
1544 Craigwood Road  
Toledo, OH 43612-2255  
(419) 476-7334

CIRCLE 347 ON READER SERVICE CARD

## Printed Circuits in Minutes Direct From Photocopier or Laser Printer!

8 1/2" x 11" Sheets

Use household iron to apply.



## PnP BLUE

For High Precision Professional PCB Layouts

1. LaserPrint
2. Iron-On
3. Peel-Off
4. Etch

Adds an Extra Layer of Resist for Super Fine Lines on Std Clad Bds

## PnP WET

Easy Hobby Quality PCB's

1. LaserPrint
2. Iron-On
3. Soak-Off w/ Water
4. Etch

Transfers Toner from Laser Printer or Copier as Resist on Std Clad Bds

20Sh \$30/40Sh \$50/100Sh \$100  
PnP Blue or PnP Wet (No Mixing)  
Sample Pack 5 Shts Blue + 5 Shts Wet \$20  
VISA/MC/PO/CH/MO \$4 S&H -- 2nd Day Mail

**Techniks Inc.**

P.O. Box 463 Ringoes NJ 08551  
(908) 788-8249

100% Money Back Guarantee-Dealer Inquiries Invited

CIRCLE 245 ON READER SERVICE CARD



# RF kit review

Oak Hills Research  
20879 Madison St.  
Big Rapids MI 49307  
1-800-842-3748 (Orders)  
Price Class: \$109.95

## Oak Hills Sprint

by Jeff M. Gold AC4HF

The Sprint kit has a low parts count and a silk-screened board, is 100% complete, can be tuned for any 100 kHz of the band, and is fairly inexpensive. These factors make this a kit for any Novice or beginning kit builder to consider. For the Novice, a 40 meter kit would be a good choice. The radio can be used on the Novice portion of the band and then later easily retuned for another portion of the band.

The first steps I always take when a new kit arrives are to carefully unpack all the parts and examine the quality of the components. After I have done this, I take pieces of paper for each type of part. I set up one piece of paper for resistors, one for capacitors, and label each part of the paper with the appropriate number from the parts check-off list. I then start to unpack the small parts and put the leads through the correct place on the paper. By following this procedure I make sure that all parts are included in the kit and that they are really easy to identify when I start to place them on the circuit board. I find that by doing this first I enjoy the assembly process much more and I make far fewer assembly errors. The vast majority of problems associated with kit building are due to putting parts in the wrong place, or to poor soldering joints.

I followed the above procedure for the Sprint. All parts were included in the kit and were of good quality. Kit builders are sometimes scared off by winding their own coils; with this kit the coils are all pre-wound. The circuit board is good quality and has plated-through holes. I am currently building a kit with good boards that aren't plated through, and boy do I notice the difference. With plated-through boards you

apply the heat and solder and the board seems to suck up the solder. The results look great and the solder joints are really solid, mechanically and electrically.

### Simple Instructions

The directions aren't step-by-step, but they are easy to follow. The board is silk-screened and there is a very nice large parts overlay, so putting the parts in is a breeze. When you have to do more than just put resistors or capacitors in, the directions become more detailed and are very clear. With some help, a beginner should be able to do this fairly easily. I like to put the lowest-lying parts in first—this way the IC sockets and other parts sit flatter on the board.

The cabinet is very nice and all plugs and jacks are included. The rig is very small. It draws very little current. I had been trying to drain a 12V 4 Ah gel cell before recharging it to take on vacation. The battery didn't have a real good charge to start with. I left the receiver on from the time I got home from work 'til I went to sleep and did a lot of operating with it. The rig took a lickin' and it kept on tickin' for quite some time before draining the battery.

The receiver works nicely. This is my first Direct Conversion (DC) Receiver. I have read about downsides to them as well as their good

qualities. A DC receiver picks up signal energy from above and below a given frequency equally well. For instance, if you are tuning a station that is on 7.040, as you tune up the band the signal will get stronger until you reach a point where it seems to disappear. This is the center frequency or "zero beat" frequency. As you tune immediately past it the signal will once again become strong and then begin to weaken. If there is much noise on the band from other stations (QRM), the noise can seem worse than it really is. The DC receiver can

also become overloaded from commercial AM broadcast stations. This doesn't mean that this type of rig can't work well, but you need to get

used to tuning in a signal. An advantage to this design is that the rig can be made very small and lightweight and can be sold for a very reasonable price. If you are planning to use the rig for portable or backpacking use, this may be a good choice.

### Getting On The Air

I put the rig on the air during the weekend and it took a few minutes to learn how to tune a station. The directions that come with the kit explain the procedure clearly. It involves starting at the "0" end of the tuning scale and tuning until the signal is the loudest. If you tune past this point the signal should disappear at one point and then start to get louder again. While tuning around, I usually tune past the signal until it is right in the middle of the wave and the signal disappears. Then I make sure I'm on the correct frequency by tuning up a little

past and then down again to the correct side of the wave. It only takes a few seconds and it really seems to work well. I have been getting most people I call coming back to me on the first shot using the 1.5 watts the rig puts out.

This last week the 30 meter band around here has been real bad. There was a lot of noise on the band. It sounded like there were thunderstorms inside the rig. I was still able to get through the noise and make contacts. I sometimes had problems with other stations covering up the signal I was trying to hear; they didn't even have to be on the same frequency. This was caused by the DC receiver hearing both sides of the wave.

Still, I enjoy operating this rig. It makes a nice backpacking or portable transceiver. I use a small gel cell and my portable PVC vertical antenna. The whole setup is very portable and only takes a few minutes to set up. I have had very good results with this portable station setup.

I have tested the Sprint side-by-side against a number of small Superhet type QRP transceivers. I still like a superhet better. I find them easier to operate and less likely to be run over by strong signals from other stations or AM broadcast stations. This doesn't mean I don't like the Sprint. I was on it this morning and the bands were behaving fairly well. There was some noise, but it wasn't too bad. I had a real nice QSO for over an hour with no problem. I usually turn on the Sprint first when I get home from work and see how the band is. If I hear people, I will usually work with the Sprint first. I find it is a little more challenging because of the lower power and DC receiver, but I still have little trouble making contacts. I have received good reports on my transmissions. When the bands are noisy or crowded I use a switched capacitance audio filter with the rig and find that it helps a lot. RF



The Oak Hills Research Sprint QRP CW transceiver kit.

### Sprint Highlights

Sprint is a W7EL optimized QRP CW transceiver: single band for 80, 40, or 30 meters.  
High performance DC receiver.  
Diode ring mixer.  
VFO tuning 8:1 vernier—covers any 100 kHz of band.  
RIT w/center detent.  
Peaked audio filter.  
Sidetone oscillator.  
Smooth QSK.  
1.5 watts.  
All coils prewound.  
12 VDC.  
100% complete kit.



# RF user's report

## The Sony PRO-80

by Fred Allen KAØYAE

The Sony PRO-80 is a hand-held PLL synthesized receiver that covers 150 kHz to 223 MHz, in AM wide, AM narrow, FM wide, FM narrow, and SSB modes. (The 115.15 MHz through 223 MHz range is received using the FRQ-80 frequency converter which is included with the radio.) The manual is straightforward and you should have no problem understanding the PRO-80's functions after reading it.

### Getting Started

The PRO-80 can be either manually-tuned or direct-tuned. When you direct-tune, just press the direct button, input your desired frequency and press the execute button. The frequency will then appear on the display. If you make a mistake you will hear a beep, and a "Try Again" message will appear on the display. This message will disappear after five seconds and the previous frequency will return.

To manually tune the PRO-80 you simply press the +/- buttons located near the bottom of the receiver. The frequency will change at different intervals depending on what band you're in.

You can store up to 40 frequencies on four memory pages (10 stations per page). You can switch from page to page by rotating the page knob located on top of the receiver. Each memory not only stores the frequency, but also stores the last mode that was used on that frequency. This is really handy if you do a lot of band scanning.

Speaking of scanning, you can program the PRO-80 to scan in three different modes. It can be stopped at the first located station, or resumed after each station located has been received for several seconds, or until the signal stops. You can also use the squelch control so that the receivable signal level can be adjusted so that scanning stops at stations with strong signals, and passes over unwanted noise or frequencies where no stations are present.

The user can also utilize the limited scan tuning function. The stations in the desired frequency range can be scanned by defining the upper and lower limit frequencies that you would want to scan. For example, let's say you want to check out the action between 10 and 15 MHz. You would enter your lower limit of 10 MHz and your higher limit of 15 MHz, then press scan, and the PRO-80 would search for all the active frequencies in that defined band.

Another function is the Fine/SSB control. You can use this function when listening to sideband or when you're in the AM wide or narrow modes. It is a nice feature on field day when you are running a QRP rig and need a good receiver. It can also help the avid AM broadcast DXer cut through some of that ever present QRM he finds in the AM broadcast band.

The other functions on the PRO-80 are common and are found pretty much in other receivers of its class. These include key lock protection, memory protection, priority tuning,

earphone jack, recording output jack, tone control, and a light button used to illuminate the display window for approximately 10 seconds.

### Bells and Whistles

The supplied FRQ-80 frequency converter shifts the frequency coverage to 115.15-223 MHz to allow the reception of these frequencies. You do this by first inserting the FRQ-80 frequency converter in between the telescopic antenna and the connector to the receiver. Then just follow the directions in the manual and you will be able to receive ham, public service, aircraft, and other communications in the VHF band. The FRQ-80 also has a attenuator switch (0-30 dB) for interference from a strong adjacent station, and also a filter switch you set when either in the 115.15-174 MHz, or 174 MHz-223 MHz range. The FRQ-80 runs on 3 volts DC, (two AA batteries), and you should be able to get about 80 hours of use from the batteries. When the converter is not going to be used for a long period of time make sure you take them out to avoid damage caused by battery leakage.

The accessories supplied with PRO-80 include a FRQ-80 frequency converter, telescopic antenna, earphone, shoulder strap, carrying case, antenna holder, antenna plug adapter (BNC to TNC), and a "Shortwave Handbook." Some optional accessories include an AC power adapter (AC-D4), rechargeable battery pack (BP-23), and a car battery cord.

The PRO-80 weighs approximately one and a half pounds. The antenna jacks are of the TNC type, which is nice because of the limited room on top of the receiver. The PRO-80 runs on 6 volts DC (four AA batteries), and you will get approximately 10 hours of use out of the batteries before they will have to be replaced.

Although the Sony PRO-80 has been around for about five years it can still be purchased new for around \$400. I have seen numerous used units offered for sale in the \$225 to \$300 range. **RF**

## QUADS

|                         |         |
|-------------------------|---------|
| 2 meter 2 element ..... | \$29.95 |
| 2 meter 4 element ..... | \$39.95 |
| 2 meter 6 element ..... | \$59.95 |
| 70 cm 4 element .....   | \$29.95 |
| 70 cm 7 element .....   | \$49.95 |
| 70 cm 12 element .....  | \$69.95 |

Use a Quad to see what fun you can have!

### Dual Band on one boom!

|                                         |         |
|-----------------------------------------|---------|
| 2 meter 2 element 70 cm 4 element ..... | \$49.95 |
| 2 meter 4 element 70 cm 8 element ..... | \$79.95 |

Above antennas can be used for Sideband, Packet, Satellite, and ATV. For more info call or write

**LIGHTNING BOLT ANTENNAS**  
RD 2 Rt. 19  
Volant, PA 16156  
(412)530-7396

## TRUST Just... QSLs

- More ink colors/stocks/styles!
- Custom cards at "standard" prices!
- Raised ink or flat — same price!

→ AND ←

### NO MORE OBSOLETE CARDS....EVER!

Send \$1 for Kit — Doubly Refunded with order!

"Just...QSLs"

21645 E. 9 Mile Rd. • St. Clair Shores, MI 48080

NATIONAL ORDER LINE **800-73-GUD DX**  
(4 8 3 3 9)

Remember "Just...QSLs" are not just QSLs!

## SELL YOUR USED GEAR IN THE


## RADIO FUN FLEA MARKET

CALL JUDY WALKER TODAY

1-800-274-7373

TOLL FREE 1-800-666-0908 PRICING AND ORDERS ONLY

### KENWOOD



CALL FOR ALL KENWOOD

### YAESU



CALL FOR ALL YAESU RADIOS & ACCESSORIES

### ALINCO



CALL FOR ALL ALINCO

### ICOM



CALL FOR ALL ICOM

### STANDARD



CALL FOR ALL STANDARD

AEA • ASTRON • AZDEN • COMET • CUSHCRAFT • DIAMOND • KANTRONICS  
MFJ • SANGEAN • SONY SHORTWAVE • DRAKE • MANY MORE...

NEW EQUIPMENT PRICING AND ORDERS 1-800-666-0908 OUT OF STATE  
TECHNICAL, USED GEAR, INFO 203-666-6227 24HR. FAX 203-667-3561

**LENTINI COMMUNICATIONS INC.**  
21 GARFIELD STREET, NEWINGTON, CT 06111

Hours: M-F 10-6  
SAT. 10-4



C.O.D.s Same Day Shipping  
OK

CIRCLE 234 ON READER SERVICE CARD

## WEFAX To The Max



### PC GOES/WEFAX 3.0 \$250

PC GOES/WEFAX is a professional fax reception system for the IBM PC. It includes an AM/FM demodulator, software, cassette tutorial and 325 page reference manual. Check this partial list of our advanced features:

- |                        |                          |
|------------------------|--------------------------|
| Res up to 1280x800x256 | APT Lat/Lon Grids        |
| Unattended Operation   | Orbital Prediction       |
| Colorization           | Frame Looping            |
| Zoom, Pan, Rotation    | PCX & GIF Export         |
| Contrast Control       | Grayscale/Color Printing |
| Tuning Oscilloscope    | Infrared Analysis        |
|                        | Variable IOC & LPM       |

### PC HF Facsimile 7.0 \$99

PC HF Facsimile 7.0 is a complete shortwave FSK fax system for the IBM PC. It includes an FSK Demodulator software, manual, tutorial cassette and broadcast schedule. Call or write for a complete catalog.

### Software Systems Consulting

615 S. El Camino Real, San Clemente, CA 92672  
Tel: (714)-498-5784 Fax: (714)-498-0668

CIRCLE 250 ON READER SERVICE CARD



# Operation Holidays and Amateur Radio

by Lorraine S. Matthew N4ZCF/AAA9PR



Since mid-October, amateur radio operators everywhere have been called upon to take part in a public relations program called *Operation: Holidays*. This is the third year of the program and it is my hope that, like last year, you in amateur radio will respond with enthusiasm as individuals and through the radio clubs to which you belong. You who are new to amateur radio can take this opportunity to serve the community in which you operate.

*Operation: Holidays* is a campaign in which all amateur radio operators and MARS members are encouraged to promote the sending of holiday messages as a service to the general public. The aim is to acquaint the public with the services that amateur radio can offer. As a result, we hope to spread holiday cheer far and wide with our special communications capabilities.

This dual approach emphasizes the amateur radio community's two fine message systems: The National Traffic System (NTS) carries civilian-to-civilian traffic (messages), and the MARS system carries military-to-civilian-to-military traffic. People everywhere could supplement the usual sending of greeting cards with radiograms and MARSgrams. The senders and recipients would both enjoy this different approach to maintaining friendships.

The public needs to know that both the NTS and the MARS systems are up and running and are highly capable of carrying messages to and from loved ones. The ultimate goal is to have the public develop such familiarity with the two traffic systems that the sending of radiograms becomes a habit.

Achieving this goal requires that amateurs everywhere make the effort to inform the public about the services that are available and about how to contact the appropriate operators who handle message traffic. What better time of year is there to extend a warm welcome by amateur radio to our friends and neighbors in the community? You, who have just entered the amateur community, have an opportunity to build a bridge of understanding between the general public and your newly-found radio world.

How does the non-ham radio public find a traffic-handling operator? You, the new ham, can be instrumental in helping people make this discovery. If you don't know a traffic handling operator, your local amateur radio club would be the best source of information. If you are not yet a club member, join now. Your new ideas can blend with the ideas and knowledge of the experienced amateurs that you meet there.

This program gives amateur radio clubs an opportunity to be of service to their respective communities. Clubs usually have some traffic-handling operators among their members. If your club doesn't, someone in the club will probably know someone who does handle traffic. That operator might be enticed to join your club.

All amateurs and clubs have the capability to inform the public about the availability of free and reliable services offered by amateur radio. All clubs are capable of connecting the public to the appropriate operators for service.

All amateurs and clubs have an obligation to the public. That public should be served by amateur radio. Only an informed public, using the services available to them, will know that amateur radio is an important service. Only an informed public can help to protect the amateur bands from being usurped by others. Only an informed public can make legislators and regulators see the value of amateur radio as a national asset.

Many people don't even know that these message services exist. This is our opportunity to let the public know that both services are free, reliable, and available at all times—not just during the holiday season.

The messages themselves are a source of valuable practice for the operators who handle them—practice for traffic handling during emergency disaster services, for which amateur radio is better known.

Have you ever sent a radiogram? Why not? It's a great way to keep in touch with friends. All you need is a complete address, telephone number and 30 words. Most people are surprised at how much can be said with 30 words. Try sending a radiogram today. You and your recipient will like it.

Watch for *Operation: Holidays* news, notes, and bulletins. Help make this a busy, happy and informed holiday season for everybody. Let this holiday season and the coming new year be the start of an era in which amateur radio is joined in unity and service to our communities.

Happy Holidays to you all. If you need further information or materials contact me at this address:

Lorraine S. Matthew N4ZCF/AAA9PR  
P.O. Box 1439  
Santa Rosa Beach FL 32459  
(904) 267-4673  
Packet: N4ZCF@N4GXX or  
AAA9PR@AAT4BM

RF

## RAMSEY ELECTRONICS

PHONE ORDERS CALL

716-924-4560

FAX 716-924-4555

## RAMSEY IS YOUR QRP KIT HEADQUARTERS

### QRP TRANSMITTERS

only \$29.95!

### HAM RECEIVERS

#### 20, 30, 40, 80 Meter CW Transmitters

Join the fun on QRP! Thousands of these mini-rigs have been sold and tons of DX contacts have been made. Imagine working Eastern Europe with a \$30 transmitter — that's ham radio at its best! These CW rigs are ideal mates to our receiver kits. They have two position variable crystal control (one popular QRP crystal included), one watt output (3/4W on 20m) and built-in antenna switch. Runs on 12VDC. Add our case and knob set for a handsome finished look.



#### CW Transmitters

QRP-20, 30, 40, 80 (specify band) \$29.95

CQRP Matching case & knob set \$12.95

#### Ham Receivers

HR-20, 30, 40, 80 (specify band) \$29.95

CHR Matching case & knob set \$12.95

#### 20, 30, 40, 80 Meter All Mode Receivers

Build your own mini ham station. Sensitive all-mode AM, CW, SSB receivers use direct conversion design with NE602 IC as featured in QST and ARRL Handbook. Very sensitive varactor tuned over entire band. Plenty of speaker volume. Runs on 9V battery. Very EASY to build, lots of fun and educational — ideal for beginner or old pro. 30 page manual. Add the case and knob set for well-fitted professional look.

**YOUR SATISFACTION IS GUARANTEED.** Examine your Ramsey product for 10 days. If you're not pleased, return in original condition for refund. Add \$3.95 for shipping handling and insurance. Foreign orders add 20% for surface mail. COD (US only) add \$5.00. Orders under \$20.00 add \$3.00. NY residents add 7% sales tax. Warranty: 90 days on kit parts; 1 year parts and labor on pre-wired units.


PHONE ORDERS CALL  
716-924-4560 FAX 716-924-4555



**RAMSEY ELECTRONICS, INC • 793 Canning Parkway • Victor, NY • 14564**

CIRCLE 34 ON READER SERVICE CARD





# the tech side

by Michael Jay Geier KB1UM

## The Essential Walkie, Part Two

Last month, we covered the basic functions of a modern, microprocessor-controlled HT. This time, let's look at some of the more advanced features.

In the beginning, there were lovely repeaters, and there were not enough of them to bother each other. There was peace in the land. Then, the repeaters started to multiply and their numbers grew until . . . yikes, interference! Was there a way out?

## At the Tone . . .

This is one time when the commercial radio interests beat us to the punch. Motorola, a major developer of commercial repeater systems, discovered early on that there was a need to use some sort of signaling scheme to avoid mutual repeater interference. Consequently, they adopted what they call Private Line, or PL, which is their trademark for a tone-signaling system now generically known as CTCSS, or continuous tone-coded squelch system. It sounds complicated but, actually, it's pretty straight-

forward. In a CTCSS system, a low-frequency audio tone is sent by the transmitter at a low level along with the voice modulation. The tone is sometimes referred to as being subaudible. In truth, though, some of the tones, which range from about 67 Hz to 256 Hz, can clearly be heard because they fall into the normal speaking voice frequency range. Still, they are sent at a low enough level that they aren't bothersome.

At the repeater's receiver, a very selective audio filter detects the presence of the correct tone and keys the transmitter. Naturally, any signal not carrying the right tone will be ignored. The result is greatly reduced interference. Of course, an interfering signal can still cause problems if it occurs while a legitimate user is on the repeater, but at least undesired signals won't key the repeater when no one is using it.

By the way, if you're wondering why such a crude system was chosen over a more sophisticated, digital-coding scheme, the answer is that CTCSS was developed before the required digital technology existed. Motorola used mechanical reeds as narrow-tone filters: the reeds only vi-

brated when the pitch at which they resonated was present. And, you could change the reeds quite easily if you needed to change tones. Not only was that technique used on repeaters, it also was extremely successful with pagers, which usually had two reeds inside and required the sending of two consecutive tones. When you think about it, it's pretty clever!

## We Like It, Too

As our ham repeaters started getting numerous enough to experience mutual interference, we turned to CTCSS as well. You won't find it in use in very many sparsely populated areas, but if you go to a major city like Los Angeles, nearly every repeater will require it. While CTCSS encoders used to be exotic options, just about all of today's walkies have them built in. In fact, many even have tone decoders, too. Why have a decoder? Well, it helps you avoid receiving interference, as long as the repeater is sending, as well as requiring, tones. Some do, some don't. Also, you can use the decode function as a kind of simple selective calling system when you are on a repeater which *doesn't* require CTCSS. It works like this: You want to catch a call from a friend, but you're not sure when it's coming and you don't want to listen to all the other stations chattering away in the meantime. If you and your friend agree on a tone, you can set your decoder for it and it will squelch everybody else, opening only when your friend sends the correct tone.

I've used this technique many times, and it works great. There are some restrictions, though. First, as I said, the repeater must not be using tones itself, or your friend's encoder will be tied up for use in opening the repeater. And, of course, all the other users will be sending the same tone, so there will be no way to distinguish between

them. Also, some non-CTCSS repeaters just don't have the low frequency response in their audio channels to pass the lower tones, so they get cut off and are never retransmitted. An easy way out is to choose one of the highest tones. These fall squarely into the normal voice range, so all repeaters will pass them.

Finally, CTCSS is quite handy at hamfests, where other transmitters are so close that they keep opening your receiver, even though they aren't on the same frequency. In this case, of course, it doesn't matter which tone you choose.

## Pick a Tone

Let's say you are in a strange city and you want to get on a busy repeater to ask for directions or other local information. You hear plenty of people talking, but when you try to break in, no one notices you. Are these folks rude or what? More than likely, they are not hearing you because the repeater requires CTCSS and you are not sending it! But how can you know which tone is in use?

If you have a CTCSS decoder, set your radio for decode operation. Most likely, it will go silent. Now, go into the tone setting mode and slowly step through the tones until the audio wakes up. You've found the right tone and can now program your transmitter to send it. But with some new rigs you don't even have to go through this rigmarole, because they have a CTCSS scanning feature that identifies the tone for you. Slick, huh?

While most repeaters retransmit incoming CTCSS tones, some do not. If the repeater isn't retransmitting the tone, it can be hard to figure out which one is in use. In this case, you must try to pick up someone's signal on the repeater's input frequency. (To listen to the input, select the "reverse" mode on your walkie or retune

# RF review

## The ASA 9244 Dual-Band Antenna

*Go mobile without going broke.*

by Charles Warrington WA1RZW

If you're one of those thousands of recently licensed amateurs looking for a low-cost mobile antenna, listen up. Antenna Sales & Accessories is offering a quality dual-band 2 meter/440 MHz magnetic mount for a very low price.

The Model ASA-9244 Antenna is a pre-tuned dual-bander. It acts as a 1/4 wave on the 2 meter band, and as a 3 dB gain antenna on the 70 centimeter band. The main advantage of this antenna is that it is practically invisible on your car or truck.

Unlike some mag-mounts that scratch the heck out of your vehicle, this one is mercifully small, yet versatile. It gets you up and running on VHF and UHF mobile operation in no time.


The ASA-9244 weighs only 8 ounces. The powerful magnetic base is 2-1/2" in diameter and has a protective bottom cover. The over-

all height is 17-1/2". Its small size and weight characteristics combine with its strong magnetic base to provide a dependable mount with negligible wind loading. This antenna has survived testing in 100 mph winds!

The 1/4" coiled Fiberglas bottom section is helically wound with rugged heat-shrink protection to a height of 4". The flexible black cellular-look stainless steel whip is 13" high.

The unit is shipped complete with 12 feet of RG58 coax with a PL259 or BNC connector attached. The construction is sturdy—the antenna is all black with brass/chrome ferrells, and it is made in the USA. This product is definitely plug-and-play.

I tested the ASA-9244 with a 5 watt HT during my two-hour-per-day commuting time. On 2 meters, the 1/4-wave ground plane is a vast improvement over a little helical duck, and only a tad worse than a 5/8 whip. Performance



was equally good on 440 MHz. Although A.S.A. has carried this product for about two years, they recently hooked up with a new American manufacturer and the quality of these new units is surprisingly good, given the price.

If you live way out in the sticks and need all the gain you can get, you probably should look into something a little more elaborate. But if you're just gettin' your feet wet and live within range of a repeater or two, this may be the answer for you.

RF

Antenna Sales & Accessories  
P.O. BOX 3461  
Myrtle Beach SC 29578  
Telephone: (800) 722-2681  
Price Class: \$19.95 plus \$5 S&H  
(within the continental USA)

## RACK AND CHASSIS BOXES

| RACK CHASSIS |                                   |             | METAL CABINETS |                                |             |
|--------------|-----------------------------------|-------------|----------------|--------------------------------|-------------|
| MODEL        | DESCRIPTION<br>W x D x H (inches) | PRICE<br>\$ | MODEL          | DESCRIPTION<br>W x D x H (in.) | PRICE<br>\$ |
| 1RU5         | 19 x 5 x 1.75                     | 30.85       | MC-1A          | 4 x 3 x 2                      | 16.50       |
| 1RU7         | 19 x 7 x 1.75                     | 33.10       | MC-2A          | 6 x 3 x 2                      | 18.75       |
| 1RU10        | 19 x 10 x 1.75                    | 35.25       | MC-3A          | 8 x 3 x 2                      | 20.95       |
| 2RU5         | 19 x 5 x 3.5                      | 33.10       | MC-4A          | 4 x 4 x 3                      | 18.75       |
| 2RU7         | 19 x 7 x 3.5                      | 35.25       | MC-5A          | 6 x 4 x 3                      | 20.95       |
| 2RU10        | 19 x 10 x 3.5                     | 37.50       | MC-6A          | 8 x 4 x 3                      | 23.15       |
| 3RU5         | 19 x 5 x 5.25                     | 41.90       | MC-7A          | 4 x 7 x 4                      | 20.95       |
| 3RU7         | 19 x 7 x 5.25                     | 44.10       | MC-8A          | 6 x 7 x 4                      | 23.15       |
| 3RU10        | 19 x 10 x 5.25                    | 46.30       | MC-9A          | 8 x 7 x 4                      | 25.75       |

USA AND CANADA ORDERS (800) 634-3457  
FAX ORDERS (800) 551-2740  
SES COM  
SES COM, INC., 2100 WAPO DRIVE  
HENDERSON, NEVADA 89015 USA  
TECHNICAL HELP (702) 565-3400  
VISA AND MC ORDERS  
SHIPPED GROUND AT  
NO CHARGE (48 STATES)


CIRCLE 167 ON READER SERVICE CARD

## Sell Your Product In Radio Fun

CALL DOUG JOHNSON TODAY!

1-800-274-7373

## Corner Beam?



SWR < 1.2:1 across the band. Gain of a 15 ft Yagi. No dimension over 7 ft. 40 dB Front-to-Back Ratio. 60° Half-power Beamwidth. Mounts directly to mast. Vertical or Horizontal Polarization. 2 meters \$145, 220 MHz \$145, 70 cm \$115, Dual 146/440 \$165. Weighs only 10 lbs. Add \$11 Shipping & Handling. Info \$1.

Antennas West Order Hotline  
Box 50062-F Provo UT 84605 801-373-8425

CIRCLE 380 ON READER SERVICE CARD



the radio to the input frequency.) Once you get a signal, you can pick out the tone with one of the above procedures. Of course, you usually can avoid all this trouble if you have a repeater handbook, because the book will show the tone in use and you can simply program it in.

## The New Way

In some busy cities, there's so much ham activity that the desire for selective calling (which basically goes against the ham tradition of a giant party line) is quite large. The radio manufacturers have responded by designing a new, digitally-based paging scheme. This one sends a quick sequence of DTMF (dual-tone, multi-frequency) tones every time you press the transmit button. These are the same tones used for normal telephone dialing. Your friend's decoder is set to the same sequence, and only that set of tones will open his squelch. It seems like a great idea, right?

## Nope, Sorry

Unfortunately, the manufacturers really fell down on this one. They chose a system which uses only the tones for the numbers 0-9. They did not include the pound sign and star, or the A.B.C and D tones. As it happens, most modern repeater controllers are designed to deliberately stop DTMF tones from being retransmitted. They do that to avoid having unauthorized users and jammers hearing (and thus being able to decode) the tone sequences used to enable the autopatch (connection to the telephone network). While most of these controllers have a special tone sequence which temporarily disables this protective function, it nearly always involves the use of those unincorporated tones. So, the paging function is useless through

most of the repeaters in the USA. Of course, you can still use it for simplex operation at a hamfest, but why bother? CTCSS is much easier to set up and it does the same job.

As a result of this basic incompatibility with most repeaters, I consider DTMF paging a worthless feature, and I certainly wouldn't recommend you pass up an otherwise desirable rig because of its absence. More and more, though, it is being included as a standard feature, so you may wind up getting it anyway. I know lots of people who have it, but I don't know anyone who uses it.

## It's Covered

Last time, I mentioned that almost all new radios include extended coverage, allowing you to use them as public service band scanners. Typically, they go up to 170 MHz or so, and some go down all the way to the aircraft band. If you get one that covers aircraft, be sure it actually includes AM detection, because that's what aircraft radios use. Some can do it but require modifications to enable the feature.

## Autodialers

An increasingly popular feature is the autodialer, which lets you store in memory several phone numbers, along with the code numbers required to activate the repeater's autopatch system. This is a very handy device, especially if you use the radio in your car, where you don't want to be distracted trying to enter numbers while you drive. Some rigs, though, require as many as four or five keypresses to send the stored number, while others will do it with just one button. I recommend you ignore the difficulty of entering and storing numbers (which you rarely do) and concentrate on how much

trouble it is to send them. The fewer steps required for sending, the better.

## Can You Handle It?

As you can see, today's HTs do so much that you can get lost just trying to figure it all out! The radios' makers recognize that, and some attempt to remedy the situation by offering different modes of operation for users of varying experience levels. In the "simple" mode, the radio is easy to use but has few features; you have to go to the full-featured mode to get at the goodies. I've tried a few such rigs, and I don't care for that approach. If you really want to get the most out of your purchase, I suggest you just dive in and learn it a little at a time.

## Double Pleasure

So far, we've looked only at the features available on the normal, single-band HT. But today, dual-banders are becoming quite popular, and they include some extra features specifically related to their versatile nature.

## Hearing Double

Most dual-banders let you listen to two frequencies at once. It can really be handy to listen to a 2 meter and a 440 MHz repeater at the same time. But many new models also let you listen to two frequencies on the same band. How cool can you get?

## The Smallest Repeater

Have you ever thought about having your own repeater? Why, you ask, would you want that? Well, usually, you don't, of course. But sometimes it can be handy to have a portable

repeater. Let's say you're working a public service or emergency event and you can't get a signal to the real repeater, due to geography or obstructions. If you had your own portable repeater, you could use it as a gateway to the big one.

Normally, the antenna duplexing problem (avoiding trashing of the repeater's receiver by its own transmitter) requires large filters or separate antennas with considerable distance between them. Heck, even with a 600 kHz offset, it's hard to keep all that transmitter energy out of the receiver. But what if the two frequencies are on different bands? Then, they really won't bother each other! Consequently, many new dual-band rigs offer a crossband repeat function, wherein they will automatically retransmit whatever comes in on one band on the other band. Essentially, these rigs are miniature repeaters. Mobile radios have had this feature for a few years, but it has now come to walkies as well. I don't know how useful it is in such a small radio, but I suppose it could be fun to experiment with.

Well, I think we've covered most of the useful features available on modern walkies. Some rigs have even more gadgets, such as VOX (voice-operated transmit switching with a headset), clocks and timers, but they are strictly a matter of preference; you don't need them to do the job. If you're in the market for a new HT, try to pick one that you find easy to operate and generally appealing. As long as it has memories and CTCSS, you should wind up being happy. One more thing: I find that rigs with fewer buttons are *harder* to use, not easier, because they have to cram more functions into fewer controls. The result is arcane, hard-to-remember keypress sequences. The fewer functions assigned to each key, the better. 73 and see you all next time, from KB1UM. **RF**

## Removable Call Signs

2 1/4"x8"PLASTIC



AMATEUR RADIO

**W1AW**

ORDER NOW

## Great Xmas Gift

- Magnetic or Suction-Cup Mounted
- Your Call Letters or Repeater Freq
- Display Sign on Trunk or Rear Window
- Transferable From Car to Car
- No Call Lettering Remains on Vehicle

Order -Magnetic or Suction-Mounted Version! Select -Black, Blue or Red Background!

PRICE: \$9.95... 2/\$18



1923 Edward Lane  
Merrick, NY 11566  
Phone 516-546-4362

Serving Ham Radio Over 12 Years  
CIRCLE 35 ON READER SERVICE CARD

The Advertisers in this issue are available to help you with your Holiday Shopping! Call them Today!

Pico-J rolls up and hides in his 4-ounce pocket-sized holder, waiting like the genie in a bottle till you need full-quieting signal punch.

Call him forth and his glistening black weather sealed lines reveal a sleek end-fed halfwave antenna ready to hang anywhere. Suspend in the apartment closet or patio doorway. Attach Pico-J to window glass or curtain rod. He needs no radials for broad-band low-angle omni halfwave gain.

Carry Pico-J with you for emergencies. Hang in the motel when on the road. He improves range, boosts reception, saves batteries.

Pico-J comes ready for work with 72" isolated coaxial feedline and gold pin BNC. Typical edge-to-edge SWR under 1.2:1. Hand-crafted in the U.S.A.

Info \$1 Models Antennas West  
Box 50062-F 2 Meters Order Hotline  
Provo UT 440 MHz 801-373-8425  
84805 Dual Band add \$6

CIRCLE 89 ON READER SERVICE CARD



## Introducing The New PDA QSL Route Database

28,000 QSL Routes at your fingertips!  
• Updated monthly-subscriptions available  
• User-updatable • Fully integratable with LOGIC • For IBM, 640k RAM or higher, hard drive required. Windows version requires MS Windows 3.1. Latest list \$10. Monthly subscription (one year, 12 issues) \$60. Bi-monthly subscription (one year, six issues) \$35. Windows version add \$10. Canadians add \$50 per issue. Other foreign add \$1.50 per issue.

Personal Database Applications, Dept RF,  
2616 Meadow Ridge Dr., Duluth, GA  
30136 Ph. 404-242-0887 Fax  
404-449-6687 Tech supp. 404-417-1899  
Hours 8-6 M-Th, 8-noon Fri EST. visa, mc

Windows  
or  
DOS!

Isn't Your Radio Worth The Investment?  
Protect It With



**THE PACK-IT**  
FROM TRANSEL TECHNOLOGIES  
**TRANSEL TECHNOLOGIES**

Protect your HT's, Cellular Phones, Pagers, and any other devices you carry that may be subject to damage.

The PACK-IT is made of 1/4" neoprene material which is safety belt sewn to the nylon protective backing. The PACK-IT doesn't fray like many other materials and is safe to wash whenever needed.

The strap and 2" beltloop is made from commercial grade webbing and is secured in the front with a Velcro hook and loop assembly.

The PACK-IT doesn't wear the radio like leather and protects the radio from the small falls which occurs in everyday usage. The neoprene material is a cushion material which not only covers the radio but also protects it. Various sizes available so call for the size to fit your need.

Made In The USA!

**\$15.95** + \$3.00 S&H  
**1 (800) 829-8321**

Dealers Welcome

CIRCLE 11 ON READER SERVICE CARD

## HUGE NEW CATALOG

Call or write Universal today to receive your free 100 page catalog with prices!

- Communications Receivers
- Portable Receivers
- Amateur Transceivers
- Amateur & SWL Antennas
- Scanners
- RTTY and FAX Equipment
- Books and Manuals
- All major lines: Kenwood, Icom, Yaesu, Alinco, MFJ, Japan Radio, AEA, Sony and Sangean.

This catalog is available FREE by fourth class mail, or for \$1 by first class mail.



**Universal Radio**  
6830 Americana Pkwy.  
Reynoldsburg, OH 43068  
♦ Tel. 614 866-4267  
♦ Tel. 800 431-3939  
♦ FAX 614 866-2339

Universal-quality equipment since 1942!





# radio magic

by Michael Bryce WB8VGE

After 12 years of dependable service, my old Heathkit oscilloscope died just when I needed it. Since this piece of gear is rather old and outdated, I thought I'd just put its remains in the junk box and buy a new one. Whoa! Did I ever get a surprise. A new scope with all the digital storage and quad channels would cost over three grand. Maybe I should take a look at my old scope and see what went wrong. So with a goal of saving myself a pile of money, I took the covers off the Heathkit and jumped in. This is a good reason why hams keep a well-stocked junk box.

## What's Wrong?

The baseline trace would not come up to the center of the scope, no matter what I did. The baseline trace is the trace displayed on the scope with no input to either vertical amplifier. It's just a solid line across the face of the tube. Since my scope has two channels, I tried the other one as well. It showed the same fault as the first channel.

## What's Right

Right from the start, we know several important items about this piece of gear. Let's take a closer look at what we know is working:

*We know the high voltage power supply is work-*

*ing because we do have a trace across the face of the scope. This means the 2 kV supply is working. Just like a TV set, the scope needs this high potential to attract the electron beam to its face.*

*The time base is working.* By adjusting the sweep time controls, we can vary the speed of the trace across the face of the tube. This also means the low voltage power supplies are working correctly. The sweep circuits would not work without the correct voltage.

*The focus, intensity and horizontal position controls all work.* Again, this means the CRT tube and its support voltages must be in working order.

*Both channels are working,* although neither can be moved into the proper location on the CRT. Since both channels do work, the switching between the two must also be working.

*The autotrigger function is operating.*

## Common Troubles

One of the first lessons in troubleshooting is getting all your ducks lined up in a row. I've eliminated 90 percent of the scope as the source of the problem by just placing the known good circuits out of the way. Now we can narrow things down to one stage, perhaps two. There's no need to even look at the 2 kV supply test points; we

know it's there because we see a trace line.

One thing's for sure: Whatever the problem is, it affects both channels. Therefore, the culprit must be common to both. Since I can't move the screen up or vertically, the first place to start looking for trouble is in the vertical amplifier circuits.

## Voltage Checks

After I opened up the case, the first thing I did was check all of the low-voltage supplies. This scope requires +5, -15, +15 volts. A quick check with the DVM confirmed that all voltages were within specifications. I checked for each voltage again on the vertical amplifier board, just in case *loose wire* stopped things cold. Of course, I found no loose wires and the correct voltages appeared on the vertical amplifier board.

The next step consisted of going over the amplifier board looking for signs of burnt-up components. When a resistor cooks, it leaves a black greasy spot on a PC board. Since I know the trouble to be common with both channels, I started to look at the part of the vertical amplifier that drives the deflection plates of the CRT. Since both channels control only one set of deflection plates, the trouble had to be in this area.

Small-value resistors (100 ohms and lower) are prone to cook long before a higher value resistor will. So, I started to give each low-value resistor a good visual check for signs of damage. Also, I checked very closely all high wattage resistors for signs of damage.

I found what I was looking for under a 10 ohm 1/2 watt resistor: a burnt spot on the PC board. Tracing out the circuit, the resistor feeds -15 volts to a 2N3555 transistor. This transistor in turn controls the gain of a 2N6592, which controls the vertical deflection plates.

The voltage on the 2N6592's collector is supposed to be +180 volts; that varies as you adjust

the position control. There are two 2N6592s: one for the top vertical plate and the other for the bottom vertical plate. By moving the position control, I found the voltage on one to change on the collector, just as it should. The other one did not move—the voltage remained the same. Both of the 2N6592 transistors are mounted on huge heat sinks.

## Cold Nose

A cold nose on a dog may be a good sign, but not in this case. As my first law of thermal dynamics states, *the larger the heat sink, the hotter it must be.* In the case of my scope, one heat sink is quite hot; the other is stone cold. That's the problem. Either the transistor is not being turned on, is opened, or a resistor in its emitter lead has opened up. The only way to tell is to remove the transistor and see if it's fried.

Which brings us back to the 10 ohm resistor. Why did it cook? Well, it looks like the 2N6592 may have gone short, pulling down the -15 volt supply. The 10 ohm resistor feeds this supply to the 2N6592s, so a shorted transistor would pull the supply to ground, causing excessive current to flow through the resistor, causing it to cook.

## The Fix

The 2N6592 did in fact prove to be open. All I have to do now is install a new transistor and a resistor and we'll be back in business. This is where we'll pick up next month.


Next month we start a new year with *Radio Fun*. If you have been enjoying "Radio Magic," let the editors know. If there is something you'd like me to discuss, shoot a note to me. I'm available via good ol' US mail, CompuServe ID # 73357.222 or America Online at Michael1087. **RF**

# C.M. HOWES COMMUNICATIONS

Kits  
from

Townsend Electronics, Inc.  
P.O. Box 415  
Piercetown, IN 46562  
219-594-3661 FAX 219-594-5580

## NEW KITS!



The **HOWES DFD4** is an add-on Digital Readout for analogue receivers and transceivers. If you have an FRG7, and analogue FT101 or a similar type of rig, then the DFD4 has been designed with you in mind. The DFD4 is a frequency counter that can be programmed for any IF offset so it can be used with almost any radio, including the old Government surplus sets. It can also count down as well as up, so it is suitable for "reverse tuning" rigs too.

To make the DFD4 even more suitable, we now offer the **PMB4** Programmable Matrix as an optional kit. This enables you to switch between six different programmed offsets, so the DFD4 can be used with more than one radio, and to compensate for IF frequency differences when switching modes. Also new is the **CA4M** "hardware package." This contains a custom made case with pre-punched anodized aluminum front panel (see drawing above), plus switch, knob, BNC socket, nuts and bolts, etc. to enable you to achieve a high standard of finish for your project.

|                           |          |
|---------------------------|----------|
| DFD4 Kit.....             | \$71.95  |
| PMB4 Kit.....             | \$17.95  |
| CA4M Case & Hardware..... | \$35.95  |
| Ordered separately.....   | \$125.85 |
| Ordered as a unit.....    | \$116.95 |



## BUILD A QRP TRANSCEIVER!

To build a transceiver with our kits is a simple modular, step by step approach. You can start with the receiver, and then add on the transmitter at a later date if you wish. Various accessory kits are available to increase the facilities, these range from a simple signal meter for the receiver to extra filtering and of course, digital readout. We offer a matching range of "hardware packs" (case, knobs, etc.) to enable your station to look as good as factory equipment! Whether you fancy a single band CW transceiver, or more complex dual band SSB/CW rig, all these kits are designed to be within the scope of the ordinary home constructor. The well thought out designs and the backing of professional RF test facilities mean you can build with confidence!

## Single band 40 or 80M CW transceiver:

|                                            |          |
|--------------------------------------------|----------|
| DcRx 40 or DcRx 80 receiver kit.....       | \$28.95  |
| CTX 40 or CTX 80 transmitter kit.....      | \$26.95  |
| CVF 40 or CVF 80 VFO for TX & RX.....      | \$19.95  |
| CSL 4 300 Hz CW and narrow SSB filter..... | \$18.95  |
| CA 80 M Case & Hardware (40 or 80).....    | \$65.95  |
| If ordered separately.....                 | \$177.70 |
| Ordered as a unit (state band).....        | \$164.95 |

To order write or call:

1-800-944-3661 VISA/MC accepted Add \$4.00 per order for S & H

\*\*\*ASK FOR OUR FREE CATALOG\*\*\*

Include \$1.00 for 1st class Postage. \$2.00 for foreign countries.

CIRCLE 299 ON READER SERVICE CARD



# advertiser index

| RS# | ADVERTISER                                  | PG  | RS# | ADVERTISER                      | PG  | RS# | ADVERTISER                   | PG | RS# | ADVERTISER                                      | PG  |
|-----|---------------------------------------------|-----|-----|---------------------------------|-----|-----|------------------------------|----|-----|-------------------------------------------------|-----|
| 109 | A & A Engineering .....                     | 9   | 33  | FB Enterprises.....             | 21  | •   | North Country Radio.....     | 18 | 398 | Sound Communications .....                      | 19  |
| 18  | A.S.A. ....                                 | 6   | •   | Gap Antenna Products .....      | 17  | 1   | Number One Systems Ltd. .... | 22 | 245 | Techniks, Inc. ....                             | 9   |
| 351 | Absolute Value Systems .....                | 20  | •   | GGTE .....                      | 24  | •   | Oklahoma Comm Center.....    | 19 | •   | Tejas RF Technologies .....                     | 25  |
| 164 | Ace Communications of<br>Indianapolis ..... | 19  | 72  | Glen Martin Engineering.....    | 8   | •   | P.C. Electronics .....       | 21 | 271 | The Pouch .....                                 | 17  |
| •   | Advanced Electronic Applications .....      | CV2 | 291 | Gracilis.....                   | 21  | •   | P.C. Electronics .....       | 22 | •   | The Radio Room .....                            | 20  |
| 28  | Ameco Corporation.....                      | 20  | •   | Ham Repair Company .....        | 16  | 152 | PacComm.....                 | 19 | 226 | The Wireman .....                               | 21  |
| 380 | Antennas West .....                         | 13  | 331 | Hardin Electronics .....        | 5   | 68  | Periphex .....               | 16 | 119 | Tiare Publications .....                        | 24  |
| 89  | Antennas West .....                         | 14  | 283 | Innotek, Inc. ....              | 6   | •   | Personal Database .....      | 14 | 299 | Townsend Electronics.....                       | 15  |
| 324 | Antennas West .....                         | 24  | 26  | J.M.S. ....                     | 6   | 394 | PKT Electronics .....        | 3  | 371 | Trader .....                                    | 22  |
| 107 | Antennas West .....                         | 8   | 133 | Jade Products.....              | 25  | 110 | Radio Amateur Satellite..... | 23 | 11  | Tranrel Technologies.....                       | 14  |
| 16  | Astron Corporation .....                    | 7   | •   | Jo Gunn Enterprises.....        | 17  | •   | Radio Fun .....              | 16 | 11  | Tranrel Technologies.....                       | 19  |
| •   | AXM, Inc. ....                              | 18  | •   | Just QSL's .....                | 11  | 34  | Ramsey Electronics.....      | 12 | 136 | Unadilla Antenna Manufacturing<br>Company ..... | 22  |
| 105 | Battery Tech, Inc. ....                     | 18  | 2   | Kawa Productions.....           | 19  | 387 | Renaissance Development..... | 17 | •   | Universal Radio .....                           | 14  |
| •   | BB & W Printing.....                        | 25  | 151 | KDC Sound.....                  | 22  | •   | RT Systems .....             | 23 | •   | Uncle Wayne's Bookshelf .....                   | 29  |
| 266 | Brownville Sales Company .....              | 6   | •   | Kenwood USA Corporation .....   | CV4 | •   | RT Systems .....             | 24 | •   | US Radio .....                                  | 17  |
| 184 | C & S Sales, Inc. ....                      | 20  | 234 | Lentini Communications .....    | 11  | •   | SAMS .....                   | 23 | •   | Vanguard Labs .....                             | 20  |
| 289 | CM Technologies .....                       | 23  | •   | Lightning Bolt Antennas.....    | 11  | •   | SAMS .....                   | 24 | 104 | Vis Study Guides, Inc. ....                     | 24  |
| •   | Digiteq .....                               | 3   | 243 | Luke Company .....              | 5   | 167 | Sescom, Inc. ....            | 13 | 38  | Willow Creek Forge .....                        | 22  |
| 114 | E. H. Yost.....                             | 21  | 25  | Madison Electronic Supply ..... | 8   | •   | 73 Amateur Radio Today.....  | 17 | 347 | Xionix .....                                    | 9   |
| •   | Eavesdropping Detection .....               | 20  | 86  | MFJ Enterprises .....           | 23  | 35  | Sign On.....                 | 14 | •   | Yaesu Electronics Corporation .....             | CV3 |
| 353 | Emars .....                                 | 18  | 221 | Milestone Technologies .....    | 19  | 250 | Software Systems.....        | 11 |     |                                                 |     |
|     |                                             |     | 114 | Mr. Nicad .....                 | 21  | 244 | Software Systems.....        | 25 |     |                                                 |     |

## Are You Having Enough *Radio Fun?*

Are you having enough fun with amateur radio? *Radio Fun* is the *only* amateur radio magazine written especially for you – the newcomer, or any one else who wants to get more enjoyment out of amateur radio. We pack every issue of *Radio Fun* with easy to understand construction projects, interesting news and great reviews of new and vintage gear. We'll help you learn about all of the fascinating areas of amateur radio – packet, amateur television, VHF/UHF and dozens more. We'll get you fired up to try DX chasing, contests and public service. We'll even help you learn more about radio and electronics, and we'll do it in a way that everyone can understand.

So what are you waiting for? It's only \$12.97 for a whole year of fun!

**1 year – 12 issues – of *Radio Fun* for only \$12.97! That's 46% off the cover price!**

**Call 1-800-257-2346**

... or send your check to *Radio Fun*, P.O. Box 4926, Manchester NH, 03108 - 9839.

### RADIO DOCTOR VIDEOS

- \* REPAIR COMMON PROBLEMS
- \* MAKE MODIFICATIONS
- \* PERFORM ALIGNMENT
- \* NO TEST EQUIPMENT NEEDED
- \* CAN BE USED BY ANYONE

#### Maintenance Videos:

TS440 TS430 TS940 TS830 TS820  
TS450 TS850 TS930 FT757

#### Instructional Videos:

"Understanding Packet Radio"  
"Understanding HF Radios"  
"Operating HF Amplifiers"  
"Soldering Techniques"  
"Assembling A Simple HF Station"

Priced From \$19.95 to \$39.95

Orders & Catalog: 1-800-788-1416

Ham Repair Co., 710 Teague Dr.

Kennesaw, GA 30144

We Also Offer Factory Authorized  
Service On All Kenwood Products



## \$40 Special To Charge You Up... Periphex Power Packs for Longer QSO Time

| replacements for             | regular price |
|------------------------------|---------------|
| <b>FNB-12</b> YAESU 600ma    | \$ 54.50      |
| <b>BP-84S</b> ICOM 1400ma    | \$ 63.00      |
| <b>PB-13S</b> KENWOOD 1200ma | \$ 49.75      |
| <b>EBP-24S</b> ALINCO 1500ma | \$ 62.00      |
| <b>Now Only \$40 Each</b>    |               |

- One Year Warranty
  - Matched cell construction
  - Case re-build service
  - Long life, extended operating time
  - Made for HAMS, by HAMS
- Buy your radio  
from the manufacturer.  
Buy the battery pack  
from Periphex— where batteries  
are our only business!

Add \$4.00 Shipping & Handling for first battery.  
\$1.00 for each add'l battery - U.S. only  
Connecticut residents add 6% tax.

Available  
from your  
dealer...

**PERIPHEx inc.**

the only thing low about our charge is the cost...

**1-800-634-8132**

115-1B Hurley Road • Oxford, CT 06478 • (203) 264-3985 • FAX (203) 262-6943

CIRCLE 68 ON READER SERVICE CARD



# The *Radio Fun* Ham Marketplace

A Special Advertising Section To *Radio Fun* Magazine

## 73 Amateur Radio Today

**PUT SOME EXCITEMENT INTO YOUR HOBBY!!**

No other magazine brings you the exciting world of amateur radio like **73 Amateur Radio Today**.

- Construction projects: The most homebrew projects *anywhere*.
- Product Reviews: Belly-to belly matchup of new gear.
- ATV: Find out about amateur television.
- HAMSATS: Get the latest news on amateur satellite.
- Never Say Die: And you bet I won't.
- 73 International: **73 Amateur Radio Today** is the only ham magazine with monthly news from every corner of the world.



12 issues for **\$19.97**

That's a **43%** savings off the newsstand price!

**CALL 1-800-289-0388**

or send \$19.97 to: **73 Amateur Radio Today**

70 Rte. 202N, Peterborough, NH 03458

## Tired of struggling with the code?

If you're tired of the frustration that comes with learning the code, then get a proven performer that has helped thousands upgrade. Over the past four years, Morseman+ has taken the frustration out of Morse Code, and put upgraded tickets in the hands of many amateurs.

Morseman+ can do what no other computer-based code trainer can do - it lets YOU choose which training method is best for you. Pick between random characters, true random words, realistic random call signs, random QSO's, and much more. When you're ready, Morseman+ will even give you a simulated exam, complete with scoring. You can even send ASCII text files, generate tests for others (complete with answer key), or key up an external device through your computer's serial port. If you have an Adlib or Soundblaster compatible sound card, Morseman+ will send the code through it - even with background static on some options, if you desire. You say you don't know the code - yet? No problem, Morseman+ will be your teacher, and you won't get "code tape memory" from it either! All of this comes in an easy-to-use program that you can be productive with right out of the package.

Thousands of users can't be wrong, so why not order Morseman+ 4.0 today at our discount price of \$24.95 (+ \$4 s/h) - a \$10 savings over our regular price.

## Morseman+ 4.0

The Morse Code Confidence Builder

Morseman+ 4.0 requires an IBM/PC or compatible with at least 512k RAM, and two floppy drives (or one 3.5" drive). A hard drive is HIGHLY recommended. An Adlib or Soundblaster compatible card is not required. Overseas orders please include \$11 shipping for air freight.

## Amateur Radio Software for the IBM-PC

**HamPak 1** - a great collection of software for the radio amateur. Includes our disks 1082-1150 and 1801-1823. Programs for rig control, satellites, logging, SSTV, contesting, CW decoding, packet, maps and much more. Also includes the very popular Morseman+ Morse Code trainer that has helped thousands of hams get their license or upgrade. This is a total value of \$184.95, regularly priced at \$119.95, now only \$89.95 (\$119.95 for 3.5" disks). Makes a great gift!

**HamPak 2** - The same as HamPak 1, but does not include Morseman+. A total value of \$150, now only \$79.95 (\$109.95 for 3.5" disks).

**Engineering Pak** - Nice assortment of software for engineers or technically oriented hams. Includes programs for circuit analysis, circuit board design, schematics, radio restoration and much more. A total value of \$60, regularly \$44.95, now only \$27.95 (\$40.95 for 3.5" disks).

**HamPak Plus** - The grand assortment! All disks from our group one and group two ham collections, plus Morseman+. A \$250.95 total value, regularly priced at \$159.95, now only \$119.95 (\$169.95 for 3.5" disks).

To order, call 1-800-525-7235 (orders only, please) and use your Visa/MC, fax (205)757-8664, or send via mail. WVE include \$4 s/h, overseas \$11 for airmail.

**renaissance software & development**

killen plaza box 640 - killen - al - 35645

**The Pouch**  
Protection for your ham-held!

Tough.....  
resilient.....  
black neoprene

**More than 100 DEALERS Have a fit**

- FOR YOUR H.T.

A sturdy web belt-loop sewn on the back extends over the top and is secured on the front with a velcro tab.

**The Pouch**

It's Washable!

1-800-72-Pouch (Dealer Information)

CIRCLE 271 ON READER SERVICE CARD

SAVE on ALL **REALISTIC**

SCANNERS & RADIOS

Will you pay too-much?

For pricing,

CALL FREE  
**800-433-SAVE**

SINCE 1981

**USRADIO**

377 PLAZA, GRANBURY TX. 76048




PRO43  
\$298

## The Toughest Little "GUNN" in Town!

3 + 3 STAR

UPS SHIPPABLE



**Other Models & Sizes Available in 10 or 11 Meters**



Call or send \$2.00 for Complete Catalog and Pricing of Antennas.




Route 1 - Box 32C, Hwy. 82  
Ethelsville, AL 35461  
(205) 658-2229  
FAX: (205) 658-2259  
Hours: 10 am - 6 pm (CST)  
Monday - Friday

DEALER INQUIRIES, PLEASE CALL

THE ANSWER IS GAP TECHNOLOGY • THE ANSWER IS GAP TECHNOLOGY • THE ANSWER IS GAP TECHNOLOGY

**Q** A backyard antenna for the low bands at a low cost?  
**A** Yes...the answer is GAP'S revolutionary Voyager.



If you're looking for an antenna that can outperform the others and give you the edge, you're looking for a GAP. The GAP Voyager DX-IV is not another "add a kit" antenna for 160 meters. It is the first antenna manufactured specifically to provide efficient low band operation from the typical backyard without a huge investment in time, money and

space. The Voyager is the first and only antenna to cover the entire 75/80m under 2 to 1. Put it up. Turn it on. No tuning. No frustration. GAP delivers everything but the hassles. And — GAP delivers at a fraction of the cost of the "so-called" competition.

**The Voyager DX-IV**  
160m 80m 40m 20m

**\$389**  
plus shipping

**All out efficiency.  
All out performance.  
GAP gets it all out.**

6010 Bldg. B  
N. Old Dixie Hwy.  
Vero Beach, FL 32967

**(407) 778-3728**  
Commercial Frequencies Available



THE ANSWER IS GAP TECHNOLOGY • THE ANSWER IS GAP TECHNOLOGY • THE ANSWER IS GAP TECHNOLOGY

CIRCLE 387 ON READER SERVICE CARD



# The *Radio Fun* Ham Marketplace

## THERE'S A KILLER ON THE LOOSE!

Amyotrophic lateral sclerosis, better known as Lou Gehrig's disease, is a progressive disorder of the nervous system most often striking between the ages of 35 and 65.

HELP US FIGHT ALS

**MDA**

Muscular Dystrophy Association  
1-800-572-1717  
People Help MDA...  
Because MDA Helps People

## KITS • KITS • KITS

Amateur TV, FM Stereo Transmitters & Receivers, Receiving Converters, Infrared Equipment, Carrier Current & Video Devices, Audio VLF to UHF, Unusual Items, Difficult to Find.

**NEW** 5W-3Channel ATV Station, R/C, Video Link Transmitters

All Published, Engineered, Tested and Proven Designs  
Thousands of Satisfied Customers  
Technical Assistance Available

Send SASE (52 cents) or \$1 to:  
**North Country Radio • Box 53-RF**  
Wykagyl Station  
New Rochelle, NY 10804  
Tel: (914)235-6611 • FAX: (914)576-6051

## CHEST HARNESS and BELT HARNESS



### CHEST HARNESS

- Zippered/Padded Pocket for pens, note pads, extra battery, etc.
- Radio held chest height for hands free listening without earpiece

\$29.95

Both harnesses are MADE in USA of 1000 Denier padded Cordura® from Dupont, with Velcro® adjustments to fit almost any size Handie-Talkie. Weatherproof, they won't deteriorate or rot from Rain, Snow, or Perspiration.

### BELT HARNESS

Handy for everyday use in carrying your Handie-Talkie on the belt.....\$18.95

Quantity Discount Available  
+\$3.50 S/H TX Res. +7.25% Sales Tax



Send Check or Money Order (USD)

**EMARS**

PO Box 781204 San Antonio TX 78278-1204  
Info: (210)493-7546

CIRCLE 353 ON READER SERVICE CARD

## One Can Still Equal Two!

When It's The New  
**UNIDEN IM Series**  
Commercial/Amateur  
Transceiver



- Ideal for MARS, CAP, Vol. Fire EMT, B'cst RPU Police, etc.
- Programmable w/any PC clone
- 99 channels + Simplex each channel
- Full 40-Watts VHF/30-Watts UHF
- Extremely rugged
- Bright easy-to-read display

- Freq. spread 24 MHz VHF, 20+ MHz UHF
- FCC type accepted
- DTMF mikes available
- HD mike, mnt. & pwr. cable std.
- Super broadband antennas, base stations power supplies & desk mike available.

### AXM Enterprises

11791 Loara St., Ste. B,  
Garden Grove, CA 92640-2321  
Write /call 800-755-7169 • FAX (714) 638-9556  
Want help financing your hobby with profits from your own home-based business? Talk to Sue, N6ORA

Use Your

Reader Service Card Today!  
Our Advertisers Want To Hear From You!

Sell your product in *Radio Fun*  
Call today **1-800-274-7373**

# BATTERIES

## REPLACEMENT BATTERIES (ALL NEW—MADE IN USA)

### ICOM

|     |       |          |         |
|-----|-------|----------|---------|
| 7S  | 13.2v | 1400 mah | \$53.00 |
| 8S  | 9.6v  | 1400 mah | \$51.00 |
| BP7 | 13.2v | 600 mah  | \$53.00 |
| BP8 | 8.4v  | 1400 mah | \$50.00 |

### SA/SAT

|            |      |             |         |
|------------|------|-------------|---------|
| BP82, BP83 |      |             |         |
| BP84       | 7.2v | 1000 mah 3" | \$40.00 |
| BP85B      | 12v  | 600 mah 3"  | \$69.00 |



### KENWOOD

|       |      |            |         |
|-------|------|------------|---------|
| PB1   | 12v  | @ 1100 mah | \$59.00 |
| KNB-3 | 7.2v | @ 1200 mah | \$38.00 |
| KNB-4 | 7.2v | @ 2200 mah | \$59.00 |
| PB6   | 7.2v | @ 750 mah  | \$35.00 |
| PB7   | 7.2v | @ 1500 mah | \$49.00 |
| PB8   | 12v  | @ 800 mah  | \$49.00 |
| PB-13 | 7.2v | @ 750 mah  | \$37.00 |
| PB-14 | 12v  | @ 800 mah  | \$49.00 |
| PB-18 | 7.2v | @ 1500 mah | \$47.00 |

## ★ ★ ★ ★ ★ NOW AVAILABLE ★ ★ ★ ★ ★ FAST AND STANDARD DESK CHARGERS FOR

**YAESU, KENWOOD, ICOM, ALINCO and MOTOROLA.**

These "SMART" Chargers Will Rapid Charge 6 Volt to 12 Volt  
Batteries in 1/2 Hour To Two Hours

(depending on Battery Capacity)

Many Advanced Features Not Available On Any Other Charger.

★ ★ ★ ★ SPECIAL INTRODUCTORY PRICES ★ ★ ★ ★  
Made in U.S.A.

### NEW

HIGH CAPACITY  
**KENWOOD**

|       |      |          |
|-------|------|----------|
| PB-18 | 7.2v | 1500 mah |
|-------|------|----------|

### YAESU

|         |      |          |
|---------|------|----------|
| FNB-25  | 7.2v | 600 mah  |
| FNB-26  | 7.2v | 1000 mah |
| FB-26S  | 7.2v | 1500 mah |
| FNB-27  | 12v  | 600 mah  |
| FNB-27S | 12v  | 800 mah  |

### YAESU

|         |       |          |         |
|---------|-------|----------|---------|
| FNB-2   | 10.8v | 600 mah  |         |
| FNB-4   | 12v   | 750mah   | \$39.00 |
| FNB-4A  | 12v   | 1000 mah | \$55.00 |
| FNB-17  | 7.2v  | 600 mah  | \$30.00 |
| FNB-10S | 7.2v  | 1000 mah | \$42.00 |
| FNB-12S | 12v   | 600 mah  | \$42.00 |
| FNB-25  | 7.2v  | 600 mah  | \$35.00 |
| FNB-26  | 7.2v  | 1100 mah | \$44.00 |
| FNB-26S | 7.2v  | 1500 mah | \$49.00 |
| FNB-27S | 12v   | 800mah   | \$49.00 |



### ALINCO

|               |      |            |         |
|---------------|------|------------|---------|
| EBP-10N       | 7.2v | @ 700 mah  | \$35.00 |
| EBP-12N       | 12v  | @ 700 mah  | \$47.00 |
| DJ-F1T        |      |            |         |
| EBP-16N       | 7.2v | @ 750 mah  | \$37.00 |
| EBP-18N       | 12v  | @ 600 mah  | \$47.00 |
| DJ-180 DJ-580 |      |            |         |
| EBP-20N       | 7.2v | @ 800 mah  | \$34.00 |
| EBP-20NX      | 7.2v | @ 1500 mah | \$44.00 |
| EBP-22N       | 12v  | @ 800 mah  | \$49.00 |

## SALE

All 7.2 Volt  
at 1500 MAH  
**BATTERY  
PACKS**  
\$39.00

### CAMCORDER

|                               |                  |
|-------------------------------|------------------|
| PANASONIC PB 80/88 ORIG. PAN. | \$39.00          |
| SONY NP77H                    | 2400 mah \$39.00 |
| SONY NP55                     | 1000 mah \$29.00 |
| SONY NP221                    | 500 mah \$29.00  |
| CANON 8mm                     | 2000 mah \$36.00 |
| PANASONIC PALM                | 2400 mah \$39.00 |
| JVC GR TYPE C                 | 1500 mah \$36.00 |
| SHARP BT21/22                 | \$45.00          |
| RCA/HITACHI 8mm               | 2400 mah \$39.00 |

ALL BRANDS AVAILABLE

## POWER PACKS

EXTENDED TIME-5 WATT POWER  
12 VOLTS-4 AMPS  
FOR MOST TWO WAY RADIOS  
INCLUDES  
12v-4 AMP BATTERY  
CONNECTOR FOR RADIO  
AC/DC CHARGER  
HEAVY DUTY POUCH & BELT

\*ALL BATTERY PACKS—GUARANTEED TO HAVE THE ADVERTISED CAPACITY

SEND FOR  
FREE CATALOG

DEALER INQUIRIES  
WELCOME

**BATTERY-TECH, INC.**

28-25 215 PLACE, BAYSIDE, N.Y. 11360 FAX 718-461-1978

**800-442-4275 — N.Y.S. 718-631-4275**



VISA



MASTER CARD



DISCOVER

CIRCLE 105 ON READER SERVICE CARD



# The *Radio Fun* Ham Marketplace

## MORSE CODE MUSIC!

SENSATIONAL NEW WAY TO LEARN CODE—Do Aerobics, Sing, Jog, or Drive while learning code! A fun & easy way to learn or retain Morse Code skills. Now the secret is yours with this amazing synchronized breakthrough! Great for Novice, Technician or the classroom. Order:

### "THE RHYTHM OF THE CODE"

Version 2 cassette today!

Send \$9.95 and we'll pay the shipping to:

### KAWA RECORDS

P.O. Box 319-RF  
Weymouth, MA 02188

Check or money order only. We ship all orders within 5 days.  
Overseas please add \$2.00 for air mail.  
MA residents add 5% sales tax.

CIRCLE 2 ON READER SERVICE CARD



ALINCO ICOM YAESU

## SPECIAL SPECIAL CALL

For This Month's Special-Buy  
Some Quantities Are Limited

FREE SHIPPING UPS SURFACE  
(on purchases of \$50.00 or more except antennas)



13424 Railway Drive  
Oklahoma City OK 73114  
Local & Info (405) 748-3066  
Fax (405) 748-3077

CALL TOLL FREE  
1-800-70K-HAMS  
1-800-765-4267

Isn't Your Radio Worth The Investment?

Protect It With

## THE PACK-IT

FROM TRANSEL TECHNOLOGIES



Protect your HT's, Cellular Phones, Pagers, and any other devices you carry that may be subject to damage.

The PACK-IT is made of 1/4" neoprene material which is safety belt sewn to the nylon protective backing. The PACK-IT doesn't fray like many other materials and is safe to wash whenever needed.

The strap and 2" beltloop is made from commercial grade webbing and is secured in the front with a Velcro hook and loop assembly.

The PACK-IT doesn't wear the radio like leather and protects the radio from the small falls which occurs in everyday usage. The neoprene material is a cushion material which not only covers the radio but also protects it. Various sizes available so call for the size to fit your need.


Made In The USA!

**\$15.95** + \$3.00 S&H  
**1 (800) 829-8321**

Dealers Welcome

CIRCLE 11 ON READER SERVICE CARD

## QRP—FUN—QRP—KIT



Anybody can work the world running 1kw, but you have to be good to do it with only 1 Watt. Want to find out how good you really are? Then try this little rig. Crystal control, your choice of bands, 80, 40, 30, 20, 15m. Built in key, built in antenna switch. All built into a 2 1/4 x 3 3/8 case. Operates on 12 VDC. Small enough to slip into your shirt pocket. Order now and receive a U.S. map in black and white so you can color in the states as you work them on your way to that W.A.S. award. The map also lists the QRP operating frequencies.

Operates on 12 VDC. Small enough to slip into your shirt pocket. Order now and receive a U.S. map in black and white so you can color in the states as you work them on your way to that W.A.S. award. The map also lists the QRP operating frequencies.

**QRP KIT & CASE.....\$39.95**  
(crystal not included)

### Portable QRP antenna...

handles up to 150 Watts. Fully assembled to your frequency. Small, lightweight, waterproof. Includes clear insulated copper wire, center insulator with eyehook, end insulators and 50' of RG174. ....**\$29.95**

**QRP ANT w/RG8 X .....\$34.95**

Add \$3.00 Shipping & Handling  
C.O.D. and \$3.00  
TX residents add 8% sales tax.



**SOUND  
COMMUNICATION SYSTEMS**  
P.O. BOX 47881  
SAN ANTONIO, TEXAS 78265  
(210)590-0175

CIRCLE 398 ON READER SERVICE CARD



### Yupiteru MVT7100 Scanning Receiver

530KHz to 1650MHz  
with AM/FM/WFM/  
LSB/USB @ 50Hz

Performance rivaling that of receivers that cost twice as much. Extremely compact and versatile. Features 1000 memory channels, lockout on search and scan, backlit LCD display, Attenuator, Delay, Hold, Bank lockout, VFO tuning, 1 Year Warranty, & Earphone jack. Size: 6 3/8H x 1 7/8W x 2 1/3D. Wt 14oz. Ground shipping: \$5.95 Air Freight: \$8.95. Call or Fax Toll Free, 24 hours a day.



\$649.00



Call  
**1-800-445-7717**  
10707 E. 106th Street Fishers, IN 46038  
317-842-7115 Fax 1-800-448-1084

CIRCLE 164 ON READER SERVICE CARD

## STATE OF THE ART

Master Morse Code the easy way

### **CODEMASTER™** **\$19.95**

- Complete Beginner's Tutorial
- Multiple Practice Modules To 40 WPM
- Keyboard Echo, Text file Sender
- Endorsed for Military Morse Training
- Eliminate the Plateau Effect

Take the drudgery out of log-keeping

### **LOGMASTER II™** **\$29.95**

- Easy Maintenance of Station Log
- Unlimited Log Entries, Multiple Logs
- Realtime Contest Mode, QSL Card Labels
- Flexible Reports
- Prefix Confirmations, More...

### **MILESTONE TECHNOLOGIES**

3140 S. Peoria Street, Unit K156 Aurora, CO 80014-3155  
**(303) 752-3382**

Suitable for any PC/XT/X86 Compatible with 512 KB memory, DOS 2.10 or later. Add \$3.00 S/H per package, \$5.00 for COD, \$10.50 for express delivery. Dealer inquiries welcome. Colorado residents please add sales tax. Ask about our money back guarantee and Free Software Offer.

CIRCLE 221 ON READER SERVICE CARD

## Sell your used gear in the **Radio Fun Flea Market**

Call Judy Walker today.

**1-800-274-7373**



## **PacComm**

PacComm has a large variety of products for amateur digital communications, including specialized HF and satellite equipment.

Please call, write or circle the Reader Service number for our latest catalog.

**PacComm Packet Radio Systems, Inc.**  
4413 N. Hesperides Street  
Tampa, FL 33614-7618  
(813) 874-2980 (800) 486-7388

- Advanced Technology
- Enduring Value

## The PacComm TINY-2 MK-2



- Completely TNC-2 EPROM compatible, Net/ROM, ROSE ready, no modifications needed
- Includes PacComm Personal Message System (PMS)
- Switch selection of either TAPR style firmware or WA8DED Host Mode.
- RS-232 and TTL computer ports, 300 to 38.4 k baud
- 6 MHz CMOS Z-80 CPU and SIO (HDLC) with 4.9 MHz clock, Optional 10 MHz
- Multicolored LED's - PWR, CON, STA, PTT, DCD
- 64k EPROM and 32k non-volatile RAM
- Enhanced TAPR modem disconnect, factory installed
- Gray Aluminum case - 5 x 7 x 1 3/8 inches
- Optional 'Open Squelch' DCD adapter
- Optional 9600 baud modem card
- Optional hardware clock

CIRCLE 152 ON READER SERVICE CARD



# The Radio Fun Ham Marketplace

## Maldol ANTENNA

PRODUCTS  
AND  
ACCESSORIES

**AH-2095**  
DUAL-BAND  
H/T DUCK  
2 3/4" Long  
All Black  
Soft & Spongy  
**\$20.** ppd.

**HS-709S**  
DUAL-BAND  
H/T DUCK  
17" Long  
All Black  
Semi-rigid  
**\$22.** ppd.

Guaranteed Funds Only

Large SASE For Info



**THE RADIO ROOM**  
898N. BROADWAY  
N. MASSAPEQUA, NY 11758  
PHONE/FAX (516) 795-9371

## SURVEILLANCE & COUNTERSURVEILLANCE Electronic Devices

Bugging/Phone Tapping Detectors  
• Caller IDs • Phone Scramblers  
Voice Changers • Shotgun Mics  
Vehicle Tracking • Transmitters  
Locksmithing • AND MORE!

**NEW!**

7-hour telephone  
recording system.  
Tapes phone calls automatically.  
**\$125.00**

FOR CATALOG SEND \$5.00 TO...

P.O. Box 337

Buffalo, NY 14226  
(716) 691-3476



## SPY ON THE EARTH

See live on  
your PC  
what  
satellites in  
orbit see



Capture live breathtaking images of the Earth for fun or profit. Zoom in up to 20X. Send \$39 check or M.O. (\$45 air, \$50 overseas) for our fantastic 12 diskette set of professional quality copyrighted programs (IBM type) that does satellite tracking, image acquisition, image processing, 3-D projections and more. Direct reception from the satellites guaranteed worldwide without a satellite dish. Schematics included for interface. For FREE information log-on to our bulletin board anytime at: (718) 740-3911.

**VANGUARD Electronic Labs**  
Dept. RF, 196-23 Jamaica Ave.  
Hollis, NY 11423 Tel. 718-468-2720

## Slow Scan Television

doesn't have to be expensive anymore.

Quality Color SSTV is easy and affordable  
with Pasokon TV

**Pasokon TV \$229.95**

Send and receive all popular modes.  
Hardware interface fits inside computer.

**New - SSTV Snooper \$94.95**

Small receive-only interface  
plugs into serial port.

Both require IBM PC/AT or compatible, '286 or better  
CPU, color VGA display, MS-DOS. Prices include free  
shipping to U.S.A. Write or call for complete details.

## Absolute Value Systems

115 Stedman St. #R  
Chelmsford, MA 01824-1823  
(508) 256-6907

CIRCLE 351 ON READER SERVICE CARD

## Great Gift Ideas!

The Advertisers in this issue are available to help you with your Holiday Shopping! Call them Today!

## Move Up In Class with

**AMECO**

## Books and Code Courses

Upgrade your ticket with Ameco's help.



**FCC Test Manuals** contain all the latest, official  
FCC/VEC test questions with answers.  
Plus, easy-to-understand discussion of  
each correct answer. Excellent preparation  
for all classes of amateur exams.

**Novice Class** Cat. #27-01 ... **\$5.95**  
**Novice Class Theory Course** Cat. #23-01 ... **\$6.95**  
**Technician Class** Cat. #28-01 ... **\$5.95**  
**Codeless Technician Class** Cat. #78-01 ... **\$9.95**  
**General Class** Cat. #12-01 ... **\$5.95**  
**Advanced Class** Cat. #26-01 ... **\$5.95**  
**Extra Class** Cat. #17-01 ... **\$5.95**

With our help, learning code is easy.

**Ameco Code Courses** on cassette tapes to help you  
prepare for the code test at the next level.

**Novice Course** (0-8WPM) Cat. #100-T ... **\$5.95**

**Senior Course** (0-18WPM) 2 tapes Cat. #101-T ... **\$10.95**

**Advanced Course** (8-18WPM) Cat. #103-T ... **\$5.95**

**Extra Class Course** (13-22WPM) Cat. #104-T ... **\$5.95**

**General QSO Course** Cat. #105-QT ... **\$5.95**

**Extra QSO Course** Cat. #106-QT ... **\$5.95**

**Code Course for the PC** for IBM PC/XT/AT or compatible. User friendly, random characters,  
send text from external data files, quiz sessions, all at any speed and tone. Includes Code  
learning book. (Specify 5-1/4" or 3-1/2" disk) Cat. #107-PC ... **\$19.95**

**You can find AMECO books and tapes  
at your local amateur radio dealer.**

## AMECO CORPORATION

224 East Second Street • Mineola, NY 11501  
Tel: (516) 741-5030 • Fax: (516) 741-5031

All products available directly, please add \$2.75 for S & H.  
Please write or call for complete catalog and price list.

CIRCLE 28 ON READER SERVICE CARD

Subscribe To **Radio Fun** — Call 1-800-257-2346

## 24 HOUR SHIPPING ELENCO • HITACHI • B&K PRODUCTS GUARANTEED LOWEST PRICES

TO ORDER  
CALL TOLL FREE  
1-800-292-7711  
1-800-445-3201 (Can.)

### AFFORDABLE - HIGH QUALITY 2 YEAR WARRANTY


### ELENCO OSCILLOSCOPES

### Hitachi Compact Series Scopes



**STANDARD SERIES**  
S-1325 25MHz \$349  
S-1340 40MHz \$495  
S-1365 60MHz \$849

Features:  
■ High Luminance 6" CRT  
■ 1mV Sensitivity  
■ X-Y Operation  
■ Voltage, Time, & Frequency differences displayed on CRT thru the use of cursors (S-1365 only)  
■ Plus much, much more



**DELUXE SERIES**  
S-1330 25MHz \$449  
S-1345 40MHz \$575  
S-1360 60MHz \$775

Features:  
■ Delayed Sweep  
■ Automatic Beam Finder  
■ Z Axis Modulation  
■ Built-in Component Test  
■ Plus all the features of the "affordable" series

V-212 - 20MHz Dual Trace \$399  
V-525 - 50MHz, Cursors \$995  
V-523 - 50MHz, Delayed Sweep \$949  
V-522 - 50MHz, DC Offset \$895  
V-422 - 40MHz, DC Offset \$795  
V-222 - 20MHz, DC Offset \$649  
V-660 - 60MHz, Dual Trace \$1,149  
V-665A - 60MHz, DT, w/cursor \$1,325  
V-1060 - 100MHz, Dual Trace \$1,395  
V-1065A - 100MHz, DT, w/cursor \$1,649  
V-1085 - 100MHz, DT, w/cursor \$1,995  
V-1100A - 100MHz, Quad Trace \$2,495  
V-1150 - 150MHz, Quad Trace \$2,395

### B&K OSCILLOSCOPES

2120 - 20MHz Dual Trace \$389  
2125 - 20MHz Delayed Sweep \$539  
1541B - 40MHz Dual Trace \$695  
2160 - 60MHz Dual Trace, Delayed Sweep, Dual Time Base \$949  
2190 - 100MHz Three Trace Dual Time Base, Delayed Sweep \$1,395  
2522A - 20MHz / 20MS/s Storage \$875

### Digital Capacitance Meter

CM-1550B  
by Elenco  
**\$58.95**  
9 Ranges  
1pF-20,000pF  
5% basic accy  
Big 1" Display Zero control w/ Case

### Digital LCR Meter

LC-1801  
**\$125**  
Measures:  
Coils 1uH-200H  
Caps. 1pF-20uF  
Res. 0.1-20M  
by Elenco

### Digital Multimeter

DVM-638  
**\$39.95**  
11 Functions with Case

### FLUKE MULTIMETERS

Scopemeters (All Models Available Call)  
Model 53 \$1,225.00  
Model 95 \$1,549.00  
Model 97 \$1,795.00  
Model 10 \$62.95  
Model 12 \$79.95  
70 Series  
Model 7011 \$65.00  
Model 7711 \$149.00  
Model 7911 \$169.00  
80 Series  
Model 87 \$289.00

### Digital Triple Power Supply

Elenco HT-200  
**\$289**  
0-20V @ 1A  
0-20V @ 1A  
5V @ 5A  
Fully regulated, Short circuit protected with 2 limit control,  
3 separate supplies XP-660 with Analog Meters \$195

### Video Head Tester

Elenco HT-200  
**\$44.95**  
Tells you if  
VHS head is  
defective  
or worn.

### Digital Multimeter w/ Inductance & Capacitance

LCM-1850  
**\$75.00**  
Ten Functions  
by Elenco

### Color Convergence Generator

Elenco SG-250  
**\$89.95**  
Kit \$69.95  
Finest in the industry  
10 rock steady patterns  
RF & video output

### Sweep/Function Generator with Freq. Counter

Elenco Model GF-8026  
**\$239**  
Sine, Square, Triangle, Pulse, Ramp  
2 to 2MHz, Freq Counter 1-10MHz  
Internal Linear & Logic Sweep

### Function Generator

Blox #9600  
by Elenco  
**\$28.95**  
Provides sine, triangle, square  
wave from 1Hz to 1MHz  
AM or FM capability  
Kit \$26.95

### Learn to Build and Program Computers with this Kit

Includes: All Parts, Assembly and Lesson Manual  
Model MM-8000  
**\$129.00**  
by Elenco

### Elenco Wide Band Signal Generators

SG-9000  
**\$119**  
RF Freq 100K-450MHz AM Modulation  
of 1KHz Variable RF output  
SG-9500 w/ Digital Display &  
150MHz built-in counter \$239

### XK-500 Digital / Analog Trainer

A complete mini-lab for building, testing, prototyping analog and digital circuits  
Elenco's Digital/Analog Trainer is specially designed for school projects, with 5 built-in power  
supplies. Includes a function generator with continuously variable, sine, triangular, square wave  
forms. All power supplies are regulated and protected against shorts.

### Power Supplies

■ Variable Power Supply  
■ +1.25 to 20VDC @ 5 Amp  
■ +1.25 to 15VDC @ 1 Amp  
■ -1.25 to -20VDC @ 5 Amp  
■ -1.25 to -15VDC @ 1 Amp  
■ +12VDC @ 1 Amp  
■ +12VDC @ 1 Amp  
■ +5VDC @ 1 Amp  
■ +5VDC @ 1 Amp  
■ +5VDC @ 1 Amp  
■ +5VDC @ 1 Amp

### Analog - Section


■ Function Generator Sine, Triangular, Square wave forms  
■ Frequency adjustable in five ranges from 1 to 100KHz  
■ Fine frequency adjust  
■ Amplitude adjust  
■ DC offset  
■ Modulation FM-AM

### Digital - Section

■ Eight data switches  
■ Two no bounce logic switches  
■ 4 LED readouts TTL buffered  
■ Clock frequency 1 to 100KHz  
■ Clock amplitude 5VPP square wave

### Breadboards

■ 2 breadboards, each contains 340 tie points (total 1,680)  
**\$159.95**



Assembled **\$129.95** Kit

WE WILL NOT BE UNDERSOLD  
UPS SHIPPING: 48 STATES 5% OTHERS CALL  
IL RES add 7.75% TAX  
PROBES INCL. ALL SCOPES & METERS

### C&S SALES INC.

1245 ROSEWOOD, DEERFIELD, IL 60015  
FAX: 708-520-0085 • (708) 541-0710



15 DAY MONEY BACK GUARANTEE  
FULL FACTORY WARRANTY  
WRITE FOR FREE CATALOG  
CIRCLE 184 ON READER SERVICE CARD



# The Radio Fun Ham Marketplace

**CALL NOW! 1-800-377-2339**

## REPEATER MAPS



**2M MAP  
NOW  
FULL  
COLOR!**

Use the **QUICK-N-EASY REPEATER MAP** to find the repeater you are looking for! **HIGH QUALITY** laminated plastic card with map of your state (California residents specify North or South CA) with 2m repeaters on the front and other bands on the back. Because it's laminated, it's tough and rugged. **YOU'LL LOVE IT!**

**INCLUDES:**  
144 MHz 220 MHz  
440 MHz 900 MHz  
1.2 GHz  
**\$3.95 PER CARD**  
**ORDER 3 CARDS FOR JUST \$10**

## REPEATER MAPBOOK



**NEW!  
1993-94  
INCLUDES:**  
10M, 2M  
220 MHz  
440 MHz  
900 MHz  
1.2 GHz

Our quality Repeater Maps are now available in book form! That's right, our new book includes all U.S. States, all Canadian Provinces, Mexico, Central America and the Caribbean! Maps show city location, repeaters, highways, ham dealers, and tourist information! **PERFECT FOR TRAVEL!** More than 175 pages!

**ORDER TODAY! \$9.95**

## NEW REGIONAL REPEATER MAP GUIDES

A whole new way to enjoy our map cards! The regional guide includes six laminated state cards, spiral bound for easy use. Very handy, and super for regional travel!  
**PLUS \$1.00 S/H COLOR/LAMINATED \$9.95**

**SETS AVAILABLE**  
#1- AK, WA, OR, ID, MT, NV  
#2- AZ, CA, HI, NM, NV, TX  
#3- CO, MT, ND, SD, UT, WY  
#4- IA, KS, MN, MO, NE, OK  
#5- AL, AR, LA, MS, MO, OK  
#6- AL, GA, FL, LA, MS, TN  
#7- KY, MD, NC, SC, VA, WV  
#8- IL, IN, KY, MI, OH, WI  
#9- DE, MD, NJ, NY, OH, PA  
#10- CT, ME, MA, NH, RI, VT

## QUICK-N-EASY SHORTWAVE

New book includes everything you need to know to have fun with shortwave radio! Great book for beginners and also experienced listeners  
**ORDER TODAY! \$9.95**

## CATALOG \$2

REFUNDED WITH PURCHASE

CARD ORDERS  
ADD 50¢ SHIPPING

BOOK ORDERS  
ADD \$3.00 SHIPPING

## F Benterprises

23801 NW 1st Ave.  
Ridgefield, WA 98642-8830  
**CALL TODAY! 1(800) 377-2339**  
Dealer Inquiries Welcome

CIRCLE 33 ON READER SERVICE CARD

Say You Saw It In  
**Radio Fun**

**New License?  
Congratulations!!  
From The Wireman  
We Have Something  
For You!!**

Send or bring a copy of your new, first-time Amateur license within THREE months of receipt to THE WIREMAN or a WIREMAN DEALER and get a half price (\$1.00) copy of the 56-page WIREBOOK II, which contains a wealth of information on wire, cable, grounding, lightning protection, baluns, accessories, installations, and many hints and kinks.

## 10% DISCOUNT!

You'll also get a 10% discount on your first order from the only complete state-of-the-art line of amateur wire, cable and accessories in the business.

STOP IN AND SEE AN AUTHORIZED WIREMAN DEALER AT A LOCAL HAMFEST, CALL OR SEE HIM AT HIS ADDRESS:

## W.W. SALES

Bill - (704) 628-1352  
57 ECHO LAKE LANE  
FAIRVIEW, NC 28730

## K & S SERVICES

Keith - (317) 462-0023  
310 W. NORTH STREET  
GREENFIELD, IN 46140

## GILL'S WOODS & WIRE

Gill - (315) 337-9190  
1216 JERVIS AVENUE  
ROME, NY 13440

## RF CONNECTION

Joel - (800) 783-2666  
213 N. FREDERICK  
GAITHERSBURG, MD 20877

**OR WRITE OR CALL  
PRESS "The Wireman" at**

## THE WIREMAN, INC

(800) 433-WIRE (9473)  
261 PITTMAN ROAD  
LANDRUM, SC 29356

CIRCLE 226 ON READER SERVICE CARD

Use  
Your  
Reader  
Service  
Card  
Today!  
Our  
Advertisers  
Want  
To Hear  
From You!

## BATTERIES

Nickel-Cadmium, Alkaline, Lithium, Sealed Lead Acid For Radios, Computers, Etc. And All Portable Equipment

**YOU NEED BATTERIES?  
WE'VE GOT BATTERIES!**

CALL US FOR FREE CATALOG



## E.H. YOST & CO.

7344 TETIVA RD.  
SAUK CITY, WI 53583  
(608) 643-3194  
FAX 608-643-4439

CIRCLE 114 ON READER SERVICE CARD

## Uncle Wayne's Bookshelf

**Your One-Stop  
Shopping  
Headquarters**

In Stock and ready to ship  
direct to you



Reference Manuals. Shortwave Handbooks, ARRL Books, Antenna Handbooks, UHF/VHF, Books For Beginners, Code Tapes and Software For The Computer.

Turn to page 29 to see our current selection


**Don't Delay - Call Today**

Our Order department is just a phone call away. **800-234-8458**



RF9311

## Fast Packet Ticket!



The PacketTwin™ Wireless Communications System

Thinking about the move to packet radio? Or have you already tried 1200 baud packet only to become quickly discouraged?

At Gracilis, we've got the ticket to the kind of speed you're looking for.

Using our PacketTwin system with your existing IBM®-PC or compatible, you'll easily be able to communicate with other packet radio stations at rates of 9600 or 19,200 baud. If higher speeds are desired, the popular WA4DSY modem can be constructed and added to provide operation at 56,000bps.

When you order our PacketTwin Wireless Communications System, you'll get a plug-'n'-play 9600/19,200 baud system, complete with modem and palm-size two watt UHF transceiver. You supply the PC and antenna—we supply the rest!

Consider these important features...

- Exclusive use of the PC's DMA channels provides an upgrade path to 1Mbps
- A second channel is included that can be used to provide a separate RS-232 or RS-422 interface
- Free software provides access to AX.25 and TCP/IP networks
- Free firmware updates

For information contact your distributor, or...



The new name in Packet Radio

623 Palace Street, Aurora, IL 60506 Ph:(708) 801-8800/FAX:(708) 844-0183  
Email: info@gracilis.com  
IBM is a registered trademark of International Business Machines Inc.; PacketTwin is a trademark of Gracilis, Inc.



CIRCLE 291 ON READER SERVICE CARD

## AMATEUR TELEVISION

### GET THE ATV BUG



**New 10 Watt  
Transceiver  
Only \$499**



Made in USA  
Value + Quality  
from over 25 years  
in ATV...W6ORG

**Snow free line of sight DX is 90 miles - assuming 14 dBd antennas at both ends. 10 Watts in this one box may be all you need for local simplex or repeater ATV. Use any home TV camera or camcorder by plugging the composite video and audio into the front phono jacks. Add 70cm antenna, coax, 13.8 Vdc @ 3 Amps, TV set and you're on the air - it's that easy!**

TC70-10 has adjustable >10 Watt p.e.p. with one xtal on 439.25, 434.0 or 426.25 MHz & properly matches RF Concepts 4-110 or Mirage D1010N-ATV for 100 Watts. Hot GaAsfet downconverter varicap tunes whole 420-450 MHz band to your TV ch3. 7.5x7.5x2.7" aluminum box.

Transmitters sold only to licensed amateurs, for legal purposes, verified in the latest Callbook or send copy of new license.

Call or write now for our complete ATV catalog including downconverters, transmitters, linear amps, and antennas for the 400, 900 & 1200 MHz bands.

(818) 447-4565 m-f 8am-5:30pm pst.

**P.C. ELECTRONICS**

2522 Paxson Lane Arcadia CA 91007

Visa, MC, COD

Tom (W6ORG)

Maryann (WB6YSS)



## Radio Fun



# MFJ's world famous Ham Radio Accessories

Why do more hams throughout the world  
use MFJ accessories than any other brand?  
Because they are value packed and carry  
MFJ's one year unconditional guarantee!

## MFJ Speaker Mics

Compact or miniature models for all popular HTs

Compact Speaker Mics, \$24.95 each:

MFJ-284 or MFJ-286

Once you try an MFJ Speaker Mic you'll never want to be without it. You'll be able to carry your handheld on your belt and never have to remove it to monitor calls or talk.

You'll never have to turn up your audio annoyingly loud to monitor calls because it's handy lapel/pocket clip lets you keep it close to your ear for easy listening.

And you'll never have to clumsily remove your handheld from your belt holder to talk because you can conveniently take the speaker mic in one hand, press the push to talk button and talk. Measure 1 1/4" x 2" x 3"

They come with a lightweight retractable cord that eliminates the dangling cord problem. They feature excellent audio on both transmit and receive. MFJ-284 for Icom or Yaesu; MFJ-286 for Kenwood.

Miniature Speaker Mics, \$24.95 each:

New miniature speaker mics pack all the features of the compact models into a tiny 2" x 1 1/4" x 1/4" package. The lapel pocket clip swivels for even more convenient positioning. Also features transmit LED. Choose from regular or "L" shaped connector. Order MFJ-285 or MFJ-285L for Icom or Yaesu, MFJ-287 or MFJ-287L for Kenwood. MFJ-283 for dual plug Alinco.

### Deluxe 300 W Tuner



MFJ-949D MFJ-949D is the world's most popular 300 watt PEP tuner. It covers 1.8-30 MHz, gives you a new peak and average reading Cross-Needle SWR/Wattmeter, built-in dummy load, 6 position antenna switch and 4:1 balun -- in a compact 10 x 3 x 7 inch cabinet. Meter lamp uses 12 VDC or 110 VAC with MFJ-1312, \$12.95.

### SWR Analyzer

MFJ's innovative new SWR Analyzer gives you a complete picture of your antenna SWR over an entire band -- without a transmitter, SWR meter or any other equipment!

Simply plug your antenna into the coax connector, set your SWR Analyzer to the frequency you want and read your SWR. You can instantly find your antenna's true resonant frequency, something a noise bridge can't do. Covers 1.8-30 MHz (or choose MFJ-208, \$89.95 for 2 Meters). Use 9 V battery or 110 VAC with MFJ-1312, \$12.95.

### VHF SWR/Wattmeter

MFJ-812B MFJ-812B covers 2 Meters and 220 MHz. 30 or 300 Watt scales. Also reads relative field strength 1-170 MHz and SWR above 14 MHz. 4 1/2 x 2 1/4 x 3 in.

### MFJ Multiple DC Outlet

MFJ-1112 MFJ-1112 New MFJ DC Power Outlet saves you space and money. Hook it to your 12 VDC power supply and get 6 DC outlets for connecting your accessories. RF bypassing keeps RF out of power supply from DC line outlet. 13 1/2 x 2 3/4 x 2 1/2 in.

\$24.95



MFJ-283, MFJ-285, MFJ-285L, MFJ-287 or MFJ-287L

\$24.95



### 12/24 Hour LCD Clocks



\$19.95 MFJ-108B \$9.95 MFJ-107B

Huge 5/8 inch bold LCD digits let you see the time from anywhere in your shack. Choose from the dual clock that has separate UTC/local time display or the single 24 hour ham clock.

Mounted in a brushed aluminum frame. Easy to set. The world's most popular ham clocks for accurate logs. MFJ-108B 4 1/2 x 1 x 2; MFJ-107B 2 1/4 x 1 x 2 in.

### MFJ Cross-Needle SWR/Wattmeter

MFJ-815B MFJ Cross-Needle SWR/Wattmeter has a new peak reading function! It shows you SWR, forward and reflected power in 2000/500 and 200/50 watt ranges. Covers 1.8-30 MHz.

Mechanical zero adjusts for movement. SO-239 connectors. Lamp uses 12 VDC or 110 VAC with MFJ-1312, \$12.95.

### Deluxe Code Practice Oscillator



MFJ-557 Deluxe Code Practice Oscillator has a Morse key and oscillator unit mounted together on a heavy steel base so it stays put on your table. Portable because it runs on a 9-volt battery (not included) or an AC adapter (\$12.95) that plugs into a jack on the side.

Tone and Volume controls for a wide range of sound. Speaker, earphone jack. Key has adjustable contacts and can be hooked to transmitter. 8 1/2 x 2 1/4 x 3 3/4 in.

Nearest Dealer/Orders: 800-647-1800

MFJ ENTERPRISES, INC.  
Box 494, Miss. State, MS 39762  
(601) 323-5869; FAX: (601) 323-6551  
TELEX: 53 4590 MFJ STKV

• One year unconditional guarantee • 30 day money back guarantee (less s/h) on orders from MFJ • Add \$5.00 each s/h • FREE catalog MFJ... making quality affordable

CIRCLE 86 ON READER SERVICE CARD

## The Radio Fun Ham Marketplace

SAM AMATEUR RADIO  
CALLSIGN DATABASE

1994

Look up by CALL, NAME, City, State and Zip Code  
Edit or Add Entries. Print Lists or Labels Comment field for personal notes  
Direct interface to many popular logging and BBS programs  
Requires MS-DOS, 17MB actual free hard disk, and High Density floppy for install.

SAM 1994 coming in December.

'94 VERSION ONLY \$39.95

Semi-Annual Subscription \$55.00 Quarterly Subscription \$ 80.00

RT SYSTEMS, INC. POB 8. LACEYS SPRING, AL 35754

1-800-723-6922


## Looking for an affordable, easy-to-use way to do packet radio on your Macintosh®?

Savant™  
...because knowledge is power!

\$49.95 +s&h

Visa & Mastercard Accepted  
30 day money back guarantee

Technologies Inc.  
RR #1, Box 83A  
Kelley, IA 50134  
(515) 597-2051  
CompuServe: 71574,421



- Savant follows the Macintosh user interface in every detail!
- Supports multiple simultaneous connections each in its own window.
- Change "channels" by simply clicking on the window.
- Simultaneous transmission and reception of packets in every window.
- Operates with almost any TNC.
- Fully compatible with SoftKiss and the PacketMac modem.
- System 7 compatible, 32 bit clean.

The PacketMac modem, by Sigma Design Associates, is a great way to do packet radio on the Macintosh. You can purchase the modem from us in kit form (\$30) or the completed unit (\$45).  
Macintosh® is a registered trademark of Apple Computer Inc.  
Savant™ is a trademark of CM Technologies Inc.

CIRCLE 289 ON READER SERVICE CARD

Sell Your Product In **RADIO FUN**  
CALL DOUG JOHNSON TODAY! 1-800-274-7373

Join the FUN on the  
**SATELLITES**  
YES! Anyone with a Technician Class  
license or higher can work the



via the  
**OSCARS**

Learn how: Join AMSAT today!

For a limited time, new members receive:  
ORBITs - Tracking software for IBM compatible computers by W0SL  
How to Use the Amateur Satellites - A great book by KB1SF



write or call

**AMSAT**

PO BOX 27 Washington, DC 20044  
301-589-6062

CIRCLE 110 ON READER SERVICE CARD





*Joe Carr*

# antennas, etc.

by Joseph J. Carr K4IPV

## Connectors, Adapters and All That Stuff

The basement of my house is filled with assorted electronic equipment. And while it doesn't exactly cover frequencies from DC to daylight (it does go from DC to microwave), there are a lot of different types of equipment that do many different jobs and operate on a wide variety of frequencies. The equipment was bought new, bought surplus from dealers like Fair Radio Sales (Lima, OH), traded for other goodies, bought "as-is" from hamfest tailgaters, and some was even given to me by people who no longer needed it or were unable to fix it themselves. One piece of equipment I even found on a trash pile on pick-up day, and still another was bought at a yard sale. One word characterizes my collection of electronic equipment: variety.

Variety is the spice of life, says the old proverb . . . or is it? Sometimes, variety can result in hair-pulling frustration; "Daddy's inventing new cuss words" has been heard around my house more than once. Why? Because of the wide variety

of connectors used on the assorted equipment I own (sigh).

Photos A and B show a small collection of connectors and adapters from my workbench. The adapters are used to match odd connectors to each other. Photo A shows two male coaxial connectors attached to wire. The large PL-259 UHF connector on the left is the standard for most ham rigs other than hand-held units. It will take power levels from noise-level QRP to the maximum ham legal limit. It mates with the SO-239 chassis-mounted coaxial connector.

Right next to it is the BNC coaxial connector. It is also sometimes called the "constant impedance" connector because it provides minimal disruption to the system impedance. There are both cable-end versions (as shown) and chassis-mount types. The BNC connector is commonly used on hand-held transceivers, most modern test equipment, and other places. Most signal generators and oscilloscopes on the market today are equipped with BNC connectors. You will sometimes see BNC chassis-mounted connectors with a small rubber O-ring around them. These are "high

altitude" or "pressure-proof" connectors. The rubber O-ring seals the joint between the connector and the chassis for gas leakage.

The two cable ends shown in Photo A are the banana plug and the alligator clip. These connectors are for single conductors. The banana plug fits into five-way binding posts. Also, note that it also fits into the center conductor point on the SO-239 UHF chassis connector. The alligator clip will fit into or onto anything that the jaws can grasp. Neither of these connectors are intended for transmitting antennas, although I've seen QRP antenna tuners for random-length wire antennas use the banana plug and binding post method.

Former ARRL president Vic Clark W4KFC was a champion contester. In the 1960s he and a few others traded places from time to time for top honors in the ARRL sweepstakes, the DX contest and other radio slugfests. He once told a bunch of us after a radio club meeting that he needed a pair of alligator clip leads to temporarily lash some things together. Blaming a family member (who was also a ham, I believe), he was taken aback when

told that all the alligator clip leads were inside his transmitter and final amplifier where they had been (for years) used to make emergency repairs during contests (sweepstakes are pretty intense, I recall).

Photo A shows two adapters. One is a right-angle SO-239-to-PL-259 adapter. It is used to rotate a connection point 90 degrees. I've used these adapters to better position VSWR meters on top of a transceiver, to allow the rig to sit closer to the wall at the back of a desk, and for many other applications. The other adapter is a BNC-to-PL-259 adapter. It allows you to connect a BNC cable to an instrument or rig that has an SO-239 UHF connector (which normally mates with the PL-259).

Several other adapters from my workbench collection are shown in Photo B. The shiny connector on the left is a homebrew connector that converts BNC to the RCA phono jack. I've seen several instruments recently that used the RCA phono jack as a cost-saving measure, and indeed have used them myself for exactly the same reason. Right next to the homebrew connector is a BNC Tee connector. It allows a BNC cable to be split into two directions. The black two-pronged connector is used convert a binding post pair to BNC. Many older instruments, as well as some modern instruments used in the audio frequency range, are equipped with a pair of binding posts spaced 0.750 inches apart center to center. They do not mate with coaxial cables used on other instruments. This adapter takes care of that little problem.

The other two adapters shown in Photo B are Type-N connectors. The Type-N connector is used a lot on commercial and military RF equipment. It is similar to the PL-259/SO0239 style of connector except that it has a shielded inner conductor pin.

Subscribe to **Radio Fun** by calling 1-800-257-2346. Don't Miss a Single Issue!

## SCARED OF THE CODE?

IT'S A SNAP WITH THE ELEGANTLY SIMPLE MORSE TUTOR ADVANCED EDITION FOR BEGINNERS TO EXPERTS—AND BEYOND

Morse Code teaching software from GGTE is the most popular in the world—and for good reason. You'll learn quickest with the most modern teaching methods—including Farnsworth or standard code, on-screen flashcards, random characters, words and billions of conversations guaranteed to contain every required character every time—in 12 easy lessons.

Sneak through bothersome plateaus in one tenth of a word per minute steps. Or, create your own drills and play them, print them and save them to disk. Import, analyze and convert text to code for additional drills.

Get the software the ARRL sells and uses to create their practice and test tapes. Morse Tutor Advanced Edition is approved for VE exams at all levels. Morse Tutor is great—Morse Tutor Advanced Edition is even better—and it's in user selectable color. Order yours today.

For all MS-DOS computers (including laptops). Available at dealers, thru QST or 73 or send \$29.95 + \$3 S&H (CA residents add 7.75% tax) to:

GGTE, P.O. Box 3405, Dept. MS,  
Newport Beach, CA 92659  
Specify 5 1/4 or 3 1/2 inch disk **73**  
(price includes 1 year of free upgrades)

CIRCLE 193 ON READER SERVICE CARD.

## GREAT RADIO READS!

TIARE

Low Power Communications  
Vol. 1 - Basic QRP..... \$14.95

Basic Guide to VHF/UHF  
Ham Radio ..... \$ 6.95

Weather Radio NOAA, Volmet,  
Fax, Satellites, more ..... \$14.95

\$ U.S. only.  
Add \$2 s/h (\$3 foreign) plus  
\$1 each additional book.  
VISA/Mastercard welcome.  
Catalog \$1 (free with order).

Order Now  
Tiare Publications  
P.O. Box 493  
Lake Geneva, WI 53147

CIRCLE 119 ON READER SERVICE CARD

## Walking Stick Yagi?


Hold it in your hand—it's a walking stick made of aluminum with rubber ends. But inside are all the elements of a 4 element yagi that goes together in 2 minutes. Ready for the T-Hunt. Ready to get your signal out of a hole into the repeater. No little bits to drop and get lost. Everything fits clean and tight and tough. 2 meter \$79, 70 cm \$49. Weighs only 1 lb. Add \$6 Shipping & Handling. Info \$1.

Antennas West Order Hotline  
Box 50062-F Provo UT 84605 801-373-8425

CIRCLE 324 ON READER SERVICE CARD

## QUICK, EASY, & COMPACT

Flash cards \*NOVICE thru EXTRA\* theory Key words underlined. Over 4000 sets in use! For beginner, OMs, XYLs & kids.



|                |          |
|----------------|----------|
| NOVICE         | \$11.95  |
| TECHNICIAN     | \$10.95  |
| GENERAL        | \$ 9.95  |
| ADVANCED       | \$15.95  |
| EXTRA          | \$14.45  |
| Shipping       | 1-\$3.00 |
| 2 or more      | -\$4.00  |
| CLUB DISCOUNTS |          |

Order Today!  
from

VIS STUDY CARDS  
P.O. BOX 17377  
HATTIESBURG, MS 39404



CIRCLE 104 ON READER SERVICE CARDS

## SAM AMATEUR RADIO CALLSIGN DATABASE 1994

Look up by CALL, NAME, City, State and Zip Code  
Edit or Add Entries. Print Lists or Labels Comment field for personal notes  
Direct interface to many popular logging and BBS programs  
Requires MS-DOS, 17MB actual free hard disk, and High Density floppy for install.

SAM 1994 coming in December.

'94 VERSION ONLY \$39.95

Semi-Annual Subscription \$55.00 Quarterly Subscription \$ 80.00  
RT SYSTEMS, INC. POB 8. LACEYS SPRING, AL 35754

1-800-723-6922






Photo A. Assortment of connectors from the author's collection.

Not too long ago I bought a multi-stage precision step attenuator. It was new, but carried a "close-out" price at a local ham outlet. The reason for the low price was that it was fitted with Type-N connectors rather than the more popular BNC or SO-239. While the Type-N is more ex-

pensive than either BNC or SO-239, it is not popular with hams so the price in a ham store was lower. A pair of BNC-to-Type-N adapters, similar to that in the lower right of Photo B, solved the problem neatly. The other Type-N adapter shown in Photo B (upper left) is an SO-239-to-




Photo B. Assortment of RF adapters.

Type-N, which allows connecting ordinary PL-259 coaxial connectors to an instrument with a Type-N connector.

Some adapters are very costly, while others fall into the "decimal dust" category (\$2-\$4). Whenever I have a few extra bucks I pick up a few new or different adapters. Having multiple adapters of each type, and many different types, makes it more likely that a particular situation can be serviced. Indeed, you would laugh heartily if you saw some of the multi-adapter lash-ups that have appeared on my workbench... all because of the oddball variety of test and ham equipment I've

accumulated over the decades.

### The Antlers Software

The Antlers program allows you to calculate the length of antenna elements without knowing the formula. It covers dipoles, most other popular wire antennas, the major types of verticals, yagi and quad beams, and radio direction finding loop antennas as well. For information about getting copies of Antlers, write to me at P.O. Box 1099, Falls Church, VA 22041. An MS-DOS or Windows (i.e. IBM compatible) machine equipped with a color monitor is required.

RF

Sell Your Product In **Radio Fun**. Call Doug Johnson Today! 1-800-274-7373

**TEJAS KITS™** now offers over 30 different products, many (until now) hard-to-find parts, plus we're announcing more *new* kits just in time for Christmas! Do you have a local **TEJAS KIT** dealer? **TEJAS RF** has a new **TEJAS KIT AUTHORIZED DEALER PROGRAM!** Send us both your name and your LOCAL DEALERS name. We'll send you both a **FREE** new **TEJAS KIT** Catalog! And we'll send your local dealer an **AUTHORIZED DEALER KIT**, too.

### TEJAS RF TECHNOLOGY

P.O. BOX 720331

HOUSTON, TEXAS 77272-0331

FAX (713) 879-9494 PHONE (713) 879-9300

### We have what you're looking for BRIGHT NEON QSLs \$26.95

Bright Neon QSLs that jump off the wall. Black ink on 65# Postcard Stock with six Neon colors to choose from: Neon Blue, Neon Purple, Neon Lemon, Neon Orange, Neon Red, and Neon Pink. Printed in format shown, state outline & logo included at no extra charge. (Please indicate if you want ARRL logo when ordering).



Send your check or money order along with (Printed or Typed) Name, Address, (including County), Call Letters and Color of Stock

TO: **BB&W Printin.g**  
803 N. Front Street  
McHenry, IL 60050

Custom job or Different Stock, No Problem,  
Call: (815) 385-6005

250 QSLs \$ 26.95  
500 QSLs \$ 30.95 1000 QSLs \$ 36.95  
plus \$3.95 shipping U.S.

Ham it up with all six Neon colors, order the **Rainbow Box** for only \$4.00 more. You'll be hard pressed to beat the price while creating such **STAND OUT** quality.

**JADE PRODUCTS, INC.**  
PUTTING THE AMATEUR BACK IN RADIO  
FUN-KIT LINE

**NEW RELEASES**

**BC01 Battery Charger Kit (Lead-Acid/Gel Cell)**  
Uses the UC3905 IC. Cont. duty, keeps battery charged for immediate use. Only high quality components used: PCB mounted pwr xfrm, EMI line filter, ammeter, enclosure & assy manual. For 12v batteries (bulk rate 1A). Programmable for other voltages. 110/220 VAC, 50/60 Hz ..... \$79.95

**BC02 Battery Charger Module**  
Same as BC01 less enclosure, EMI filter & meter. Can be mounted in an existing user supplied enclosure. .... \$39.95

**BC03 Battery Charger Module**  
Same as BC02, minus transformer. Needs 16 - 21 VAC 50/60 Hz at 1.2 amps. .... \$29.95

**EK01, Experimenter's Kit \$44.95**  
A prototyping kit for radio & test equip. circuits. Inc. PCB, NE602AN, MC1496, LM386, 7.6 x 8.5 x 3.5" enclosure w/htw & assy manual.

|                                                               |         |
|---------------------------------------------------------------|---------|
| 10-00001 Experimenter's PCB .....                             | \$12.95 |
| 11-00001 Chip Set (NE602AN, MC1496, LM386) .....              | \$ 6.00 |
| 31-00001 Enclosure 7.6 x 8.5 x 3.5" (htw & assy manual) ..... | \$33.95 |
| 45-00001 NE602AN Mixer Oscillator \$22.50 ea or 6 for .....   | \$10.00 |
| 45-00002 MC1496L Mixer .....                                  | \$ 3.00 |
| 45-00003 UC3905 Battery Charger .....                         | \$ 7.50 |
| 45-00004 NE604AN IFA/IMP-ASE Detector .....                   | \$ 5.00 |
| 45-00005 8044ADM Curtis Keyer Chip .....                      | \$17.95 |

**160 METER TWIN-LEAD MARCONI ANTENNA**

Complete. Trim to length and attach coax. Takes less space than 80 M dipole. Needs no tuner. Max. pwr: 300 W/ 50 Ω

**\$39.95**

MAIL CHECK OR MONEY ORDER TO: **JADE PRODUCTS, INC.**  
Phone: (603) 329-6995 P.O. BOX 368  
FAX: (603) 329-4499 East Hampstead, NH 03826

**VISA® and MASTERCARD® accepted**  
Add \$3.50 handling charge for orders under \$20.00  
USA Ship Cost: \$4.50 for 1st \$100, \$1.00 for ea. addl \$100

CIRCLE 133 ON READER SERVICE CARD

## Why buy a TNC?

### PC HF FAX + PC SWL \$179.00

### SPECIAL COMBINATION OFFER

For a limited time, if you order PC HF FAX \$99 (see our other ad in this issue), you can add our new and improved PC SWL 3.0 for \$80.00 instead of our regular low price of \$99.00.

PC SWL contains the hardware, software, instructions and frequency lists needed to allow you to receive a vast variety of digital broadcasts transmitted over shortwave radio. All you need is any IBM PC or compatible computer and an SSB shortwave receiver. The product consists of:

**Demodulator**  
**Digital Signal Processing Software**  
**200 Page Tutorial Reference Manual**  
**World wide Utility Frequency List**  
**Tutorial Audio Cassette with Samples**  
PC SWL automatically decodes Morse code, RTTY, AMTOR, SITOR, NAVTEX and ASCII.  
PC SWL lets you tune in on world press services, meteorological broadcasts, ham radio operators, coastal shore stations, aviation telex and much more digital action on the shortwave bands. Why pay for another expensive box when a simple interface and your PC can do the job?

#### ADVANCED FEATURES:


Tuning Oscilloscope  
Digital Waveform Presentations  
Auto Calibration and Code Recognition  
Continuously Tunable Filter Frequencies  
Variable Shift  
Adjustable CW Filter Sensitivity  
Unattended Capture and Printing  
Integrated Text Editor  
Integrated Log and Database  
Shell to DOS applications  
Seamless integration with PC HF Facsimile  
Call or write for our complete catalog of products.  
Visa & MasterCard welcome.

### Software Systems Consulting

615 S. El Camino Real, San Clemente, CA 92672  
Tel: (714) 498-5784 Fax: (714) 498-0568

CIRCLE 244 ON READER SERVICE CARD





# upgrade ... don't stop now

by Gordon West WB6NOA

## 12 Volts DC on the Bench

When you run your amateur radio equipment at home, most ham transceivers will require 12 volts DC. The very large and heavy worldwide high frequency sets are an exception, but most medium- and small-sized ham sets run only on 12 volts DC.

To run your mobile equipment at home from 12 volts DC is relatively easy if you choose your power source carefully. Keep in mind that personal safety, including protection from fire hazards, should be your first consideration. This is why I don't usually recommend taking a car battery, sticking it under your operating console, and periodically charging your system with a little automobile battery charger. Running equipment from an automobile battery is easy, but hazardous. An accidental short between the two battery posts could cause a fire. Normal charging gives off gases that should not be inhaled. Battery acid often will bubble out and could be fatal to any pets that might take a lick.

Here in Southern California where earthquakes and power outages run hand in hand, I do run my 12 volt DC equipment with big storage batteries, but the batteries are safely outside. There are multiple fuses throughout the 12 volt DC system, and I run everything through an instrument panel that allows me to monitor how well my rooftop solar cells are keeping up with power demands. If you're going to run a battery, that's the way to do it.

Never attempt to run any type of 12 volt DC equipment directly from a big automobile battery

charger. These battery chargers put out a tremendous AC component that would instantly wipe out any piece of equipment hooked up directly.

Two major power supply companies provide an alternative to dragging in a big battery from your car to run your equipment:

Astron Corporation

9 Autry  
Irvine CA 92718  
(714) 458-7277

Newmar  
PO Box 1306  
Newport Beach CA 92663  
(714) 751-0488

These companies are recognized leaders in providing professional power supplies for commercial and amateur radio use. The power supplies each put out 13.6 volts DC, contain less than 8 millivolts (RMS) AC ripple, and feature current limiting that will automatically shut down if you draw too much current. The supply will also cycle down if it gets too hot, and it will snap off instantly if you should accidentally short the 12 volt DC leads.

The power supplies from Newmar and Astron feature heavy-duty power transformers to change 110 VAC over to 12 volts. Extremely large filter capacitors and a diode network take out the AC component to give you a pure DC flow for your mobile equipment in the shack. In fact, the modern power supply probably gives a more pure DC source than an outside battery system attached to an operating automobile battery charger.

But you don't necessarily need a big heavy




Photo A. This Newmar power supply has a built-in battery in case of AC power line failure.

transformer inside a power supply to take 110 volts AC down to 12 volts DC. Equipment manufacturers may offer "switcher" power supplies that are so lightweight you might think there's nothing inside these tiny units. All of the voltage conversion and rectification is done by fast-switching transistors. The output voltage is extremely clean, so if you travel around the country and need a reliable 12 volt DC source, consider a "switcher" supply.

But there is a drawback to the switcher supply: the inherent RF noise it can emit within its immediate vicinity. If you are running an outside antenna, this noise will not be a problem. But if you're running a lot of other equipment with antennas close to the switcher power supply, this noise can be a nuisance.

Another consideration with "switcher" power supplies is their unforgiving nature. An input voltage transient could wipe out the transistors in an instant. And when a "switcher" goes, it could very well take out your transceiver too, thanks to renegade AC jumping onto the DC line.

Also, most manufacturers rate their switcher power supply only for their particular piece of equipment, and may not give you additional connections for adding on other radio sets. Something to think about.

If you need a variable power supply, both Astron and Newmar have models with volt and amp meters, just for this purpose. I like a meter on the power supply to let me know how much current my set is pulling. You can tell a lot about how your equipment is performing by its current consumption.

And how much current will you need for your ham transceiver? Here's a simple guide:

|                                                    |         |
|----------------------------------------------------|---------|
| Worldwide SSB HF transceiver                       | 30 amps |
| Worldwide HF transceiver, short transmission times | 20 amps |
| 50 watt single-band and dual-band mobile units     | 12 amps |

10 watt VHF/UHF mobile unit 6 amps  
Hand-held transceiver off of external 12 VDC 2 amps

Note: Watch out for those amperage ratings! Many power supplies are rated for intermittent duty, and this is about twice what they will do under continuous duty. For SSB transceivers, 20 amps intermittent would probably keep up with some transmitting and a lot of listening. But if you do a ton of talking, or operate RTTY or SSTV, better go for the 30 amp power supply that should give you at least 20 amps continuous.

For FM transceivers, the 12 amp intermittent supplies normally give you at least 7 amps continuous output, and this is plenty for most rigs up to 45 watts output. Little hand-held transceivers rarely pull more than 1 amp, so a 2 amp intermittent supply should do just fine.

Caution: Don't attempt to use CB radio power supplies on anything other than a hand-held transceiver. I have often seen CB-type power supplies trying to run a 45 watt dual-band mobile rig, and the operators can't figure out why they are receiving lousy signal reports. CB power supplies don't supply enough current to properly drive mobile 40 watt or even 25 watt rigs.

Finally, every so often feel the metal case of the power supply as you are running your equipment. It's going to get warm if you do a lot of transmitting, but should not get too hot to touch. If it is hot enough to cook on, you may need to think about the next size up power supply. On a temporary basis, take a muffin fan and pull air up through the rear heat sinks to dramatically cool off the fins. You wouldn't believe what a big difference a little fan makes—but remember, don't blow air down on it, but rather pull air up through it and out.

Have fun running your 12 volt DC equipment off of home power with the use of a professional power supply. Write these manufacturers for a catalog of what they offer.

RF



Photo B. The bench power supply may also offer a cigarette plug adapter for 12 VDC.




Photo C. Be careful if you run your handheld from your 12 VDC power supply.




Photo D. You may need to purchase a second power cord to run your equipment at home.





## what's next?

by Carole Perry WB2MGP

### Food for Thought

For the past several years we have had great fun in ham radio class doing projects that celebrate the importance of National Geography Awareness Week. This year my 7th and 8th grade radio classes decided to create a papier-mâché globe which they would fill in with foods, spices and grains indigenous to the area. My 6th graders chose to make a huge map of the United States on brown butcher paper and fill it in with the appropriate foodstuff.

November 14 to 20 was the target week for the project. Since many of my students at Intermediate School 72 in Staten Island, New York, are from families that have recently moved to the borough from other parts of the world, we turned to the children's own families as resources. The parents were delighted to help their children locate specific spices or grains that represented the area on the globe they had come from.

Of course, the obvious resource we also turned to was the radio. Whenever we made a contact with a citizen of a region that we still needed help with, the kids would interview the ham radio operator and enlist his help. I knew I was on the right track with this project when one of the children said, "It's a lot more fun to talk directly to someone to get information than to look up facts in some yucky textbook."

The CQ All Schools Net provided us with a wealth of information. On Tuesdays and Thursdays at 12:30 Eastern time we convene on 28.303 MHz to encourage youngsters all across the country to get on the radio and talk with each other school-to-school. If nothing is heard after 10 minutes you can listen for us on 21.325 MHz

and after 10 minutes on 14.325. If you don't hear my kids under the WB2MGP call, listen for Gordon West WB6NOA on Tuesdays from California or for Jim N4MDC from Louisiana; these are our other net controls.

As always, the nice folks who check into the net to speak with the children are extremely supportive of our educational efforts. In preparing our globe project, we've been receiving foodstuff from all over the world. Not only was this a great geography awareness project for the kids, but they also got to see what a valuable resource the ham radio could be.

I thought that last year's pumpkin globe project was a bit messy in my room—especially when the painted pumpkins began to decompose. The mess involved with the papier-mâché put the other project to shame. I definitely suggest that you get your clean-up squad well organized before you attempt this one. I was stepping on peas and seeds for weeks. I eventually wound up breaking the group into teams. I appointed a glue squad who were responsible for the neat gluing of the grains, spices and food samples on the globe and on the floor map. Another team was responsible for the proper labeling and storing of the perishable items. I did class lessons for all the students to verify the accuracy of the items we were collecting. By the third week, my ham shack looked like it was inside a food warehouse.

Because of previous lessons we'd had in ham radio class, my 7th and 8th graders knew about writing to foreign embassies to get more information. It was very gratifying to see some of last year's licensed youngsters so at ease with some of the more sophisticated techniques they learned



Photo A. Tom Engel KB2NJZ, now 4Z9HBL (he is a student who has returned to Israel), doing research for a geography lesson.

in radio class. I was very proud of them.

The large paper map of the United States was a little easier to control because I insisted the kids use crayons or magic markers instead of paint. They were creative enough to figure out themselves that as the deadline drew near, it was acceptable to draw a small illustration or write in the names of the grain or spice they weren't able to locate. As of the writing of this column, both the globe and the map are approximately 90% filled in with actual substances.

It didn't take long for some of my 8th graders to come up with some delightful puns while explaining our project on the air. They would tell other operators that they were engaged in a very "tasteful" geography project or that their teacher was

giving them some "food for thought."

The children definitely become worldly when immersed in these fun geography lessons that are a natural outcome of talking on the radio. The world is indeed becoming smaller, and ham radio is the perfect tool to bring the world into the classroom. If you are a teacher of social studies and/or geography, you owe it to your students to introduce an exciting lesson for National Geography Awareness Week and to coordinate it with live contacts on the air.

If you have had success with innovative geography lessons, please write to me so we can showcase your work and share the ideas with other instructors: Carole Perry, P.O. Box 131646, Staten Island NY 10313-0006. **RF**

## Simple N Connector

by Gordon West WB6NOA

At most major weekend hamfests, you will spot a 20- to 30-foot booth full of antenna connectors and all sorts of coax. It's called "The Radio Works," and it's run by Jim Thompson W4THU (Box 6159, Portsmouth VA 23703; 804/484-0140).

Their latest product is a simple N connector for those antenna connections at 440 MHz and 1.2 GHz. More and more amateur radio transceiver manufacturers are going to the N connection for minimum loss at UHF frequencies. Most new hams give up trying to figure out how to do an N connector because of the several parts that must be assembled with specific steps in the process.

The simple N connector features a Teflon dielectric, silver-plating on the actual connector, and gold-plating on the pin. One size fits all, including RG8, RG-213, 9913, and 9086 semi-rigid coax. Simply cut clean the end of your coax, trim off about 1/4-inch of the jacket, and slightly trim back the inner dielectric. Attach the easy N connector and solder the center conductor through the little hole in the gold-plated center pin, then solder the braid through two holes on the outside sleeve. Now screw on the outside barrel part of the connector and you are on the air. Just as simple (if not easier) than a common PL-259 connector.

Quit using those PL-to-N adapters. Go with this new connector, available for around \$3.25, and do it right. It works great. **RF**

### N-200 "N" Connector Specifications

|               |                                              |
|---------------|----------------------------------------------|
| Fits cables   | 9913, 9086, RG-213 and similar coaxial cable |
| Dielectric    | Teflon                                       |
| Plating       | Silver                                       |
| Pin           | Gold                                         |
| Max frequency | >2.5 GHz                                     |
| Price class   | \$3.25                                       |




Photo A. The Radio Works' N-200 "N" connector for beginners.



# Radio Fun flea market

Turn your old ham and computer gear into cash now. Sure, you can wait for a hamfest to try and dump it, but you know you'll get a far more realistic price if you have it out where 30,000 active ham potential buyers can see it, rather than the few hundred local hams who come by a flea market table. Check your attic, garage, cellar, and closet shelves and get cash for your ham and computer gear before it's too old to sell. You know you're not going to use it again, so why leave it for your widow to throw out? That stuff isn't getting any younger!

The *Radio Fun Flea Market* costs you peanuts (almost)—comes to 25 cents a word for individual (noncommercial) ads, and 80 cents a word for commercial ads. Don't plan on telling a long story. Use abbreviations, cram it in. But be honest. There are plenty of hams who love to fix things, so if it doesn't work, say so.

Make your list, count the words, including your call, address and phone number. Include a check or your credit card number and expiration. If you're placing a commercial ad, include an additional phone number, separate from your ad. This is a monthly magazine, not a daily newspaper, so figure a couple of months before the action starts; then be prepared. If you get too many calls, you priced it too low. If you don't get many calls, too high.

So get busy. Blow the dust off, check everything out, make sure it still works right, and maybe you can help make a ham newcomer or retired old-timer happy with that rig you're not using.

Send your ads and payment to *Radio Fun Flea Market*, Judy Walker, 70 Route 202 N, Peterborough NH 03458, and get set for the phone calls.

**The Deadline for the January 1994 Flea Market is November 12, 1993.**

**SENSATIONAL NEW WAY TO LEARN CODE-Do** Aerobics, Sing, Jog, or Drive while learning code! Now the secret is yours! Order **THE RHYTHM OF THE CODE-Morse** code music cassette today! \$9.95 ppd **KAWA RECORDS**, P.O. Box 319-R, Weymouth MA 02188. The **HIT** of the 1993 Dayton Hamvention! RF247

**MINIATURE POLICE RADAR TRANSMITTER** one mile range, \$41 assembled, \$31 kit, (219)489-1711. P.O. Box 80096, Fort Wayne IN 46898. RF251

**WANTED:** Manual for National NC 190 Receiver. N3OTQ, 1 Woodland Dr., Troy PA 16947. RF255

**AMIGA, MACINTOSH, ATARI XL/XE/ST** Amateur Radio PD Software \$4.00 disk. Two-stamp SASE brings catalog. Specify computer!

**KINETIC DESIGNS HAMWARE** Box 1646, Orange Park FL 32067-1646. RF266

**QSL SAMPLES-** 50 cents. **SAMCARDS**, 48 Monte Carlo Dr., Pittsburgh PA 15239. RF275

**VHF, UHF, QUAD 4+ ELEMENTS:** Parts list and assembly instructions for easy construction. Send \$10 and SASE, **TODD KIGJE**, MB# 1029, Ridge Park Drive, Concord CA 94518. RF285

**WANTED:** 4 pin tubes 211/VT4C, 845, 2A3, etc. Garrard 301, 401, **SME RMA**, 309, 3012 Arms Ortofon SPU. Oil Caps. Call (201)751-5959. Paul Gil, 180 Union Ave., Belleville NJ 07109. RF320

**IBM SHAREWARE!** Huge selection! \$1.00 Disk! \$.35 Specials! Catalog \$1.00. **PMA-RF**, Box 2424, Scottsdale AZ 85252. RF360

**CUSTOM MADE-HAND TOOLED** Leather products with your initials, name, call letters. Photo's & estimates available. Key rings, wal-

lets, belts, purses, hanging signs, specialty items. Great X-Mas gift. **LEATHER & WEST**, 67 Causeway Rd., West Swanzey NH 03469. (603)352-6256. 9-4 pm. M-F ET. RF370

**CLEANING SHACK.** Want my list? **LEWALSKI**, 3512 Moraga Blvd +4103, Lafayette GA 94549. RF470

**BROWNIES QSL CARDS** since 1939. Catalog and Samples \$1 (refundable with order). 3035 Lehigh Street, Allentown PA 18103. RF475

**KIT BUILDERS!** Complete list of 150 + kit vendors. #10 SASE + \$3 USD to: **RUTENBER ENGINEERING**, 38045 10th St. E. #H75-RF, Palmdale CA 93550-RF. RF485

**YAESU** 60 1.6-60 MHz, new, \$125.00; **MFJ** 949-D Deluxe 300 Watts, tuner, new, \$125.00; **QSYer** for 757 **YAESU**, used, \$70.00; **DX160** Realistic Receiver, regulated output, 13.8VDC, \$10.00. **ED KE4CAF**, phone (615)331-4624. RF490

**INEXPENSIVE HAM EQUIPMENT.** Send stamp for list. **WA4DSO**, 3037 Audrey Drive, Gastonia NC 28054. RF559

**RADIO ASTRONOMY.** For information: Write "SOCIETY OF AMATEUR RADIO ASTRONOMERS," Vincent Caracci, 247 N. Linden St., Massapequa NY 11758. RF580

**PRINTED CIRCUIT BOARDS** for 73 *Magazine*, *QST*, *ARRL Electronics Now*, *Nuts & Volts*, projects. U.S. orders deduct 20%. Free list. **B-C-D ELECTRONICS**, Box 20304, 858 Upper James St., Hamilton, Ontario, Canada L9C 7M5. RF585

**PRINTED CIRCUIT BOARDS** for projects in 73, *Ham Radio*, *QST*, *ARRL Handbook*. List, SASE. **FAR CIRCUITS**, 18N640 Field Ct., Dundee IL 60118. RF595

**VIDEO SYNC GENERATOR** Restores horizontal & vertical sync lines from distorted analogue video formats. For information on completed units & pricing, write: **R.C. DIS-**

**TRIBUTING**, Box 552, South Bend IN 46624. Phone: (219)236-5776. RF610

**THE MODULATORS MATCH RADIO TO AMP.** All kits will greatly increase your modulation while suppressing the carrier. **GRANDMA MOD** fits RCI2950. **GRANDPA MOD** fits HR2510. ONLY \$19.95 ea. (800)536-0109. Dave. RF615

**WANTED: BUY & SELL** All types of Electron Tubes. Call (612)429-9397, Fax (612)429-0929. **C & N ELECTRONICS**, Harold Bramstedt, 6104 Egg Lake Road, Hugo MN 55038. RF620

**INTERESTED IN PUBLIC SERVICE?** Join **REACT TODAY!** For information write, **KA3PDQ**, c/o **REACT**, P.O. Box 8797, Allentown PA 18105. RF630

**VHF-UHF-SHF** Large SASE. **VHFer** P.O. Box #685, Holbrook AZ 86025. RF660

**RADIO TRANSCRIPTION DISCS WANTED.** W7F1Z, Box 724, Redmond, WA 98073-0274. RF700

**9 1/2 INCH UTC WALL CLOCK-** \$26.50 ppd. **GABAY TOOL CO.**, P.O. Box 68, Necedah WI 54646. RF705

**WANTED: 1930-1965 AUDIO EQUIPMENT**, amplifiers, tubes, speakers, etc. Western Electric, Marantz, McIntosh, Etc. Call toll free (800)251-5454. RF835

**FREE** Ham Gospel Tracts. SASE. **N3FTT**, 5133 Gramercy, Clifton Heights PA 19018. RF960

**CONNECTICUT'S** favorite ham store. **ROGUS ELECTRONICS**, 250 Meriden-Waterbury Turnpike, Southington CT 06489. (203)621-2252. RF994

**SECRET SCANNER** Frequencies: Federal, Police, Aero, Military, Cellular, Surveillance, also SWL & CB Books. Big **FREE** catalog! **CRB RESEARCH**, Box 56-RF, Commack NY 11725. RF996

## activities calendar

Send your announcements to: *Radio Fun Activities Calendar*, 70 Route 202-N, Peterborough NH 03458. We'll print as many as space allows, on a "first come-first listed" basis.

### DEC 4

**FARIBAULT, MN** The annual Courage Center Handi-Ham Winter Hamfest will be held at the Eagles Club, starting with registration at 8:30 AM. Flea Market. Handi-Ham Equipment Auction. Talk-in on 19/79. Contact *Don Franz W0FIT*, 1114 Frank Ave., Albert Lea MN 56007.

### DEC 5

**HAZEL PARK, MI** The Hazel Park ARC will hold its 28th annual Swap and Shop, from 8 AM-2 PM, at Hazel Park High School, 23400 Hughes St. Talk-in on 146.64 (DART). Contact *HPARC*, Box 368, Hazel Park MI 48030.

### SPECIAL EVENT STATIONS

#### DEC 3-5

**SAN ANGELO, TX** The San Angelo ARC will operate Station W5QX to celebrate Christmas at Old Fort Concho, from 0001Z Dec. 3rd-2000Z Dec. 5th. Frequencies: Lower General portions of 40, 20 and 10 meters. For a certificate, send QSL with contact number and a 9 x 12 SASE to: W5QX, P.O. Box 4002, San Angelo TX 76902.

### DEC 4

**FLINT, MI** The Genesee County RC will operate W8ACW 1200Z-2400Z, to celebrate their 60th Anniversary. Operation will be in the General 80-15 meter phone subbands, the Novice 10 meter phone subband, and 2 meters. For QSL, send QSL and SASE to *GCRC*, P.O. Box 485, Flint MI 48501.

**KALAUAPA, HI** Kalawao County will be on the air, with several SE Stations operating from the site of the Hansen's Disease Hospital, and the historic lighthouse. Phone, CW, and digital activities are planned for all bands, including the Novice subbands. Look for us at the lower portion of each subband. Listen for AH6IO, AH6IN, AH6KY, AH6KX, and others. For a commemorative QSL card, please send your card and an SASE to the home address of the operator contacted.

### DEC 11

**HOLLY, MI** The Fenton Area ARA will operate KB8MBJ 1400Z-

2400Z, during the annual Charles Dickens Festival. Operations will take place between 28.300/500 MHz and in the General portions of the 20 and 40 meter phone subbands. For a special card, send your QSL and #10 SASE to *Bill Coale KB8MBJ*, 605 S. Broad St., Holly MI 48442.

### DEC 11-12

**TROY, NY** The Troy ARA announces its 2nd annual RTTY Sprint. The contest period this year will be from 2100 UTC Dec. 11th-0100 UTC Dec. 12th. Scoring and bands will be the same as the *ARRL RTTY Roundup*. Logs should be submitted by Jan. 17th, 1994 to *Bill Eddy NY2U*, c/o *TARA*, 2204 22nd St., Troy NY 12180.

### DEC 18

**PERRIS, CA** Hams of the Orange Empire Railway Museum will operate KC6TKT and other calls 1900Z-2359Z, to celebrate their annual North Pole Limited Steam Train operation. SSB: 28.330 MHz. For QSL, send QSL and #9 SASE to *OERM*, P.O. Box 548, Perris CA 92572-0548.

### DEC 18-19

**NAZARETH, PA** The Delaware-Lehigh ARC will operate W3OK 1400Z-0200Z Dec. 18-19, from the twin Christmas cities of Nazareth and Bethlehem PA. Frequencies: 3.965, 7.265, 14.265, 21.365, 28.365. For a certificate, send QSL and SASE to *DLARC*, RD4, Greystone Bldg., Nazareth PA 18064.

### DEC 30-JAN 1

**PASADENA, CA** The Relay Repeater Club will operate Station WB6BNJ from the Wrigley Mansion, Dec. 30th-Jan. 1st, from 1600Z-0200Z each day. Primary frequency will be 28.460 MHz. Secondary frequencies: 21.335 MHz and 14.260 MHz. This event is in conjunction with the 105th Anniversary of the Tournament of Roses. Amateurs in California/Nevada can contact the Station on 2 meters through the 147.21 repeater, on the half hour, or on 220 MHz (via the Condor Connection) on the hour. For a certificate, send a QSL, with contact number and a 9 x 12 SASE with 58 cents postage, to *Relay Repeater Club*, P.O. Box 660081, Arcadia CA 91066-0081.

Wayne is mad as hell ...  
and he doesn't want you  
to take it anymore!

## Declare War!

On Our Lousy Government

**Fed up with the mess in Washington?**  
**The mess in your state capital?**  
**Poverty, crime, our failing schools?**  
**Wayne Green has solutions.**  
**Clever solutions.**

Wayne Green's unique reasoning is intriguing — even delightful. Whether you are horrified by his proposals or you embrace them, it is impossible to ignore the basic lesson he presents: It is time to bring logic — not emotions — to bear on America's dilemmas. His spin on America in the 90's helps us to understand how simple the seemingly complex issues are. All it takes is looking at them from an entirely new viewpoint.

Now available in one complete volume, *Declare War!* is full of thought provoking ideas and solutions to some of the most difficult problems facing our country today. **Regular price: \$12.95**

**Special For RF Readers**

**Only—\$10.00** (plus \$3.50 shipping & handling)

**Order Toll-Free: 800-234-8458**



# Uncle Wayne's Bookshelf

## BOOKS FOR BEGINNERS

- 02D42 Digital Novice** by Jim Grubbs Geared to make you a more knowledgeable participant. \$8.50
- 01A87 Shortwave Listener's Antenna Handbook** Primer antenna theory. \$13.95
- 05C25 Basic A.C. Circuits** A step-by-step approach for the beginning student. \$24.50
- 20N018 Technician Class License Manual: New No-Code** by Gordon West This book covers everything you need to become a Technician Class Ham. Every question and answer on the examinations is found in this one book. FCC Form 610 application. \$9.95
- 20N092 The Wonderful World of Ham Radio** by Richard Skolnik, KB4LCS Simple, clear, and fun. Introduces young people to amateur radio. \$7.95
- 20N100 Electronics Build and Learn (2nd Ed.)** by RA Penfold Combines theory and practice so that you can "learn by doing." \$12.50
- 20N099 Digital Electronics Projects for Beginners** by Owen Bishop Contains 12 digital electronics projects suitable for the beginner to build with the minimum of equipment. \$12.50
- AR2871 W1FB's Help for New Hams** by Doug DeMaw W1FB Complete for the newcomer. Put together a station and get on the air. \$10.00
- AR2286 First Steps in Radio** by Doug DeMaw W1FB Series of QST articles. \$5.00

## SHORTWAVE

- 06S57 1993 Passport to World Band Radio** by International Broadcasting Services. Lid You'll get the latest station and time grids. \$16.50
- 03S11 Shortwave Receivers Past and Present** edited by Fred J. Osterman Guide to 200+ shortwave receivers manufactured in the last 20 years. The Blue Book of shortwave radio value. \$8.95
- 07R25 The RTTY Listener** by Fred Osterman New and expanded. This specialized book compiles issues 1 through 25 of the *RTTY Listener Newsletter*. Contains up-to-date, hard-to-find information on advanced RTTY and FAX monitoring techniques and frequencies. \$19.95
- 03C09 Shortwave Clandestine Confidential** by Gerry L. Dexter Covers all clandestine broadcasting, country-by-country, tells frequencies, other unpublished information: spy, insurgents, freedom fighters, rebel, anarchist radio, secret radio. \$8.50
- 03M221 US Military Communications (Part 1)** US Military communication channels on shortwave. Covers frequencies, background on point-to-point frequencies for the Philippines, Japan and Korea, Indian and Pacific Oceans, and more. \$12.95
- 03M222 US Military Communications (Part2)** Covers US Coast Guard, NASA, CAP, FAA, Dept. of Energy, Federal Emergency Management Agency, Disaster Communications, FCC, Dept. of Justice. From 14 KC to 9073 KC. \$12.95
- 03M223 US Military Communications (Part 3)** Completes the vast overall frequency list of US Military services, from 8993 KC to 27,944 KC. \$12.95
- 09S42 The Scanner Listener's Handbook** by Edward Soomre N2BFF Get the most out of your scanner radio. \$14.95
- 11T88 Tune in on Telephone Calls** by Tom Kneitel K2AES Formatted as a frequency list with detailed description of each service and its location in RF spectrum. \$12.95
- 03K205 Guide to Radioteletype (RTTY) Stations** by J. Kligenfuss Updated book covers all RTTY stations from 3MHz-30MHz. Press, Military, Commercial, Meteor. PTTs, embassies, and more. \$12.95

- 11AS10 Air Scan Guide to Aeronautical Communications (5th Ed.)** by Tom Kneitel K2AES Most comprehensive guide to monitoring US aeronautical communications. Covers all Canadian land airports and seaplane bases, plus listings for Central America, the Caribbean, North Atlantic, and the Pacific Territories. \$14.95
- 15A002 Scanner and Shortwave Answer Book** by Bob Grove Most frequently asked questions by hobbysts. \$13.95
- 07A66 Aeronautical Communications Handbook** by Robert E. Evans Exhaustive, scholarly treatment of shortwave aeronautical listening. \$19.95
- 11RF13 The "Top Secret" Registry of US Government Radio Frequencies (7th Ed.)** by Tom Kneitel K2AES This scanner directory has become the standard reference source for frequency and other important information relating to the communications of federal agencies. \$19.95
- 11F52 Ferrell's Confidential Frequency List, New Revised Edition** compiled by A.G. Halligey All frequencies from 4 MHz-28MHz covering ship, embassy, aero, Voltmet, Interpol, numbers, Air Force One/Two, more. \$19.50
- 11SR97 National Directory of Survival Radio Frequencies** by Tom Kneitel K2AES Handy and concise reference guide to high interest communications frequencies required by survivalists. \$8.95
- 11SM11 Scanner Modification Handbook, Vol. 1** by Bill Creek provides straightforward step-by-step instructions for expanding the operating capabilities of VHF scanners. \$17.95
- 11EE06 Guide to Embassy Espionage Communications** by Tom Kneitel K2AES Candid and probing examination of worldwide embassy and (alleged) espionage communications systems and networks. \$10.95
- 20N094 A Flick of the Switch, 1930-1950** by Morgan E. McMahon Discover the fast-growing hobby of radio collecting. \$8.95
- 07R26 World Wide Aeronautical Communications** by Robert E. Evans Aircraft/Air Traffic Control, Aircraft/Company Operations, Aviation Weather Broadcasts, Aeronautical Flight Tests, Worldwide Military Air Forces, Aero Search & Rescue, Aero Law Enforcement, NASA Flight Support, Aero Terms & Abbreviations and Aero Tactical Identifiers. \$6.95
- 11T89 Scanner Modification Handbook Vol. 2** by Bill Creek Here it is—a companion to Vol. 1. In fact, Vol. 2 has a section that provides improved approaches and updated techniques for the mods in Vol. 1. There's 18 new exciting modifications for popular scanners. \$17.95
- 03R01 World Press Services Frequencies (RTTY) New 5th Ed** A comprehensive manual covering radioteletype news monitoring—contains all information—antenna, receiving, terminal units, plus three extensive frequency lists. \$8.95

## ARRL BOOKS

- AR1994 ARRL 1994 Handbook (71st Ed.)** Features: added DSP, improved treatment of Pi and Pi-L, all new all-digital-logic, plus lots more. \$25.00
- AR1993 ARRL 1993 Handbook (70th Ed.)** 39 chapters, featuring 2,100 tables, figures and charts. Comprehensive, well organized and affordable. \$25.00
- AR1086-4 ARRL Operating Manual (4th Ed.)** Information on how to make the best use of your station, including: interfacing home computers, OSCAR, VHF-UHF. \$18.00

- AR0194 Antenna Compendium Vol. 1** Materials on verticals, quads, loops, yagis, reduced size antennas, baluns, Smith Charts, antenna polarization. \$10.00
- AR2545 Antenna Compendium Vol. 2** Covers verticals, yagis, quads, multiband and broadband systems, antenna selection. \$12.00
- AR4017 Antenna Compendium Vol. 3** More verticals, yagis, quads, plus loops, arrays, mobile, direction finding, controlled currents, computerized, installation, overloads, plus 40 new articles for beginner's to advanced. \$14.00
- AR2626 Companion Software for Antenna Compendium Vol. 2** 5 1/4" MS-DOS floppy. \$10.00
- AR0488 W1FB's Antenna Notebook** by Doug DeMaw W1FB Get the best performance out of unobtrusive wire antennas and verticals. Build tuners and SWR bridges. \$9.50
- AR0348 QRP Notebook** by Doug DeMaw W1FB Presents construction projects for the QRP operator. \$9.50
- AR4141 W1FB's Design Notebook** by Doug DeMaw W1FB Filled with simple practical projects that can be built using readily available components and common hand tools. \$10.00
- AR2200 Antenna Impedance Matching** by Wilfred N. Caron Most comprehensive book written on using Smith Charts in solving impedance matching problems. \$20.00
- AR0402 Solid State Design** Good, basic information, circuit designs and applications; descriptions of receivers, transmitters, power supplies, and test equipment. \$12.00
- AR3193 Weather Satellite Handbook (4th Ed.)** by Dr. Ralph Taggart WB8DQT Expanded and revised to reflect today's weather-fax satellite technology. \$20.00
- AR3290 Companion Software for Weather Satellite Handbook** 5 1/4" MS-DOS floppy. \$10.00
- AR3291 Now You're Talking! All You Need To Get Your First Ham Radio License (2nd Edition)** A complete study guide for the Technician and Novice written exam. Practical information every beginner needs is written clearly and simply and in small doses. \$19.00
- AR3292 Your Introduction to Morse Code: Practice Cassettes** Kit includes two 90 minute cassette tapes. Prepares you for the 5 WPM Morse code exam to earn your Novice license or add high-frequency worldwide communications privileges to your code-free Technician license. \$10.00
- AR0347 ARRL Repeater Directory 1993-1994** 19,000+ listings with digipeaters, bandplans, CTCSS (PL(TM)) tone chart, frequency coordinators, ARRL special service clubs, and beacon listings from 14 MHz to 24GHz. \$6.00
- AR1033 The DXCC Companion** by Jim Kearman KR1S Spells out in simple, straightforward terms what you need to be a successful DXer. \$6.00
- AR1250 Log Book** —Spiral \$3.50
- AR3411 Interference Handbook** RFI sleuth's experience in solving interference problems. \$12.00
- AR2197 ARRL Data Book** Valuable aid to the RF design engineer, technician, radio amateur, and experimenter. \$12.00
- AR2960 Transmission Line Transformers (2nd Ed.)** by Dr. Jerry Sevick W2FMI Practical designs and specific information on construction techniques and sources of material. \$20.00
- AR0410 Yagi Antenna Design** A Ham Radio series polished and expanded by Dr. Lawson. \$15.00
- AR2171 Hints and Kinks** Ideas for setting up your gear for comfortable, efficient operation. \$9.00
- AR3169 QRP Classics** Compilation of ARRL publications on building receivers, transmitters, transceivers, accessories. \$12.00
- ARRL License Manuals** Complete FCC question pools with answers.
- AR2375 Technician Class** \$6.00
- AR2383 General Class** \$6.00
- AR0166 Advanced Class** \$8.00
- AR2391 Extra Class** \$8.00
- AR3185 The Satellite Experimenter's Handbook, (2nd Ed.)** by Martin Davidoff K2UBC Expanded and revised. Focusing on satellites built by and for the international radio amateur community. \$20.00
- AR2456 FCC Rule Book (9th Ed.)** A must for every active radio amateur. \$9.00
- AR2030 Your Gateway to Packet Radio (2nd Ed.)** Tells everything you need to know about this popular new mode. \$12.00
- AR2103 Satellite Anthology** The latest information on OSCARs 9 through 13 as well as the RS satellites, the use of digital modes, tracking antennas, RUDAK, microcomputer, and more! \$5.00
- AR2898 Space Almanac** by Anthony R. Curtis K3KXX Recent news from space. \$20.00
- AR2083 Complete DX'er (2nd Ed.)** by Bob Locker W9KNI Learn how to hunt DX and obtain hard-to-get QSL cards. \$12.00
- AR2065 ARRL Antenna Book** The new 16th Edition represents the best and most highly regarded information on antenna fundamentals, transmission lines, design, and construction of wire antennas. \$20.00
- AR3293 Morse Code: The Essential Language** by L. Peter Carron Jr. W3DKV Expanded and revised in its 2nd edition. How to handle distress calls heard not only on the hambands but on maritime and aircraft frequencies. \$6.00
- AR4114 Low Profile Amateur Radio** For the Ham who lives where antennas are frowned upon. From hiding your antenna to operating with low power. This book tells you how to get on the air using these techniques—and others—without calling attention to yourself. \$8.00

## STUDY AIDS

|                                                                                                                                                                                         |       |         |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------|---------|
| <b>VIS Study Cards</b> Compact, up-to-date Flash Cards with Key Words, Underlined, Quiz on back. Formulas worked out. Schematics at your fingertips. Used SUCCESSFULLY by ages 6 to 81! |       |         |
| NOVICE                                                                                                                                                                                  | VIS01 | \$11.95 |
| TECH                                                                                                                                                                                    | VIS02 | 10.95   |
| GENERAL                                                                                                                                                                                 | VIS03 | 9.95    |
| ADVANCED                                                                                                                                                                                | VIS04 | 15.95   |
| EXTRA                                                                                                                                                                                   | VIS05 | 14.45   |

## REFERENCE

- 20N102 Practical Digital Electronics Handbook** by Mike Tooley BA Contains nine digital test gear projects. Digital circuits, logic gates, bistables and timers, microprocessors, memory and input/output devices. \$14.50
- 20N103 Electronic Power Supply Handbook** by Ian R. Sinclair Covers many types of supplies—batteries, simple AC supplies, switch mode supplies and inverters. \$16.25
- 20N104 Electronic Test Equipment Handbook** by Steve Money A guide to electronic test equipment for the engineer, technician, student and home enthusiast. \$18.00
- 20N105 Digital Logic Gates and Flip-Flops** by Ian R. Sinclair A firm foundation in digital electronics. Treats the topics of gates and flip-flops thoroughly and from the beginning. \$18.00
- 01C80 Master Handbook of 1001 Practical Electronic Circuits** Tried and proven solid state circuits. \$19.95
- 01P68 Pirate Radio Stations** by Andrew Yody Tuning in to underground broadcasts. \$12.95

- 01T01 Transmitter Hunting** by Joseph Moell and Thomas Curlee Radio direction finding simplified. \$19.95
- 03R02 Rtty Today** by Dave Ingram Modern guide to amateur radioteletype. \$8.50
- 05E03 First Book of Modern Electronics** Unique projects that are money saving. \$12.95
- 09D22 The World Ham Net Directory** by Mike Witkowski New—2nd edition. Introduces the special interest ham radio networks and shows you when and where you can tune them in. \$9.50
- 09P33 Pirate Radio Directory** by George Zeller Where to tune in on secret entertainment stations. \$7.95
- 10F093 1993 International Callbook** The new 1993 International Callbook lists 500,000+ licensed radio amateurs in the countries outside North America. It covers South America, Europe, Africa, Asia, and the Pacific area (exclusive of Hawaii and the U.S. possessions). \$29.95
- 10D093 1993 North American Callbook** The 1993 North American Callbook lists the calls, names, and address information for 500,000+ licensed radio amateurs in all countries of North America. \$29.95
- 05H24 Radio Handbook, 23rd Ed.** by William I. Orr W6SAI 840 pages of everything you wanted to know about radio communication. \$39.95
- 02B10 Heath Nostalgia** by Terry Perdue K8TP 124 page illustrated history of the Heath Company. Includes many fond memories contributed by long-time Heathkit employees. \$9.50
- 10DF92 1993 Callbook Supplement** An update to the 1992 International and American callbooks. \$10.00
- 12E76 Basic Electronics** Prepared by the Bureau of Naval Personnel Covers the important aspects of applied electronics and electronics communications. \$10.95
- 12E41 Second Level Basic Electronics** Prepared by the Bureau of Naval Personnel Sequel to Basic Electronics, thorough treatment of the more advanced levels of applied electronics. \$9.95

- 01D45 The Illustrated Dictionary of Electronics, 5th Ed** by Rufus P. Turner and Stan Gibilisco An exhaustive list of abbreviations, and appendices packed with schematic symbols and conversion tables. \$26.95
- 20N091 Most-Often-Needed Radio Diagrams and Servicing Information, 1926-1938, Volume One** compiled by M.N. Beltman An invaluable reference for anyone involved in Vintage Radio restoration. \$11.95
- 20N096 How To Read Schematics (4th Ed.)** by Donald E. Herrington Written for the beginner in electronics, but it also contains information valuable to the hobbyist and engineering technician. \$14.95
- 20N097 Radio Operator's World Atlas** by Walt Stinson, W0CP This is a compact (5x7), detailed, and comprehensive world atlas designed to be a constant desk top companion for radio operators. \$17.95
- 20N020 Secrets of RF Circuit Design** by Joseph J. Carr Written in clear non-technical language, covers everything from antennas to transistors. \$19.50
- 20N109 73 Magazine Index 1960-1990** A complete index to every article published in 73 Magazine through 1990. Book \$15.00 IBM software (specify type) \$20.00
- 20N110 Product Reviews Since 1945** Contains an index to 3,400 product reviews that have appeared in QST, CQ, HR, 73 and Radcom. Book \$12.95 IBM Software \$25 \$10.00

## WAYNE'S PICKS

- SS8756 Warning! The Electricity Around You May Be Hazardous To Your Health** by Ellen Sugarmen An invaluable guide to the risks of electromagnetic fields, and steps you can take to protect yourself and your family. \$11.00
- "We The People" Declare War! On Our Lousy Government.** by Wayne Green A "must read" for every american taxpayer. Solutions to every problem facing our government today. \$12.95
- ED86751 Dumbing Us Down: The Hidden Curriculum Of Compulsory Schooling.** by John Gatto If you enjoyed "Declare War", you'll enjoy this also. A Wayne Green recommended reading. 9.95.
- 78572 How to Teach School Real Good** by Dick Gaillard Good reading. A true insight on the school system. What our teachers teach, how and why they teach. You will not be able to put this one down. A Wayne Green recommended reading. Limited Quantity. While supplies last. \$10.00
- NEW STUFF**
- AR3782 Your QRP Operating Companion** No special rigs or expensive equipment to enjoy the excitement and challenge of low-power operating. \$6.00
- AR3878 Your VHF Companion** Explore the fascinating activities on the VHF bands: FM and repeaters, packet, CW & SSB, Satellites, ATV, transmitter hunting and more. \$8.00
- AR3959 Your Packet Companion** Perfect for the packet newcomer. \$8.00

## Uncle Wayne's Bookshelf Order Form

You may order by mail, telephone, or fax. All payments are to be in US funds. Allow 3 weeks for delivery.

| Item # | Title | Qty. | Price | Total |
|--------|-------|------|-------|-------|
|        |       |      |       |       |
|        |       |      |       |       |
|        |       |      |       |       |
|        |       |      |       |       |
|        |       |      |       |       |

Shipping: All US/Canada orders add \$5.00 shipping. U.S. orders shipped UPS. (Please provide street address.) (Alaska & Hawaii shipped via mail.) Airmail to Canada by actual weight. Make checks payable to "Uncle Wayne's Bookshelf." Foreign Orders: Shipping charges by actual weight. Surface or Airmail (Surface delivery may take 2 to 3 months.)

Name \_\_\_\_\_

Street \_\_\_\_\_

City \_\_\_\_\_

State \_\_\_\_\_

Zip \_\_\_\_\_

TOTAL \$ \_\_\_\_\_

☐AE

☐MC

☐VISA

☐Check/Money Order

Card # \_\_\_\_\_

Expiration Date \_\_\_\_\_

Mail: 73 Magazine, Attn. Uncle Wayne, PO Box 3080, Peterborough, NH 03458

Telephone: (603) 924-4196 (800) 234-8458 FAX: (603) 924-8613

## UHF/VHF PACKET

- 01P22-2 The Packet Radio Handbook (2nd Ed.)** by Jonathan L. Mayo KR3T "...the definitive guide to amateur packet operation."—Gwyn Reedy W1BEL Only \$16.95
- 09V11 The Basic Guide to VHF/UHF Ham Radio** by Edward M. Noll Provides a first rate introduction to the 2.6 and 1.25 meter bands as well as 23, 33, and 70cm. \$6.50
- 20N019 U.S. Repeater Mapbook** by Robert Martin The Guide for traveling radio amateurs. \$9.95
- 03R02 RTTY Today** by Dave Ingram K4TWJ Most comprehensive RTTY guide ever published. \$8.50

## ANTENNAS

- 20N108 The Easy Wire Antenna Handbook** by Dave Ingram K4TWJ Gives you all of the needed dimensions for a full range of easy to build and erect "sky wires." \$9.50
- 01A70 Practical Antenna Handbook** by Joseph J. Carr Design, build, modify, and install your own antennas. \$22.95
- 10A342 All About Verticle Antennas** by William Orr Comprehensive coverage of amateur communications. \$10.95
- 10A343 All About Cubical Quad Antennas** by William Orr and Stuart Cowan "The Classic" on Quad design, theory, construction, operation. New feed and matching systems. New data. \$11.95
- 10A345 Beam Antenna Handbook** by William Orr and Stuart Cowan Everything you need to know about beam design, construction, and operation. \$11.95
- 10A346 Simple, Low-Cost Wire Antennas For Radio Amateurs** by William Orr and Stuart Cowan All New! Low-cost, multi-band antennas; inexpensive beams, "invisible" antennas for hams in "tough" locations! New data. \$11.95

## SOFTWARE

- 04M54 GGTE Morse Tutor** From beginner to Extra class in easy self-paced lessons. Code speeds from 1 to over 100 words per minute. Standard or Farnsworth mode. Adjustable tone frequency. Create your own drills, practice or actual exams. Exams conform to FCC requirements. 5 1/4" floppy for IBM PC, XT, AT, PS/2 or compatibles. \$19.50
- 04M55 Advanced Edition \$29.95**
- 20N021 No Code Ham Radio Education Package** Computer software package. Includes computer aided instruction software (IBM compatible), 200 page Ham Radio Handbook. \$28.95
- 20N022 Ham Operator Education Package** Computer software contains five IBM compatible discs with all questions for all license classes, plus "Morse Academy" code teaching software that takes you from 0-20 wpm. \$28.95
- Lanze Code Programs—(Available on 5 1/4" disk.)** Inexpensive complete study guide code programs for both the C64/128 Commodores and the IBM compatibles. Programs include updated FCC questions, multiple choice answers, formulas, schematic symbols, diagrams, and simulated (VE) sample test.
- |                  | IBM Part# | Commodore Part# | Price   |
|------------------|-----------|-----------------|---------|
| Novice           | IBMO1     | COMO1           | \$14.95 |
| Tech             | IBMO2     | COMO2           | \$14.95 |
| General          | IBMO3     | COMO3           | \$14.95 |
| Advance          | IBMO4     | COMO4           | \$19.95 |
| Extra (New Pool) | IBMO5     | COMO5           | \$19.95 |

- IBM06, COM06 IBM/Commodore Tech No Code—Lanze Code Program** Contains all the authorized FCC questions and answers used in testing formulas, schematic symbols, diagrams, and sample test for passing the new Technician No Code license. \$24.95
- IBM97 Amateur Radio Part 97 Rules** New Edition, complete FCC rules. \$9.00

## CODE TAPES

- 73T05 "Genesis" \$5.95**  
5 wpm—This beginning tape, takes you through the 26 letters, 10 numbers, and necessary punctuation, complete with practice every step of the way.
- 73T06 "The Sticker" \$5.95**  
6+ wpm—This is the practice tape for those who survived the 5 wpm tape, and it's also the tape for the Novice and Technician licenses. It is comprised of one solid hour of code. Characters are set at 13 wpm and spaced at 5 wpm.
- 73T13 "Back Breaker" \$5.95**  
13+ wpm—Code groups again, at a brisk 13+ wpm so you'll be really at ease when you sit down in front of a steely-eyed volunteer examiner who starts sending you plain language code at only 13 per.
- 73T20 "Courageous" \$5.95**  
20+ wpm Congratulations! Okay, the challenge of code is what's gotten you this far, so don't quit now. Go for the extra class license. We send the code faster than 20 per.



# new products



## AZDEN CORPORATION

A new voice-quality headset has been announced by the Communications Division of Azden Corporation. The Model

DM-10 has a special lightweight design and an audio frequency range particularly well suited for communications applications.

The adjustable headband provides a perfect fit for all sizes. The padded earpieces cover the ear so outside sounds are reduced but not eliminated. Low frequency noise, such as power supply hum, and high frequency interference, such as hiss and static, are significantly reduced.


The price is \$49.95 factory direct. For more information contact *Azden Corporation*, 147 New Hyde Park Road, Franklin Square, NY 11010; (516) 328-7500, FAX (516) 328-7506. Or circle Reader Service No. 202.

## PERSONAL DATABASE APPLICATIONS

The new PDA QSL Route Database is now available from Personal Database Applications. For only \$10 LOGic users have long enjoyed the convenience of having thousands of QSL routes at their fingertips. Now PDA is offering this full-featured user-updatable list to all hams.

Data for the list has been compiled from information gathered by hams worldwide, who use LOGic to process their cards. The current list has 28,000 routes, with hundreds more being added each month.

The list includes DOS access software with full mouse support. The latest list is only \$10, a one-year bimonthly subscrip-




tion is \$35, a one-year monthly subscription is \$60. Software for Windows (3.1) is \$10 extra. For more information contact *Personal Database Applications*, Dept. DX, 2616 Meadow Ridge Dr., Duluth, GA 30136; (404) 417-1899. Or circle Reader Service No. 203.

## PERIPHLEX INC.

Periphex announces longer operating, higher capacity, lower cost batteries for Yaesu's popular FT-26, 76, 415, 416, 815, 816, and 530 hand-held radios. The FNB-25 (7.2 volts, 700 mAh) and FNB-26S (7.2 volts, 1400 mAh) offer a 40% increase in operating time at low power; while the FNB-27S (12 volts, 800 mah) offers a 33% increase in operating time at 5 watts output. Both superpack batteries are priced at \$65 and are 3.75 inches tall. The FNB-25 is priced at \$39. The standard FNB-26 and FNB-27 (three inches tall) are also available for \$60.

All battery packs include overcharge protection, over-temperature protection, short circuit protection, and a one-year warranty. They are completely compatible with appropriate Yaesu chargers and are immediately available from Periphex




and its franchised dealers. For further information contact *Periphex, Inc.*, 115-1B Hurley Road, Oxford, CT 06478; (800) 634-8132 or (203) 264-3985. Or circle Reader Service No. 201.

## TRADER

Trader Printing has just hit the ham radio market with a new, great-looking station license certificate. This attractive, full-size (8-1/2" x 11") parchment certificate is offset printed in three colors and will brighten the walls of any ham shack. It is personalized with the station operator's name, callsign, and license class. It makes a great gift for any new ham you know, or for someone who has recently upgraded and would enjoy this visible reward for his or her accomplishment.

The certificate is mailed flat for \$4.95 ppd. For more information contact *Trad-*



er, 4290 Bells Ferry Road, Suite 106-36, Kennesaw, GA 30144; (404) 908-7325. Or circle Reader Service No. 205.




## GORDON WEST

The Novice and Technician question pools, FCC Elements 2 and 3A, were revised in July 1993. One of the first updated books covering the new questions is the Gordon West *New No-Code*

book, available through most ham radio dealers.

"What makes our book different from traditional theory guides is our question-and-answer format, along with my paragraph of description on why the answer is correct," says author Gordon West WB6NOA. "This allows students to prepare for their examination in the same exact order as the FCC syllabus." The new book contains more than just questions, answers, and descriptions. There are 50 pages guiding the new student through test-taking, preparing for the optional code test, filling out the FCC's Form 610, and locating nearby examiners. For discount classroom quantity prices call (800) 669-9594. For more information contact Gordon West, c/o W5YI, P.O. Box 56510, Dallas, TX 75356-5101; (714) 549-5000 Or circle Reader Service No. 204.




## UNIFIED MICROSYSTEMS

Unified Microsystems announces the

Contest Card, a PC plug-in interface board that contains a voice recorder/keyer and CW interface. This unit allows hams to record their CQs, callsigns, contest exchanges, and other voice messages for transmission under control of the computer. The Contest Card can be used with PC-based repeater controllers for ID, special voice messages, or other applications.

The Contest Card is available in kit form for \$119.95 or assembled and tested for \$179.95. (Please add \$5 S&H in the US and Canada.) For more information please contact *Unified Microsystems*, P.O. Box 133, Slinger, WI 53086; (414) 644-9036. Or circle Reader Service No. 208.



## CURRY COMMUNICATIONS

Curry Communications has introduced a professional-grade low-frequency CW transceiver kit. The Model CW893 brings the enjoyment of license-free low frequency communications to radio enthusiasts at a low price.

Many radio enthusiasts enjoy the 1750 meter band (160-190 kHz) for the technical challenge and the opportunity to contact other "LOWFERS" without the license requirement. An important benefit of this low fre-

quency hobby is the training and skill a person receives which can help him earn a ham ticket. Many ham operators also like to play around with low frequency work because of the variety it can add to the hobby.

The CW893 has a sensitive direct conversion receiver. Special circuits effectively eliminate interference from strong local signals. Adjustable filters make it an ideal CW receiver. The transmitter section uses efficient MOSFET technology and is capable of 10 watts output (1 watt is the legal limit in the US).

The price for the complete kit is \$89 ppd. For more information contact *Curry Communications*, 737 North Fairview Street, Burbank, CA 91505; (818) 846-0617. Please send an SASE for information. Or circle Reader Service No. 206.

## RF INDUSTRIES


RF Industries, Ltd. has entered the hand and cable preparation tool market with the introduction of two highly competitive stainless steel hand-tool kits.

The RFA-4080 kit is comprised of six tools: one flush cutter, one "grripper nipper" cutter, one wire loop former, one long nose pliers, one duck bill pliers, and one offset bent nose pliers. All six are stainless steel with adjustable pivot and a rockwell hardness of 46-48. All contact surfaces are serrated.

The RFA-4081 is exactly as the above except that all contact surfaces are smooth.

Both come in zippered leatherette cases with elastic hold downs. For prices

and other information contact *RF Industries Ltd.*, 7620 Miramar Road, San Diego, CA 92126; (800) 233-1728. Or circle Reader Service No. 207.





"Built-in VOX? Right!"

"Dual Decode. Now that's a first!"

"Wow, a real Battery Voltage Readout!"


"Yaesu did it again!"

| FEATURES                                                 | Yaesu<br>FT-530 | Kenwood<br>TH-78A | Alinco<br>DJ-580 | Icom<br>IC-W-21AT |
|----------------------------------------------------------|-----------------|-------------------|------------------|-------------------|
| Memory Channels                                          | 82              | 50                | 40               | 70                |
| Slide-out Lithium Battery                                | YES             | NO                | NO               | NO                |
| Dual CTCSS Decoder                                       | YES             | NO                | NO               | NO                |
| Battery Voltage Readout                                  | YES             | NO                | NO               | NO                |
| Automatic CTCSS<br>Tone Search                           | YES             | NO                | NO               | NO                |
| Transmit Battery Saver<br>(Repeater & Simplex Operation) | YES             | NO                | NO               | NO                |
| Built-In Vox                                             | YES             | NO                | NO               | NO                |
| One Touch Reverse Button                                 | YES             | NO                | NO               | NO                |
| Dual In-Band Receive<br>(V+V, U+U)                       | YES             | YES               | NO               | YES               |
| Programmable External<br>Speaker Audio                   | YES             | NO                | NO               | NO                |
| Optional Digital Display<br>Mic with "S" Meter           | YES             | NO                | NO               | NO                |
| AM Aircraft Receive                                      | YES             | YES               | YES              | YES               |

# The Best vs. "the rest."

## FT-530 Dual Band Handheld

- **Frequency Coverage:**  
2-Meter 130-174 MHz RX  
144-148 MHz TX  
70 cm 430-450 MHz RX/TX
- 4 TX Power levels:  
w/FNB-25: 2.0, 1.5, 1.0, 0.5W  
w/FNB-27: 5.0, 3.0, 1.5, 0.5W
- DTMF Paging and Coded Squelch
- AOT - Auto On-Timer with built-in clock and alarm functions
- IBS - Intelligent Band Select (provides automatic TX band select on scan stop)
- Backlit keypad and display with time delay
- Built-in cross-band repeat function
- APO - Automatic Power Off
- 5 Watts output w/ FNB-27 battery or 12 VDC
- 2 VFO's for each band
- **Accessories:**  
NC-42 1-Hour Desk Charger  
FNB-25 600 mAh Battery (2 watt)  
FNB-26 1000 mAh Battery (2 watt)  
FNB-27 600 mAh Battery (5 watt)  
FBA-12 6 AA Cell Holder  
CSC-56 Vinyl Case w/ FNB-25  
CSC-58 Vinyl Case w/ FNB-26/27  
E-DC-5B 12 VDC Adaptor  
YH-2 Headset for VOX  
MH-12A2B Speaker Mic  
MH-18A2B Lapel Speaker Mic  
MH-19A2B Mini Earpiece Mic  
MH-29A2B LCD Display Mic with Remote Functions  
MMB-54 Mobile Mounting Hanger



No other dual band handheld beats the FT-530 on features for performance and ease of use. With the largest backlit keypad available, 82 memories, exclusive Dual CTCSS Decode and AM Aircraft Receive, the FT-530 is simply the best value there is.

Compare for yourself, then forget "the rest." See your dealer for the best dual band handheld you can buy. The FT-530.

**YAESU**  
*Performance without compromise.<sup>SM</sup>*



## MEET THE NEWEST FACES IN TRANSCEIVER TECHNOLOGY

Small just got smaller. Kenwood's new TH-22AT (144MHz) and TH-42AT (440MHz) are in a category all their own, redefining "handheld communications" with a stylish palm-size format and equally impressive performance.

Besides being compact enough to slip into a shirt pocket, these two FM transceivers are light enough to carry everywhere. You'll be surprised by their output (over 5 watts with a 9.6V battery) and their stamina (long hours between charges). The secret lies in Kenwood's sophisticated power management system, featuring a MOS FET power module — a world first in this class — which enables reliable, low-voltage operation. Audio



output is also great, thanks to the large built-in speaker.

Other welcome features are the built-in DTMF keypad, user-friendly menu system, multiple scan functions (VFO, call and memory) and scan stop modes (CO and TO), selectable squelch configuration, and tone alert with elapsed time indicator. In addition, there are 40 memory channels (plus 1 call channel) — all capable of storing transmit and receive frequencies, frequency step, tone (CTCSS) frequency, tone on/off status, CTCSS on/off status, DTSS code, DTSS on/off status, shift, and reverse on/off status in non-volatile E<sup>2</sup>PROM (no battery backup required). And among the desirable options are a CTCSS decoder and rapid charger.

Kenwood's TH-22AT and TH-42AT — two transceivers that are too exciting to keep under your hat.

# Hats Off!

## TH-22AT/42AT FM HANDHELD TRANSCEIVERS



# KENWOOD

TH-22AT APPROX  
3.0 WATTS  
TH-42AT APPROX  
2.5 WATTS  
WITH SUPPLIED  
BATTERY

KENWOOD COMMUNICATIONS CORPORATION  
AMATEUR RADIO PRODUCTS GROUP  
P.O. BOX 22745, 2201 East Dominguez St., Long Beach, CA 90801-5745  
KENWOOD ELECTRONICS CANADA INC.  
6070 Kestrel Road, Mississauga, Ontario L5T 1S8, Canada